

ORIGINAL



0000078867

RECEIVED

BEFORE THE ARIZONA CORPORATION COMMISSION

COMMISSIONERS

MIKE GLEASON – CHAIRMAN
WILLIAM A. MUNDELL
JEFF HATCH-MILLER
KRISTIN K. MAYES
GARY PIERCE

2008 JUL -1 P 1:23
AZ CORP COMMISSION
DOCKET CONTROL

Arizona Corporation Commission

DOCKETED

JUL -1 2008

DOCKETED BY

mn

IN THE MATTER OF THE APPLICATION OF) DOCKET NO. E-04204A-07-0593
UNS ELECTRIC, INC. FOR APPROVAL OF ITS)
RENEWABLE ENERGY STANDARD AND)
TARIFF IMPLEMENTATION PLAN.)

UNS Electric, Inc. (“UNS Electric” or the “Company”), through undersigned counsel,
hereby submits the following documents in compliance with Arizona Administrative Code R14-2-
1813:

- (i) The UNS Electric Full Compliance Implementation Plan, attached hereto as Exhibit 1;
- (ii) The UNS Electric Best Value Implementation Plan, attached hereto as Exhibit 2;
- (iii) The UNS Electric Renewable Energy Credit Purchase Program – Full Compliance Plan, attached hereto as Exhibit 3; and
- (iv) The UNS Electric Renewable Energy Credit Purchase Program – Best Value Plan, attached hereto as Exhibit 4.

RESPECTFULLY SUBMITTED this 1st day of July 2008.

UNS ELECTRIC, INC.

By: Michelle Livengood
Michelle Livengood
UNS Electric, Inc.
One South Church Avenue, Suite 2030
Tucson, Arizona 85701

1
2 and

3 Michael W. Patten
4 Roshka DeWulf & Patten, PLC
5 One Arizona Center
6 400 East Van Buren Street, Suite 800
7 Phoenix, Arizona 85004

8 Original and 13 copies of the foregoing
9 filed this 1st day of July 2008 with:

10 Docket Control
11 Arizona Corporation Commission
12 1200 West Washington Street
13 Phoenix, Arizona 85007

14 Copy of the foregoing hand-delivered/mailed
15 this 1st day of July 2008 to:

16 Lyn Farmer
17 Chief Administrative Law Judge
18 Hearing Division
19 Arizona Corporation Commission
20 1200 West Washington Street
21 Phoenix, Arizona 85007

22 Janice M. Alward, Esq.
23 Chief Counsel, Legal Division
24 Arizona Corporation Commission
25 1200 West Washington Street
26 Phoenix, Arizona 85007

27 Ernest G. Johnson
Director, Utilities Division
Arizona Corporation Commission
1200 West Washington Street
Phoenix, Arizona 85007

C. Webb Crockett
Patrick J. Black
FENNEMORE CRAIG, PC
3003 North Central Avenue, Suite 2600
Phoenix, Arizona 85012-2913

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

Peter Q. Nyce, Jr
General Attorney, Regulatory Law Office
Department of the Army
901 North Stuart Street, Room 713
Arlington, Virginia 22203

Timothy M. Hogan
Arizona Center for
Law in the Public Interest
202 E. McDowell Road, Suite 153
Phoenix, Arizona 85004

David Berry
Western Resource Advocates
P.O. Box 1064
Scottsdale, Arizona 85252

Dan Neidlinger
Neidlinger & Associates
3020 North 17th Drive
Phoenix, Arizona 85015

John Kromko
717 North 7th Avenue
Tucson, Arizona 85705


By: 

Exhibit 1

**UNS Electric, Inc.'s
Renewable Energy Standard &
Tariff**

**Implementation Plan
2009 – 2013**

(Full Compliance Plan)

TABLE OF CONTENTS

I.	Executive Summary	1
II.	Plan Components	2
A.	Renewable Energy Requirements	2
B.	Development of Renewables in UNS Electric's Service Territory.....	3
1.	Resource Planning	3
2.	Market Cost of Comparable Conventional Generation.....	4
3.	Transmission.....	5
4.	Renewable Generation Integration Management.....	5
5.	Distributed Generation	6
C.	Required Program Funding	9
III.	2009 UNS Electric REST Full Compliance Implementation Plan	10
A.	Energy.....	10
B.	Capacity.....	11
C.	Renewable Generation.....	11
1.	Existing Renewable Generation.....	11
2.	Renewable Generation Procurement Plan and Process.....	11
3.	Identifying Renewable Generation Requirements	12
a.	Costs of Renewable Generation.....	12
b.	Planned Resource Additions.....	13
D.	Distributed Generation.....	13
1.	Anticipated Distributed Generation Program Outcomes.....	14
2.	Key Components of the Proposed DG Administration Plan	15
a.	Administration	15
b.	Equipment and Installation Requirements.....	15
c.	Incentives	15
d.	Non-Conforming Projects.....	15
e.	Customer Self-Directed Option	16

f.	Builder Credit Purchase Program Description	16
3.	Distributed Generation Incentive Budgets.....	17
4.	Marketing, Advertising and Partnership Development.....	18
E.	Implementation and Administration.....	19
1.	Resources Required for the Renewable Generation Program	19
2.	Resources Required for the Distributed Generation Program	20
a.	Program Resources	20
b.	Material Costs	20
c.	Technological Improvements Required.....	21
F.	Renewable Technology Commercialization and Integration.....	22
IV.	Costs of Program Implementation	23
V.	Conclusion	24

EXHIBIT 1 – ATTACHMENT LIST

- Attachment 1** REST-TS1 Tariff
- Attachment 2** Five Year Renewable Energy and Capacity Forecast with Cost Estimates
- Attachment 3** Development of Market Cost of Comparable Conventional Generation for the Renewable Energy Standard and Tariff
- Attachment 4** New Mexico Wind Energy Above Marginal Cost of Comparable Conventional Generation (“MCCCG”) (REDACTED)
- Attachment 5** Tucson Area Landfill Gas Energy Above Marginal Cost of Comparable Conventional Generation (“MCCCG”) for UNS Electric, Inc. (REDACTED)
- Attachment 6** Tucson Area Solar Energy Above Marginal Cost of Comparable Conventional Generation (“MCCCG”) for UNS Electric, Inc. (REDACTED)
- Attachment 7** Builder Credit Purchase Program Description
- Attachment 8** REST Line Item Budget
- Attachment 9** Customer Self-Directed Renewable Energy Option REST-TS2 Tariff

EXHIBIT 1

I. EXECUTIVE SUMMARY

UNS Electric, Inc. ("UNS Electric" or "Company") has prepared a Renewable Energy Standard and Tariff ("REST") Implementation Plan for the five-year period 2009-2013 which is called UNS Electric's Full Compliance Plan (the "Plan"). In order to have the opportunity to comply with the residential distributed generation (DG) goals of 7.5% for 2009, UNS Electric is proposing higher incentive values for residential DG systems. The Plan uses the REST Surcharge ("REST-TS1") (Attachment 1) energy rate amount of \$0.006000 per kWh; and caps the monthly payment for a residential customer at \$7.00, a commercial customer at \$150.00, and an industrial commercial customer at \$1,900.00. The Plan describes the renewable energy resources capacity that may be added during the next five years, the annual energy expected to be produced from these resources, estimated customer funding and tariff amounts required to supporting acquisition of those resources in 2009, and a 2009 program budget. The REST annual renewable energy requirement begins at 2.0% of total retail sales in 2009, and requires a minimum of 15% of the renewable energy to come from distributed energy sources, of which at least 50% (7.5% of total renewable energy) must be from residential customer sources.

As a separate document associated with the Plan, the Company is filing a Renewable Energy Credit Purchase Program ("RECPP"), which includes nearly all of the preliminary recommendations (with the exception of the increased incentives mentioned above) reached by an informal Uniform Credit Purchase Program Working Group ("UCPP Working Group" or "Working Group") established by Commission Staff during 2006. RECPP addresses the participation process for a wide range of customers, incentive levels, eligible technologies and system requirements.

UNS Electric currently estimates the cost of the Plan, in compliance with REST, to be \$6.4 million in 2009, and increasing to \$9.4 million by 2013, with a five year total of \$44 million. REST funding is intended to cover the cost of utility-scale renewable generation in excess of the market cost of conventional resource alternatives, incentive payments for distributed energy resources, marketing expenses, and program implementation and administration costs. The above-market costs for renewable generation are based upon UNS Electric's current understanding of that market as derived from bids received as a result of a request-for-proposal ("RFP") for renewable energy as well as extensive discussion with renewable energy vendors and installers. The costs for distributed generation incentives and the program budget are based upon incentives developed as part of the Commission Staff's Working Group and UNS Electric's best estimations of market uptake for the various technologies available to its customers. Annual increases in the program budget are driven mainly by the annually increasing energy targets.

Lastly, experts agree that the future success of renewable energy depends on advances in technology and research. For this reason, as a part of this plan, UNS Electric is allocating funding for renewable research at University of Arizona in partnership with AzRise (Arizona Research Institute for Solar Energy).

II. PLAN COMPONENTS

A. Renewable Energy Requirements

The REST Plan has been created in response to the requirements of Arizona Administrative Code R14-2-1801 through R14-2-1815, formally known as the REST rules. The Plan's main purpose is to present the renewable energy purchase and development plan as the UNS Electric's Plan portfolio and tariffs. UNS Electric has prepared this Plan for the five-year period 2009-2013. The REST requires that affected utilities satisfy an annual renewable energy requirement by providing a percentage of their retail electric energy sales from renewable resources. The required annual renewable energy percentage for the first year of this Plan begins at 2.0% in 2009, and increases .50% annually to 4.0% in 2013.

Renewable resources under this rule include "renewable generation" projects, which are constructed solely to export their energy production to the utility, and renewable DG, which is a renewable resource application acquired, installed, and operated by customers on their premises that is used to displace the customer's energy consumption. As part of REST, the energy generated or displaced by DG is applied towards the percentage of the utility's distributed renewable energy requirement. To determine compliance with REST, the metric used to track energy in kilowatt hours ("kWh") derived from renewable resources is the Renewable Energy Credit ("REC"), with one kWh equaling one REC.

Meeting REST requirements presents all affected Arizona utilities, including UNS Electric, with a number of uncertainties going forward. Given the needs of our neighboring states to meet their renewable energy mandates, there could be intense competition for renewable energy sources over the next several years. This competition will add to other challenges UNS Electric faces in meeting REST annual energy requirements. These include the timely completion and energy production from contracted renewable energy sources, availability of qualified contractors to install renewable DG facilities, the number of customers who will opt to participate in renewable DG projects, and, of primary interest to electric utility customers, the further development of technology to make renewable energy sufficiently affordable and reliable. Risks also include issues such as: the availability, level and consistency of federal, state and local incentives; the availability of renewable energy projects executed by financially and technically sound developers; the availability of adequate transmission resources to deliver new renewable energy resources to UNS Electric's load; the availability of renewable energy projects matching UNS Electric's anticipated cost profiles; the timing of new resource availability; and the ability of DG technologies and technology providers to serve the needs of customers. UNS Electric acknowledged the risks identified above and attempted to account for them in its Implementation Plan. The timely delivery of energy from renewable resources is critical to UNS Electric's compliance with the energy targets; development of these types of projects typically requires between two to five years. Recent experience across the nation indicates renewable generation projects suffer from high levels of project failure, broadly summarized as the inability to meet contract energy delivery dates. These failures and delays can be attributed to a broad range of issues, but are generally attributed to the immature nature of the renewable resource markets. Published experience with renewable energy projects in California suggests that a minimum overall contract failure rate of 20-30% should generally be expected for large

solicitations. UNS Electric has attempted to develop an implementation plan that assumes a slightly lower level of project failure rate to that observed in California. As a way to buffer against these risks, UNS Electric's experience with both renewable energy projects and with conventional energy technologies suggests that careful project screening can reduce, but not eliminate, some of the risk associated with project failures. Consequently, the Plan is general in nature and not specific with regard to the mix of resources to be used to meet REST requirements in 2009.

Utilities, such as UNS Electric, that are affected by REST rules are required by A.A.C. R14-2-1813(A) to file an Implementation Plan each year for review and approval by the Arizona Corporation Commission ("ACC" or "Commission"). The Plan must describe the procurement of renewable energy resources for the next five calendar years that will meet the requirements of REST. This description must identify the considered technologies, the expected schedule for the resource incorporation on a year-by-year basis, and a description of the kilowatts ("kW") capacity and kWh of energy that are expected to be added to the UNS Electric generation portfolio by the incorporation of those renewable energy resources.

B. Development of Renewables in UNS Electric's Service Territory

1. Resource Planning

UNS Electric has historically recognized that long-term resource planning is an essential element in determining both supply and demand-side elements of energy production and delivery when making decisions regarding construction of new generation and transmission assets. Beginning in 2003, UNS Electric has studied numerous cost-effective alternative energy sources to meet the growing energy needs of its customers. UNS Electric's long-term resource planning process is an integral part of the renewable energy planning and goal setting process. The forecast of annual kWh of energy and kW of capacity from renewable energy resources by technology to meet REST goals is listed in Attachment 2.

UNS Electric initially considers self-build renewable energy options in the cost evaluation portion of the planning process, but does not include them as a criterion in determining the need for renewable generation options. Purchased renewable power allows for greater flexibility in use of scarce financial resources in developing renewable generation resources, which are typically priced above the Market Cost of Comparable Conventional Generation ("MCCCG"). Purchase of renewable energy allows UNS Electric to more effectively use its resources in developing renewable energy for its customers through partnering with renewable energy developers. Thus, it is an essential element in the Company's generation portfolio. However, cost-effective self-build renewable energy options will be pursued as an alternative to purchased renewable energy, if necessary. UNS Electric plans to purchase all of its non-DG renewable energy from its existing fleet of wind and solar generation systems and its landfill gas-to-energy facility. UNS Electric may, as a last resort if purchased renewable energy supplies are insufficient to meet REST requirements, purchase RECs from its bank, created during the Environmental Portfolio Surcharge ("EPS") program, to meet REST requirements.

UNS Electric uses an Independent Monitor to review the request-for-proposals ("RFP") evaluation criteria and process to ensure a fair and equitable RFP evaluation is performed in comparing bids against each other as well as against the MCCCCG.

2. Market Cost of Comparable Conventional Generation

MCCCCG, as used in the evaluation of renewable energy bids and as used in the context of determining MCCCCG costs of purchased renewable energy for recovery in the REST Adjustor Mechanism calculation, is determined from market costs based on bids received from the Company's pending purchases of conventional energy sources RFP process and/or the cost of UNS Electric's generation. This depends on the type of purchased renewable generation resource (firm, non-firm, dispatchable, etc.) and the market conditions at the time of the renewable purchase.

This MCCCCG portion of purchased renewable energy resources is recovered under the REST Tariff as determined in the REST Adjustor Mechanism calculation, whereas the portion of the cost of the renewable energy purchased at or below MCCCCG is recovered in the base generation rates. Therefore, precise MCCCCG of purchased renewable generation is important for proper allocation of generation costs.

REST's annual increases of renewable targets suggest that renewable generation resources can be developed and procured in increments sized to match annual increases. However, a utility's ability to add renewable resources in amounts that specifically match the requirement is unlikely. Therefore, in some years the renewable generation procured will exceed that specifically targeted; these excess additions are sometimes referred to as "non-linear additions." As such, it is important for the Commission to realize that the procurement of renewable generation is similar to that of traditional generation in this "non linear" process. To receive the most competitive prices, the procurement of generation resources is based on the purchase of blocks of energy (MWh) and capacity (MW) at a specified price. As mentioned above, in some years the company will exceed the target and, therefore, the costs; while in other years, the opposite will occur.

An MCCCCG definition and matrix document (Attachment 3) was developed to determine the applicable market conditions and the type of the purchased renewable generation resource for which the MCCCCG is to be evaluated. The matrix is based on the renewable energy technology type employed and market conditions, along with dispatch conditions at the time of the production of the renewable energy under evaluation. The MCCCCG calculation will be dependent on the hour of the day, the season of the year and the month. The MCCCCG will be evaluated for true up as part of the REST Adjustor Mechanism calculation at the end of each year by running UNS Electric's PROMOD model software against the purchased renewable generation costs. As discussed above, the cost of the purchased renewable generation above the MCCCCG costs will be included in the REST Tariff as determined in the REST Adjustor Mechanism calculation.

To determine the MCCCCG of the renewable energy options, UNS Electric undertook a study that applied the matrix to the 2006 actual generation market conditions and proposed generation profiles of wind generation and round-the-clock generation bids received in 2007. The

evaluation resulted in MCCCCG values for each of UNS Electric's meter billing periods. These hourly MCCCCG values were then applied against the hourly generation profiles for the three lowest-cost option renewable generation proposals offered in response to UNS Electric's 2007 RFP for renewable generation. See Attachments 4, 5, and 6 (REDACTED) for the above MCCCCG cost for the renewable generation bids currently under negotiation. In 2008, during the negotiations for the 2007 renewable generation bids, the Arizona wind bidder dropped out of the process. UNS Electric has issued another RFP for renewable generation in 2008.

3. Transmission

All of the wind renewable energy resources evaluated for MCCCCG are located at least 150 miles from Mohave and Santa Cruz Counties. Thus, transmission on existing or new lines will be required to bring the energy from these resources to the customer loads in those locations. Nevertheless, UNS Electric believes the REST goals for 2008 through 2010 are not of large enough magnitude to require additional transmission installations to support purchased renewable power delivery to UNS Electric planned under the Plan. However, it is very likely that the resources needed to meet the 2011 and future REST goals of UNS Electric will require additional transmission line installations. Starting in 2009, UNS Electric anticipates network service agreements with third parties, or resource displacement strategies to achieve the targets, between the windy areas of Arizona north of the Mogollon Rim and the UNS Electric population centers. It is important that the transmission planning process include the needs for moving renewable energy from the resource sites to the population centers. It is also important that the Commission include recovery of transmission for renewable energy delivery and regulation expenses. It is not yet clear where additional transmission will be required or what would be appropriate venue in which to recover the expenses of such transmission. In some cases, as discussed below, strategically located energy storage could mitigate the need for additional transmission once that technology is mature and economical.

As UNS Electric transitions to a low-carbon, sustainable-generation portfolio with energy storage over the next 100 years, while supporting continued customer growth and the transition of transportation technologies from a base of fossil fuels to electric energy based sources, there may be an increased need for additional transmission capacity from the more remote areas of Arizona, where wind generation and central solar generation is most cost effective, to the population centers. However, effective use of optimally-located energy storage, in combination with the location of central solar generation at the sites of existing power plants and customer sited renewable generation, could reduce the need for additional transmission. Further study and evaluation is needed in this area.

4. Renewable Generation Integration Management

There are costs associated with the integration and load balancing of intermittent renewable resources such as solar or wind. The current lowest cost renewable energy resource available to UNS Electric is wind generation. Many studies have been published regarding the costs of integrating wind generation into a utility generation portfolio, most recently by Idaho Power, citing a cost of over \$10 per MWh for integration, using hydro generation resources for balancing. Studies performed by Tucson Electric Power, which have been recognized by a

recent \$100,000 grant award from the Department of Energy to develop evaluation methods for determining the capacity value of solar generation to utilities, indicate that solar generation without some integrated energy storage – both central plant and distributed – has a much greater time-variant percentage fluctuation in output than wind generation over the same time frame. Preliminary studies by Tucson Electric Power and Carnegie Mellon University indicate geographic diversity is not as effective in reducing the high level of variation in the output of solar generation as it is for the output of wind generation. While the cost study for integration of solar energy into a utility generation portfolio is not yet complete, UNS Electric does not expect that the cost of managing the integration of both time variant renewable generation sources, solar and wind, will be more than an insignificant factor until the year 2011 (based on the lower initial REST annual energy percentages in the early program years). UNS Electric will use the data taken in the years prior to 2011 to evaluate the cost impact of integrating wind and solar generation with its existing fueled generation portfolio. After 2011, UNS Electric expects to include a factor for recovery of integration costs in its REST Tariff through the REST Adjustor Mechanism, and thus requests approval of that factor, not the amount of the charge, at this time.

5. Distributed Generation

REST requires that affected utilities satisfy a percentage of their annual renewable energy requirement through the addition of distributed energy resources. The required DG percentage in 2008 began at 10% of the 1.75% total requirement and for the current implementation period begins at 15% of the 2.0% total requirement in 2009, and increases to 30% of the 4.0% total requirement in 2013. That percentage remains at 30% of the total renewable energy requirement through 2025.

Considerable public discussion has surrounded the DG targets described in the REST. This discussion has centered on questions related to the magnitude of customer interest in DG, the effect of introducing many new distributed technologies, the ability of the technology suppliers and installers to meet the potential customer demand, long-term reliability of these technologies and, ultimately, the total cost of incentives required to drive the required customer participation to meet REST compliance. The extent of customer participation is the primary driver of DG results and it is simply unknown and unknowable at this time. UNS Electric's three years of experience with its SunShare Incentive Program demonstrated that changes in public policy affecting the program (i.e., state and federal tax incentive increases) and changes in program incentives can have dramatic impacts on customer participation, in some cases beyond those anticipated and positive results can be location specific. There is virtually no way to accurately predict whether the amount of incentives being offered will motivate customers in all parts of the service territory to participate at the necessary rate for full REST compliance. This is particularly germane, because even with availability of significant incentives, customers must still provide significant personal funding in order to have DG systems installed on their homes or businesses. Today, the typical residential distributed photovoltaic system costs about \$21,000 to install, attracts about \$10,000 in government and utility incentives, and requires a customer investment of about \$11,000.

UNS Electric recognizes that DG is an important component of the renewable energy goals of the REST. UNS Electric recognizes that uncertainty exists with respect to the proposed incentive levels and the total number of RECs that they will generate; however, in order to

comply with the DG targets, UNS Electric believes this funding level is necessary if consumer demand for DG is to be sufficient to meet the REST DG annual energy requirements. The assumptions used to build the DG program budget are based on incentives developed as part of Commission Staffs UCPP Working Group, market insights from those same meetings, and UNS Electric's experience with its SunShare Program modeled with customer payback term scenarios with current federal and state incentives. UNS Electric expects in this Plan to purchase all REST DG credits through its GreenWatts SunShare program offerings, as described in the RECPP program below.

UNS Electric believes that customer-sited renewable DG systems are part of the long-term goal of a sustainable, Arizona self-sufficient energy supply for its customers. Thus, a Renewable Energy Credit Purchase Program incentive program, the UNS Electric Renewable Energy Credit Purchase Program ("RECPP") is to be offered for our customers who install and operate renewable DG systems.

UNS Electric implemented a true net metering program, approved by the Commission in 2004, in combination with a utility-sponsored solar energy system rebate program, SunShare, approved by the Commission in August 2004. While development of distributed renewable generation will reduce UNS Electric's need to produce electric energy from fossil fuels to meet its customer's energy needs, central or distributed solar and wind generation have demonstrated over five years of UNS Electric renewable energy production and SunShare experience that they are not able alone to meet the firm capacity or voltage control requirements essential in providing safe, reliable electricity service to all of our customers. Historic data indicates there is nearly zero firm capacity benefit on an annual basis from the installation by Mohave County or Santa Cruz County-based customers of distributed solar and wind generation systems to UNS Electric at the time of annual peak loads due to typical monsoon conditions that drive the peak loads, yet generally cover the sky with clouds as the loads peak.

There are both additional benefit factors as well as additional cost factors to UNS Electric from customers installing and operating renewable DG systems at their homes or businesses. Distributed Generation can provide benefits to both the customers owning the DG as well as to the utility in whose distribution system the DG has been installed. There are also costs from the installation of DG to both the owner of the DG and the utility. If the DG output is not time-variant, the benefits are demonstrably higher and the costs lower to both the DG owner and the utility. However, if the output is time variant or is a function of weather patterns which can affect peak utility system demand, such as monsoon cycles, the benefit of the DG for firm capacity support is significantly reduced. Other benefits include: (1) reduced line losses, (2) increased life for current induced heating devices like transformers, (3) reduced water consumption at generating plants, (4) reduced emissions from conventional generating plants, and (5) reduced impact from the recovery and transportation processes used to provide fossil fuels for conventional generating plants.

Costs of DG to the owner include the cost of any required fuel, operation and maintenance costs ("O&M"), initial installation costs and ownership costs including financing, taxes and insurance associated with ownership of a generation system. There are also costs to the utility, including: (1) the increased need for rapid response automatic voltage control and load management devices in the distribution systems, (2) increased hardware to provide proper protection to

distribution circuits with high percentages of DG installed, (3) additional repair time after a storm to clear DG sources prior to start of work, (4) increased outage recovery time from uncontrollable (to the utility) DG resources that start generating automatically in an unpredictable manner, and (5) lost revenue from the reduced sales of electricity with consumption-only based rate structures. The quantification of these benefits and costs is very much utility-specific and of fairly low magnitude at the low levels of DG penetration expected in 2008 through 2010. While accurate, valid data is also difficult to obtain at low levels of DG penetration, over time as DG installations increase, the data quality and quantity will improve and benefits and costs of renewable DG will be accurately quantified.

Net metering programs provide an added benefit to the DG owner by providing a credit at the retail rate for generation output produced in excess of use over a given time period. For time-variant non-dispatchable DG systems like solar or wind, this can be a large benefit as DG output cannot be easily scheduled by the owner to match demand. Utilities can positively impact a decision to install DG by offering net metering programs for time-variant DG systems and by eliminating or reducing the cost of the interconnection to the utility grid. Utilities can also positively support installation of DG by eliminating or reducing backup capacity and energy fees, charged to a DG customer when the DG system is not operational for planned or unplanned reasons. Utilities positively support renewable DG systems, such as solar generation, through providing rebate programs to reduce the initial cost of a DG system or through providing production-based REC purchase programs to provide an ongoing revenue stream for the owner to offset O&M and ownership costs..

Utilities receive a benefit from DG systems primarily from dependable reductions in peak annual demand from the generation output of DG systems during high load demand hours. Firm, guaranteed reductions in peak demand allow utilities to reduce requirements for building generation, transmission and distribution capacity. However, if the DG generation is not firm and guaranteed to a very high degree of confidence over many annual load cycles, the utility cannot reduce its planned capacity requirements from customer installation of DG. Utilities will benefit from fuel use reductions and reductions in distribution losses through DG installation, effectively the variable portion of energy production expenses. There can also be a benefit to utilities from an increase in operational life for various distribution components, such as transformers and underground cables whose life is reduced by operation at elevated temperatures, created in part by high electrical loads. However, this benefit is also heavily dependent upon the ability of the DG to provide firm, highly reliable output during the highest load demand hours of the year. Thus, to a utility, the benefit of DG is a very large function of the capacity credit assigned to a generator based on its proven ability to provide electrical generation output during the peak load demand hours of the year for that utility.

The costs of renewable DG to a utility include the direct cost of any rebates or production payments made for renewable generation, as well as internal and external labor or consultant costs of reviewing interconnection plans and providing interconnection devices to DG installers. However, in many cases, the largest cost to a utility from installation of DG systems is lost revenues from energy-only based utility rates, as a DG system reduces the energy consumption of the owner. The DG owner still must have a distribution drop to their premises, the distribution, transmission and generation capacity must still be available to support demand, the

meter must still be read and bills prepared, remittances processed and administration of the utility provided.

A time variant DG system does reduce utility annual fuel use and line losses in the distribution system. However, since the energy based utility rate DG owner uses less energy per billing cycle, that owner will be providing reduced amounts of revenue to the utility to compensate for those services which the utility is obligated to continue providing and the DG owner requires for continuity of service. This can be addressed through partial requirements tariffs, backup service charges, an increase in the monthly fixed service charge and other rate mechanisms designed to provide a decoupling of the fixed cost of providing electrical service from energy production-based related charges. Decoupling of rates from consumption can reduce this negative impact and more closely align the financial interests of customers and utilities for support of self-generation.

Time variant DG output would appear to a utility control system as variable negative load. If the amount of DG output variance exceeded the amount of load variation normally experienced by the utility, it could result in the need for additional high-ramp rate peaking generation or storage capacity, beyond what would be required without the time variant DG installations. The cost of installation and operation of natural gas-fired high-ramp rate capability firming generation, or electrical energy storage is an additional cost to a utility for support of time variant DG sources in its service territory. The installation of rapid change, time variant DG, coupled with the current inability of solar generation systems to provide reactive power, may also adversely impact the ability of existing utility voltage control devices, primarily slow response capacitor banks, to adjust reactive power flows to support local distribution system voltage in a sustainable, reliable manner during cloud passing events. Additional grid regulation support requirements, such as low-voltage ride through, droop support and frequency-stability regulation, are not currently provided by grid-connected solar generation systems, and will consequently need to be provided in greater quantities by utilities in the future, with the associated cost of installation, maintenance and operation of these control devices recovered.

Due to the relatively small amount of renewable DG installed in any North American utility service territory, there is not sufficient verified cost data to accurately and unambiguously determine the cost or benefits of renewable DG to UNS Electric. Therefore, UNS Electric does not propose an allowance for indirect costs or benefits of renewable DG be applied to increase or decrease the expenses UNS Electric will incur in offering a renewable DG incentive program at this time. The REST Adjustor Mechanism will reflect recovery of all actual direct expenses of the renewable DG program. In the future, as verifiable cost and benefit data is available from renewable DG programs with significant participation in the UNS Electric service territory, the Company will apply those indirect factors to the REST Adjustor Mechanism value calculation.

C. Required Program Funding

The Plan is estimated to cost a total of \$44 million over the five-year period covered by this Plan. This Plan is designed to achieve compliance with the REST requirements. The cost for the first program year is estimated to be approximately \$6.4 million and increases to \$9.4 million in 2013, driven mainly by the increasing energy targets. In this Plan, UNS Electric is requesting a REST Tariff to recover the estimated 2009 costs of approximately \$6.4 million. In

each succeeding year, as part of the Plan, UNS Electric will request a reset of the adjuster to collect the estimated costs for the following calendar year and true up revenue received and expenses incurred for prior REST program years.

Several of the attachments contained in this Plan include pricing estimates that have been made by UNS Electric in development of the program costs. Some of the pricing included in this Plan is pricing from existing confidential proposals. The price estimates are necessary to allow UNS Electric to provide the information sought by the Commission as part of the background and support for the Plan. In addition, summary expenditures and energy requirements for generation provided on a year-by-year basis could be used to infer much of the confidential pricing information. UNS Electric believes it is in the best interest of the Company and its customers to ensure that future suppliers of renewable resources compete for the right to supply renewable energy without a pre-conceived notion of the pricing assumptions or confidential pricing in this Plan.

This Plan makes reasonable assumptions concerning renewable energy resources, and as UNS Electric gains more experience with renewable resources, future plans will account for the realities UNS Electric encounters in the actual implementation of REST.

III. 2009 UNS ELECTRIC REST FULL COMPLIANCE PLAN

A. Energy

The minimum annual percentage of a utility's retail sales that must be obtained from renewable resources is identified in REST; the Plan's first-year target for 2009 is 2.0%. The renewable resource targets required to meet UNS Electric's targets for each year of the Plan are detailed in Attachment 2. REST targets are described in two categories, renewable generation and distributed generation resources.

Renewable generation consists of projects that export their energy production to the utility. These projects are typically large-scale facilities that use renewable resources such as wind, solar, geothermal, biomass, and biogas to generate electricity. Energy produced from those resources is delivered through transmission and distribution systems and, ultimately, to the utility's customers.

Distributed generation resources represent technology applications that are physically installed on the customer's property. These applications are usually designed specifically for the distributed setting. Distributed applications under REST would include a wide range of technologies; these technologies are currently most frequently represented by photovoltaic and solar water heating systems. The DG displaces some of the customer's energy needs, and can be tied to the existing UNS Electric distribution system or installed as a remote application independent of the UNS Electric distribution system. UNS Electric does not plan to install DG at customers' properties other than through our GreenWatts-funded community leadership sited projects; rather, the installation of DG is facilitated by providing customers with financial incentives for the installation of such resources by licensed contractors.

B. Capacity

There are no capacity requirements (in kW) in the REST targets, but rather requirements are energy-based (kWh) only. However, this Plan utilizes historically-based generation capacity assumptions to forecast compliance with the energy targets. When one equates energy targets to planned capacity levels, it is important to recognize that the capacity factors for various renewable-generation technologies vary significantly. Some technologies, such as biomass and geothermal, are predictable and can produce energy at capacity factors of approximately 80-90%, similar to conventional-base load generation. Other renewable generation technologies, such as solar, are less predictable and have inherently low capacity factors of 15-30%, which are driven by daily fluctuations such as the availability of solar radiation and are influenced by location. There are other renewable generation technologies, such as wind, which are less predictable on a real-time basis. On an annual basis, however, wind will generally produce capacity factors in the range of 25-35%, depending upon the characteristics of the wind resource in a specific location.

A key factor in reaching a target, therefore, is the combination of technologies utilized, and the ultimate mixture will dictate the additional capacity required to achieve the energy targets. Attachment 2 provides the level of capacity for the specific mixture of technologies assumed in the Plan for the coming five years. This Attachment is not intended to be an exact representation of the resources UNS Electric intends to acquire, but rather is offered as an example of a potential resource mix, based upon UNS Electric's current understanding of the marketplace. The economics of a particular technology or resource will ultimately determine the extent to which any one technology is employed as part of the overall portfolio's content.

C. Renewable Generation

This Implementation Plan has been designed for sufficient flexibility in order to provide the maximum opportunities to meet or exceed the REST target at a reasonable cost. The following sets forth descriptions of the expected resource additions over the next five years:

1. Existing Renewable Generation

UNS Electric presently has no power purchase agreements ("PPA") for renewable generation resources. However, UNS Electric owns and operates approximately 0.008 MW of solar capacity.

2. Renewable Generation Procurement Plan and Process

Energy required to meet the UNS Electric targets and the anticipated demand for renewable rates in each of the next five years is outlined in Attachment 2 to the Plan. Generally speaking, two to five years is required from the initiation of a project via an RFP to the point at which energy can flow into the UNS Electric system from a completed renewable generation project. The development and construction of the project itself accounts for the majority of that time period; therefore, an RFP process started in 2007 may realistically be expected to result in producing renewable energy applicable to the renewable resource target in 2009, at the earliest during the third or fourth quarter.

UNS Electric estimates that it will need additional amounts of renewable energy commencing in 2008, in addition to that which has already been built. As a result, UNS Electric implemented a competitive procurement process in 2005, 2006, 2007, and most recently in 2008. The competitive procurement process consists of, but is not limited to, the issuance of RFPs, negotiated bilateral supply contracts, and other competitive solicitations seeking long-term renewable resources. Implementing an effective competitive procurement process will ensure a fair and unbiased procedure that will efficiently incorporate a full range of renewable resource alternatives from the marketplace.

During the evaluation of submitted bids from the competitive procurement process, UNS Electric's review of proposals will include analysis of: energy production; capacity value; deliverability; technical characteristics; operational performance; reliability; efficiency; credit worthiness; grid impact mitigation; and respondent experience. The procurement and project selection procedure employed by UNS Electric has been documented and certified to be fair and appropriate by an independent auditor as required by REST.

UNS Electric's Plan attempts to fully acknowledge the reality that PPAs and project development methods will not necessarily conform to required delivery schedules and planned quantities. Renewable generation projects, like other generation projects, may fail to achieve scheduled commercial operation. A recent review of renewable projects in California stated that utilities should expect that 20-30% of renewable contracts could experience termination or major delays. Delays or failures of that magnitude could cause UNS Electric to fall short of its renewable energy targets. Thus, such risks require UNS Electric to design and employ contingency measures. In order to prevent energy shortfalls resulting from these risks, a procurement goal of 120% of the target energy for three to five years into the future will be employed.

3. Identifying Renewable Generation Requirements

The renewable resource targets increase from 2.0% in 2009 to 4.0% in 2013 during the five-year period of this Plan. The Plan focuses on existing and planned renewable resource projects to meet those targets. It is also contemplated that new renewable generation will be contracted for and developed during that five-year period. It should be noted that UNS Electric has based its program's budget and energy procurement on several assumptions that are mentioned in the discussion that follows.

a. Costs of Renewable Generation

The costs of renewable generation are based for the purposes of resource and budget planning upon the portion of the renewable energy cost that is above the Market Cost of Comparable Conventional Generation (MCCCG). The value amount above UNS Electric's cost for comparable generation was established at the time the bids of proposed contracts were evaluated, and that value is applied to the total proposed purchased power cost for the planning year. For future contracts, the price is estimated based upon existing renewable generation contracts, recent market experience, and general trends observed in renewable generation

project development. Subsequently, these numbers will be re-evaluated during subsequent five-year planning periods. All renewable resource costs are described in terms of dollars per megawatt hour ("MWh") above UNS Electric's comparable conventional generation values.

b. Planned Resource Additions

REST's annual increases in renewable targets suggest that renewable generation resources can be developed and procured in increments sized to match annual increases. However, a utility's ability to add renewable resources in amounts that specifically match the requirement is unlikely. Therefore, in some years the renewable generation procured will exceed that specifically targeted; these excess additions are sometimes referred to as "non-linear additions." As such, it is important for the Commission to realize that the procurement of renewable generation is similar to that of traditional generation in this "non linear" process. To receive the most competitive prices, the procurement of generation resources is based on the purchase of blocks of energy (MWh) at a specified price. As mentioned above, in some years the company will exceed the target and, therefore, the costs will be higher; while in other years the opposite will occur.

The schedule of resource additions provided in Attachment 2 of the Plan identifies specific targeted additions of renewable resources. The planning model incorporates an assumed-capacity factor for each renewable technology. The modeled capacity factors are based on UNS Electric's review of technical performance data for each technology, discussions with project developers, and a review of published information related to currently operating commercial renewable resources.

D. Distributed Generation

UNS Electric has identified DG as an important component of the renewable energy goals of the REST, and as part of this Plan UNS Electric proposes a funding level it believes is necessary for compliance each year to support the DG program. UNS Electric recognizes that uncertainty exists with respect to the proposed incentive levels and the total number of generated RECs; however, in order to comply with the DG targets, UNS Electric believes that the proposed funding level is necessary to accommodate required consumer demand for DG.

For this Plan (Full Compliance), UNS Electric is proposing the DG goals remain at 50% commercial systems (performance based - per kWh) and 50% residential systems (up-front incentives). The increased incentives for residential PV customers are proposed at \$4.50 per watt instead of \$3.00 per watt and proposed to cap a solar water heating system at \$3,500 instead of \$1,750.

As a result, UNS Electric has requested a level of funding for its first REST Tariff Adjuster Mechanism necessary to recover 2009 estimated expenses for the DG program. Increases in the adjuster will be required in future years for UNS Electric to meet the DG requirements in REST. UNS Electric believes that adjusting the funding annually allows UNS Electric, working with the

Commission, to implement a flexible program with a clear understanding of program performance and costs without over-collecting funds from customers in the near-term or compromising the overall resource goals of this Plan and REST.

The Commission's Staff initiated the UCPP Working Group described in A.A.C. R14-2-1810 in June 2006, and UNS Electric participated in all of the Working Group's efforts. UNS Electric has generally used the approach developed by the UCPP Working Group for the Company's proposed DG incentive program, RECPP. The Working Group has made significant progress towards identifying program workflows, technology-sensitive incentive structures and levels, and technology-specific requirements and limitations. The efforts of the Working Group also provided UNS Electric with insight into the anticipated potential contributions from technologies not previously included in UNS Electric's SunShare programs. Planning models, implementation strategies, and budgeting for the DG program were all designed with specific consideration for the UCPP Working Group's recommendations. In addition, UNS Electric relied on over six years' experience with its SunShare Program, as well as on continuing dialogue with many industry and consumer stakeholders.

In 2009, UNS Electric is proposing to offer a Builder Credit Purchase Program that integrates the energy efficiency of UNS Electric's Energy Smart Home and the renewable energy of UNS Electric's SunShare program to complement REST. Most of the requirements of RECPP remain intact, but simply packages energy efficiency and renewable energy together to move toward the goal of a "net zero" home.

1. Anticipated Distributed Generation Program Outcomes

UNS Electric has developed a set of planning tools to help anticipate DG program outcomes, both from energy and budgetary perspectives. In developing the anticipated program outcomes for this Plan, a number of assumptions about technologies and customer preferences were first necessitated. The assumptions included the anticipated number of categorical projects requesting incentives and the anticipated energy contribution from each DG project. Anticipated energy contribution is calculated by utilizing assumptions on average project size and average project production. The detailed assumptions were required for purposes of budget and planning, but are not intended to reflect allocations, funding caps, or preference for any one technology. The energy production assumptions are set forth in Attachment 2 for the Plan.

Included in the UNS Electric RECPP are incentives drawn from the draft UCPP Working Group findings. RECPP is a separate document submitted in general compliance with A.A.C. R14-2-1810.B. RECPP, as generally described herein, details different incentive types for use in the DG program. For planning purposes, assumptions about customer preference for the variety of incentive alternatives were utilized.

The UNS Electric -proposed DG budget, combined with these planning assumptions, results in specific outcomes as noted in Attachment 2 for the Plan. The actual results of program implementation may well be different from those anticipated by UNS Electric's planning efforts, as customers learn more about the variety of technologies and applications available as a result of UNS Electric's program marketing, advertising, and partnership-development efforts.

2. Key Components of the Proposed Distributed Generation Administration Plan

UNS Electric's DG program is detailed in RECPP. The following describes several key common components of UNS Electric's program as set forth in the RECPP.

a. Administration

Project funding is not guaranteed until a reservation confirmation is provided by UNS Electric for each project. To receive a reservation and an incentive, applicants must follow the established reservation, installation, and inspection procedures.

b. Equipment and Installation Requirements

The installed DG systems will be required to adhere to generally accepted industry standards, federal, state and local codes, all applicable regulatory requirements, and manufacturer recommendations for installation and operation. Systems must be installed and warranted by an Arizona licensed contractor holding an active certification for the technology being installed, or, in some cases, by a residential homeowner if willing to accept a lower level of incentive.

c. Incentives

Incentives are designed to defray some of the costs of a system designed to offset a typical load of a customer. Systems qualifying for DG incentives cannot qualify for other utility incentives.

Residential - Customers applying for residential incentives may apply for a one-time payment based upon the DG system's capacity, or based upon the estimated first-year savings provided by the DG system, dependant upon the technology used. This type of incentive is referred to as an Up-Front Incentive ("UFI"). Residential customers can also apply for a production-based incentive ("PBI") as an option, or if their warranty conditions are not sufficient to meet the UFI qualifications.

Non-Residential - Non-residential customers will either receive a UFI or a PBI, which is paid out over time. Projects receiving PBI payments are paid based on system energy output rather than on system capacity. Projects with a capacity less than or equal to 20 kW can elect to receive a one-time capacity based UFI; all others will receive incentives based upon production (a PBI).

d. Non-Conforming Projects

Those DG projects that fall outside of the standard administrative, equipment, or incentive requirements for RECPP projects, or projects that are solicited by UNS Electric to achieve specific program goals, may be eligible for incentives as non-conforming projects. These projects must be comparable to conforming projects in financial efficiency in order to be considered eligible for incentives.

e. Customer Self-Directed Option

Per REST, certain interested eligible customers are required to apply and declare the amount of the self-directed funding requested before May 1st of the year prior to the request for funding payment, effectively at least 60 days before the Plan is filed for the upcoming year. These projects must be comparable to conforming projects in financial efficiency to be considered for incentives. The amount of funds allocated to customer self-directed projects will be disclosed in the Plan for the next program year. For 2009, no customers have requested funds for self-directed projects.

f. Builder Credit Purchase Program Description

In 2009, UNS Electric is proposing to offer a Builder Credit Purchase Program that combines the energy efficiency of UNS Electric's Energy Smart Home and the renewable energy of UNS Electric's SunShare program to complement REST.

Southwest Energy Efficiency Project (SWEET) published a study in November of 2007 entitled "High Performance Homes in the Southwest" which evaluated the energy and cost-savings potential of constructing more efficient new homes in five Southwest States. Although the report reviewed regional policy from a variety of different perspectives, for utilities offering energy efficiency programs for new home construction, "SWEET recommends that utilities offer a 3-tiered incentives package to builders, beginning at ENERGY STAR and going up to a Net-Zero Energy Home level of performance."

UNS Electric proposes to follow this recommendation by adding a program at the "Net-Zero Energy Home" level. This would provide a distinction for builders who are early adopters of new technologies and embrace high performance as a goal throughout their design process. For builders to effectively reach this level, it is necessary to incorporate certain goals at an early stage in the plan development. It is understood that initial participation at this level would be modest. However, it is important to set this goal significantly above current building standards to set a milestone for market transformation. See Attachment 7 for additional information.

Program highlights include:

- Participation in UNS Electric's new home program.
- Builder may choose solar thermal or PV or both with an increased incentive of \$0.50 per DC watt installed for PV. (No increased incentive for solar thermal.)
- Builder has the option of certifying their subdivision as a LEED for Home with UNS Electric providing Manual J calculations, HERS Rating services and technical consultation.
- Savings for consumers, when using both the solar energy and very efficient building practices, can exceed 60% over standard building practices.

- By providing incentives during construction, the price of the solar system is then absorbed in the mortgage. This allows the consumer to utilize the generation of the PV system to offset the increased mortgage cost to create a better cash flow scenario.
- Provide up front installation of net meters, along with training and education of homeowners, to set proper expectations of system performance.
- Coop advertising with the builder focusing on the benefits of combining both energy efficiency and renewable generation.
- The program provides inspections and testing at each home to ensure quality installation by homebuilder's subcontractors. This includes all of the requirements for a HERS rating as well as a verification of renewable technologies.

3. Distributed Generation Incentive Budgets

UNS Electric's initial DG incentive budget for the five-year planning window is described in Attachment 8 to the Plan. The incentive budget for the Plan allocation is designed to result in half of the distributed energy to be from residential installations and half from non-residential. Annual increases in program budget are designed to accommodate both an increase in the DG energy target and to account for the increasing levels of commitment to PBIs, which are used primarily for non-residential DG resources. The incentive matrices incorporated as part of RECPP describe incentive reductions every two years of the program. Those planned reductions were designed by the UCPP Working Group to reflect the anticipation that DG technologies will decline in cost as market penetration and product availability increase. Three specific allocations are described in RECPP for the Plan. They include: non-residential UFI's; non-residential PBIs; and residential UFI's.

The RECPP describes potential funding for customer self-directed projects. As part of the RECPP, a budgetary earmark is required in order to fund projects meeting the criteria of customer self-directed projects. No funds have been requested to UNS Electric by customers for 2009. Consequently, no allocation for self-directed or non-conforming projects has been established in this inaugural Plan.

The annual funding level for DG incentives was established based upon the estimates of the renewable energy needed for compliance, anticipated consumer demand, projected sales and development time frames, variations in the levels of technology maturity, and availability of equipment for installation. Should it happen that funds collected for use in the DG incentive program are not fully subscribed within a program year, those funds will be applied to the next program year and allocated to achieve the required energy outcome between residential and non-residential projects. Those over-collected funds would reduce the amount of the REST Tariff (Customer Self-Directed Tariff "REST-TS2") (Attachment 9) in the subsequent year.

4. Marketing, Advertising and Partnership Development

UNS Electric is committed to conducting an action-oriented marketing campaign that will not only inform and educate consumers about the importance of renewable DG and its potential benefits to customers and the community at large, but also spur them into investing in renewable energy.

Education and community awareness are the catalysts for the shift in public attitude required to jump-start the robust solar energy market envisioned by political leaders and DG advocates. Information is the prerequisite in achieving real movement toward alternative energy solutions. But fostering enhanced knowledge on the subject is not enough; ultimately, the goal is to proliferate solar and renewable energy DG in the Mohave or Santa Cruz Counties.

The marketing campaign will take a three-pronged strategic approach: 1) identify key stakeholders and analyze their specific interests; 2) educate those stakeholders (such as residential customers, business owners, students and opinion leaders) about the nature and benefits of DG; and 3) create marketing messages that encourage customers to take action, while promoting incentives designed to make DG an attractive choice for customers to reduce their carbon footprint.

The following key marketing components are designed to bring DG into the mainstream:

- Create an actionable campaign that focuses on the benefits, improved reliability and environmental impact of DG; cause consumers to see DG in a whole new light.
- Utilize media that will best reach our various stakeholders through both paid and public service messages, as well as earned media.
- Develop collateral pieces for both residential and non-residential customer acquisition.
- Heavily promote the DG program on www.uesaz.com and through customer communication vehicles such as bill inserts, e-newsletters and bill messaging.
- Maximize participation in green expos and other targeted community-wide events.
- Create and promote solar-based educational programs for the schools.
- Identify and solicit the support of "change agents" in the community who can effectively influence key stakeholder groups.
- Partner with various media outlets and vendors to develop co-promotions based around distributed generation; provide supporting collateral such as site signage and counter displays for added promotional support.
- Expand partnerships with area solar installers by continuing to provide technical expertise and collateral materials as well as sharing industry news and product updates.

- Escalate UNS Electric's involvement in the community dialogue about energy sustainability, lending expertise and experience through existing networks, ranging from classroom presentations and demonstration projects to interaction with environmental organizations and homeowner associations.

UNS Electric has been widely recognized for many years as a leader in the development and installation of solar energy systems. As a byproduct of that leadership, UNS Electric has cultivated relationships, and acquired industry intelligence, that can now be applied to the propagation of DG in Mohave and Santa Cruz County..

The previously described marketing components are based on currently available data. As the campaign proceeds, UNS Electric staff will monitor and analyze results, and will consider modifications to the campaign that mitigate deficiencies or capitalize on successes.

E. Implementation and Administration

As part of the development of a strategy and budget for REST implementation, a logical separation was created between 1) those elements required to support the renewable generation portion of the program, and 2) the DG portion of the program. Renewable generation involves expertise in utility-scale technologies, competitive procurement and evaluation processes, project siting, utility integration, transmission- and distribution-related issues, complex contract negotiations, and contract management. The DG program will be a mass- market program involving thousands of individual interactions requiring customer communication, interconnections, inspections, customer billing, and a sophisticated system to monitor REC production. Certain UNS Electric resources will be used to support both portions of REST, as discussed below.

1. Resources Required for the Renewable Generation Program

A renewable generation program requires knowledge-area experts to identify those aspects of renewable generation procurement, engineering, and market analysis that are unique from those same areas in conventional energy operation, and to coordinate with the impacted operational areas of UNS Electric in order to seamlessly integrate renewable resource management into UNS Electric's standard utility business practices. These experts comprising the renewable generation administrative team include the personnel necessary to manage the program, which incorporates establishing policies and procedures, procuring renewable generation, handling contract administration and construction management, managing benchmarking and resource integration studies, and performing program monitoring and compliance reporting.

There are also UNS Electric employees supporting the program that are neither part of the administrative nor the implementation teams. These personnel are considered "non-incremental" and are required to support the general operations of the utility and have responsibilities that are not directly related to the DG program. These would include, but would not be limited to, employees within UNS Electric's regulatory, pricing, accounting, legal, contract administration, and meter reading areas.

2. Resources Required for the Distributed Generation Program

The implementation strategy for the DG program was developed with the following goals:

- Develop an accurate, efficient and customer-friendly process.
- Integrate the program's processes into the general business operations.
- Create a measurable process that responds to adjustments in the volume of program participation.
- Support the strategic marketing efforts of the program.

In order to accomplish these goals, a significant investment in program implementation and management is needed. The DG program represents a significant number of individual transactions, and each transaction impacts numerous parts of UNS Electric's business infrastructure. Thus, implementation costs for the DG program are significant.

a. Program Resources

The program's personnel team is comprised of the human resources necessary to execute the DG incentive program. This includes the fixed-payroll personnel required to administer the reservation and interconnection applications and agreements, review system design for conformance with RECPP and interconnection requirements, process incentive payments, answer customer and installer questions about the program, and perform field inspections. It also includes the variable-payroll personnel required to program and install net or performance meters, label utility equipment to identify potential back-feed sources, and provide billing support to net-metering customers. Further needed are the employees required to manage the execution of the program, develop and execute the marketing and advertising programs, and provide ongoing program monitoring and compliance reporting. The number of implementation team members required is proportional to both the number of applicants at any one time and the number of program participants. Additionally, just as in the case of renewable generation resources discussed above, many non-incremental employees will also be needed to support the DG program.

b. Material Costs

In order to measure the actual amount of kWh returned to the grid by DG facilities, a DG performance meter, as well as a standard utility meter, must be utilized in UNS Electric's system. The incremental cost charged to REST is the total cost of the performance meter in addition to the incremental cost of any net meters added as replacements for the standard utility meter.

RECPP will capture an annual meter read for all DG systems generating electricity for compliance verification and program evaluation purposes. UNS Electric believes that many customers may also be interested in the ability to tracking total kWh generated by their system. To facilitate both the meter-read capture requirement and to assist customers track the kWh production by the DG system, UNS Electric plans to install and read the system performance meter for all participants in the program. The only costs charged to REST are those costs

associated with providing the second meter to record system production. There are also incidental material costs associated with the program including, but not limited to, system locks, tags, inspection tools and transportation for inspection personnel.

UNS Electric may also install an interval-recording meter on a certain number of sites that will be used by load research to conduct studies on the coincidence of solar output vs. UNS Electric system load. The only material cost charged to the REST Plan will be the incremental costs of the interval recording meter.

c. Technological Improvements Required

For UNS Electric to effectively and efficiently implement the DG incentive program, it will be necessary to integrate with its existing systems, including: customer billing, the program and operations databases, accounting systems, and dispatch and scheduling tools. This investment is required to ensure integrity and to support the scale of the program as it is described in the Plan. The technology tools to support the distributed incentive program that UNS Electric will develop and integrate into existing systems include:

- Agreement-Processing and Workflow-Management Tools — These tools will provide an interface through the UNS Electric.com website to allow customers and vendors to complete and submit all program forms and agreements on-line with data to be stored in a central database. They will include an integrated workflow-management component to provide status tracking, work orders, and scheduling. The tools will also integrate into all major systems, including the billing system, and the operations and accounting databases.
- Performance Information Tools — Readings from the system performance meter will be integrated into the UNS Electric billing system.
- Meter Database Management — Readings from the bi-directional meter will be integrated into the UNS Electric billing system. The credit for the energy sold back to the UNS Electric system will be calculated within the billing system and will appear on the customer's standard UNS Electric bill.
- Reporting and Maintenance — Data capture necessary for ongoing program monitoring and compliance reporting will be facilitated by developing standard reports and a reporting tool for *ad hoc* queries. Database development is underway in 2008.
- Energy Management System ("EMS") Reporting — Upgrades to the EMS system are necessary to capture the system cost of purchased renewable energy on a real time hourly basis.

F. Renewable Technology Commercialization and Integration

UNS Electric includes a budget allocation in the Plan for studies related to commercialization and integration of renewable resources. The purpose of this budget allocation is to enhance and accelerate the development, deployment, commercialization, and utilization of renewable resources for the benefit of UNS Electric customers.

Commercialization and integration studies to help meet the accelerated REST goals for renewable resources will be prioritized. As part of UNS Electric's long-standing commitment to renewable resources, several studies related to commercialization and integration are already underway. Those studies and ongoing experience with renewable resources will help identify additional study subjects necessary to develop the tools needed to achieve program goals.

The activities undertaken as part of this program may be supported either by UNS Electric solely, or in partnership with other organizations and entities including private industry, public research institutions, and government laboratories. UNS Electric intends to take full advantage of opportunities to leverage state and federal research and development efforts and support funding opportunities when planning and funding these activities. UNS Electric will also strive to increase coordination efforts with other utilities, the U.S. Department of Energy ("DOE"), the Arizona Department of Commerce Energy Office, and national laboratories to realize greater investment of federal research funds in Arizona and, more specifically, the UNS Electric service territory. UNS Electric also intends to coordinate more closely with Arizona universities to better utilize those resources.

Studies presently underway that were currently funded by the EPS (now REST) include:

- Arizona Renewable Resource Study — Jointly funded by Arizona Public Service ("APS"), Salt River Project ("SRP"), and TEP/UNS Electric, the study represents an independent analysis of potential renewable resources in Arizona. The analysis is being conducted by leading energy engineering consulting group, Black and Veatch, and will effectively establish a baseline understanding of renewable energy resources presently perceived as available within the state. In addition, the study will define renewable energy technology applications, associated cost structures, as well as identify renewable energy market opportunities, which should encourage the development of renewable energy projects in Arizona. This study is complete.
- TEP Solar Capacity Value Study — This study drives extensive research that leverages available high-resolution solar generation data within Arizona and evaluates the potential for reliably incorporating utility-scale and customer-sited distributed solar generation into TEP's system. DOE has awarded TEP a \$100,000 grant to develop a specific solar capacity value evaluation method TEP proposed based on the data noted above.

- Joint Utility Market Study — This joint effort will result in a statewide market study evaluating consumer receptiveness to the installation of distributed renewable energy equipment, particularly photovoltaic. Participants include APS, SRP, TEP/UNS Electric and the Arizona Cooperative Utilities.
- Transmission and System Integration Impacts — These studies would be designed to provide TEP/UNS Electric with a better understanding of the operational impacts, costs of integration, and the identification of opportunities with renewable energy resources in the TEP/UNS Electric generation, transmission and distribution systems. TEP/UNS Electric recognizes the critical importance of transmission in the success of the expansion of renewable generation. Any significant increase in renewable generation must be integrated into the long-term planning for transmission to be successful.
- Distribution System Impacts — These studies will examine the impacts of distributed generation resources on the power distribution system. Specific areas of study would include impacts on the general distribution system, design and construction, operations and maintenance, voltage stability, safety, power quality, and load forecasting.

IV. COSTS OF PROGRAM IMPLEMENTATION

The UNS Electric Plan's cost is comprised of two key cost segments, renewable generation and distributed generation. A summary of the costs of those segments and the major components for each segment are included in Attachment 8 to this Plan. As seen in Attachment 8, UNS Electric currently estimates the cost to comply with REST at \$6.4 million for 2009. Future annual increases are driven mainly by the annually increasing energy targets.

REST funding is intended to cover the cost of utility-scale renewable generation in excess of the market cost of conventional resource alternatives, incentive payments for distributed energy resources, marketing expenses, and program implementation and administration costs. The costs for renewable generation are based on UNS Electric's most current insights into that market. The costs for DG incentives and the program budget are based on incentives developed as part of the Commission Staffs UCPP Working Group and UNS Electric's best estimations of market uptake for the various technologies available to consumers.

UNS Electric is presently requesting REST Tariff funding of 6.4 million for 2009 under the Plan. The requested REST Tariff amount, would provide a reasonable opportunity, but certainly no guarantee, for compliance with the REST requirements in 2009. The estimates contained in Attachment 8 for the Plan will be updated each year to determine the necessary level of funding from UNS Electric's customers.


V. CONCLUSION

Arizona is beginning the transition from a fossil-fuel based primary energy foundation to a sustainable primary energy based foundation. The transition is needed to ensure that future generations of Arizona citizens have a long-term supply of safe, affordable, convenient energy on demand. As with all transitions, the first steps are the most expensive, difficult and uncertain. Currently, all Arizona sources of renewable energy come at a cost greater than any current fossil-fuel energy source. However, due to increased use of renewable energy, the cost difference is closing and in a decade or less, renewable energy may be at economic parity with fossil fuel sources. Technical challenges to the seamless integration of time variant renewable energy sources with dispatchable generation sources have been found. But, with proper planning, continuous data analysis and deliberate technology management, the challenges can be converted to opportunities and the path to sustainable energy integration can be smooth.

The EPS adopted by the Commission in 2001, provided UNS Electric with the opportunity, and, just as importantly, sufficient funding to develop appropriate amounts of solar technologies, both in partnership with customers and at utility scale, to understand the basic tools that will need to be developed over the next decade to fully integrate solar energy into its generation portfolio. UNS Electric's REST Plan and REST Tariff continue that transition to sustainable energy sources by setting a definitive, sustainable timeline and providing sufficient funding to support 15 percent of annual energy needs from renewable resources by 2025.

Arizona has the nation's best solar energy resource, wherein only 0.5 percent of Arizona's land surface, if covered with ten-percent-efficient solar generation and combined with efficient, inexpensive, reliable energy storage, could provide all of Arizona's current annual electric energy needs. Solar energy is Arizona's energy future. In 2100, we expect that future Arizonans will look back in history from their end of the timeline and wonder why there was a time when solar energy was not the energy source of choice. At our end of the timeline we know that the economics and technologies are not yet fully capable of economically and reliably supporting 100 percent of Arizona's energy needs from renewable resources. Commission approval of the REST Plan and its appropriate funding through the REST Adjustor Mechanism and the REST Tariff will challenge UNS Electric to continue its sustainable energy transition at an accelerated pace for the next two decades. UNS Electric looks forward to working with the Commission in fulfilling the promise of the REST Plan and REST Tariff, in working with its customers to develop DG projects throughout the UNS Electric service area, and in developing renewable energy as a whole.

**Attachment 1
to Exhibit 1**



**Renewable Energy Standard and Tariff Surcharge
REST-TS1
Renewable Energy Program Expense Recovery
Full Compliance Plan**

APPLICABILITY

Mandatory, non-bypassable surcharge applied to all energy consumed by all customers throughout Company's entire electric service area.

RATES

For all energy billed which is supplied by the Company to the customer, the price shall be \$0.006000 per kWh of metered monthly energy consumption on all kWh consumed per meter that month up to and including a monthly cap of:

For residential customers:	\$7.00 per month.
For commercial customers:	\$150.00 per month.
For industrial customers:	\$1,900.00 per month

Note: An industrial customer is one with monthly demand in excess of 3,000 kW for the three consecutive months preceding the current billing period.

For non-metered services, the lesser of the load profile or otherwise estimated kWh required to provide the service in question, or the service's contract kWh shall be used in the calculation of the surcharge.

| This charge will be a line item on customer bills reading "Arizona Corporation Commission Renewable Energy Standard & Tariff."

RULES AND REGULATIONS

The standard Rules and Regulations of the Company as on file with the Arizona Corporation Commission shall apply where not inconsistent with this pricing plan.

TAX CLAUSE

To the charges computed under the above rate, including any adjustments, shall be added the applicable proportionate part of any taxes or governmental impositions which are or may in the future be assessed on the basis of gross revenues of the Company and/or the price or revenue from the electric energy or service sold and/or the volume of energy generated or purchased for sale and/or sold hereunder.

Filed By: Raymond S. Heyman
Title: Senior Vice President
District: Entire Electric Service Area

Tariff No.: REST-TS1
Effective: June 1, 2008
Page No.: 1 of 1

**Attachment 2
to Exhibit 1**

Attachment 2

Five Year Renewable Energy and Capacity Forecast with Cost Estimates (Full Compliance Plan)

UNSE-2009		Item	2009	2010	2011	2012	2013
UNSE & REST Program Factors		RES Annual Renewable Energy Percentage	2.00%	2.50%	3.00%	3.50%	4.00%
		Energy Sales - MWh Growth @ 1.52%/yr	1,826,544	1,881,244	1,945,323	2,015,532	2,046,168
		Expected DSM Program Annual Energy Reductions	7,810	11,948	16,428	20,878	27,455
		Expected DG Program Annual Energy Reductions	1,803	5,451	9,319	14,397	20,793
		Net Retail Energy Sales in MWh per Year	1,816,931	1,863,845	1,919,576	1,980,257	1,997,921
		Renewable Energy - MWh	36,339	46,596	57,587	69,309	79,917
		Minimum Distributed Energy %	15.00%	20.00%	25.00%	30.00%	30.00%
		Minimum Distributed Energy MWh	5,451	9,319	14,397	20,793	23,975
		Minimum Residential Distributed Energy %	7.50%	10.00%	12.50%	15.00%	15.00%
		Minimum Residential Distributed Energy MWh	2,725	4,660	7,198	10,396	11,988
Renewable Resource Energy and Power Conversion		Maximum Commercial Distributed Energy %	7.50%	10.00%	12.50%	15.00%	15.00%
		Maximum Commercial Distributed Energy MWh	2,725	4,660	7,198	10,396	11,988
		Residential Distributed Generation - MWp Total New 60% Solar PV	0.971	1.831	2.959	4.381	5.088
		Residential Distributed Energy - MWp Total New 40% Solar Hot Water/Space Heating & Wind	1.090	1.864	2.879	4.159	4.795
		Commercial Distributed Generation - MWp Total New 75% Solar Electric PV in 2008, 50% in 2009, 25% after	0.802	0.685	1.059	1.529	1.763
		Commercial Distributed Generation - MWp Total New 25% in 2008, 50% in 2009, 75% after, Non Solar Electric @ avg. 50% CF	0.311	0.798	1.233	1.780	2.053
		Distributed Solar Elect MWp Old With Multipliers	0.24	0.24	0.24	0.24	0.24
		Utility Solar Elect MWp Old With Multipliers	0.02	0.02	0.02	0.02	0.02
		Utility Fueled Generation - MWp Old With Multipliers	0.000	0.000	0.000	0.000	0.000
		Utility Generated @ 80% NonDispatchable Energy - MWp New No Multipliers - Wind	12.824	15.479	17.937	20.150	23.236
		Utility Generated @ 20% Fueled - MWp New No Multipliers	0.705	0.850	0.985	1.107	1.277
		Resulting Total Solar Electric Capacity in MW	2.021	2.764	4.266	6.157	7.099
		Resulting Total Solar Electric Annual Energy in MWh	4,173	5,135	7,293	10,011	11,364
		Incremental Solar Capacity Watts Installed per Year per Person	9.849	13.979	22.322	32.830	38.059
		Resulting Total Distributed Solar Water Heating Capacity in MW	1.772	3.029	4.679	6.758	7.792
		Resulting Total Distributed Solar Water Heating Annual Energy in MWh	1,772	3,029	4,679	6,758	7,792
		Resulting Total Distributed Non Solar Electric Dispatchable or Displaced Generation Capacity in MW	0.311	0.532	0.822	1.187	1.368
		Resulting Total Distributed Non Solar Electric Dispatchable or Displaced Generation Annual Energy in MWh	1,363	2,330	3,599	5,198	5,994
		Resulting Total Wind Electric Generation Capacity in MW	12.824	15.479	17.937	20.150	23.236
		Resulting Total Wind Electric Generation Annual Energy in MWh	24,686	29,798	34,528	38,789	44,729
Annual Credit Balances MWh		Resulting Total Biomass Electric Generation Capacity in MW	0.705	0.850	0.985	1.107	1.277
		Resulting Total Biomass Electric Generation Annual Energy in MWh	6,172	7,449	8,632	9,697	11,182
		Total Renewable Generating Annual Energy in MWh	38,165	47,741	58,732	70,454	81,062
		Total Renewable Generating Capacity in MW	17.632	22.654	28.689	35.359	40.772
Assumption		Residential Distributed Electric Credit Balance	0	0	0	0	0
		Commercial Distributed Energy Credit Balance	0	0	0	0	0
Residential Solar Electric Up Front Subsidy Payment UCPP Plan		Utility Generated Electric Credit Balance	1,484	1,469	1,449	1,424	1,394
		Residential Distributed Generation Solar Electric %	60.00%	60.00%	60.00%	60.00%	60.00%
		Residential Distributed Generation Up Front Solar Electric Subsidy Program \$/Watt DC	\$4.50	\$4.05	\$4.05	\$3.60	\$3.60
		Additional Residential Distributed Solar Electric Capacity Needed in MWp given Year	0.811	0.860	1.128	1.421	0.707
		Subtotal Cost of Residential Distributed Solar Electric Subsidies	\$3,647,963	\$3,481,589	\$4,569,833	\$5,116,706	\$2,545,880

Distributed Solar Hot Water & Wind Up Front Subsidy Payment UCPP Plan	Residential Distributed Solar Hot Water & Wind Up Front Subsidy Program \$/Watt AC Equivalent	\$1.0000	\$0.9000	\$0.9000	\$0.8000	\$0.8000
	Additional Residential Distributed Solar Hot Water & Wind Capacity Needed in MWp given Year	0.730	0.774	1.016	1.279	0.636
	Subtotal Cost of Residential Distributed Solar Hot Water & Wind Subsidies	\$729,593	\$696,318	\$913,967	\$1,023,341	\$509,176
Assumption	Distributed Generation Solar Electric %	50.00%	25.00%	25.00%	25.00%	25.00%
	SubTotal Cost of Distributed Solar Electric Generation	\$501,838	\$642,613	\$934,149	\$1,292,823	\$1,706,393
Distributed Generation Solar Electric Performance Based Incentive Plan - Applies to all non residential solar electric in all years. UCPP & Self-Directed Funding	Performed Based Incentive					
	Unit Built in 2008	\$208,613	\$208,613	\$208,613	\$208,613	\$208,613
	Unit Built in 2009	\$245,286	\$245,286	\$245,286	\$245,286	\$245,286
	Unit Built in 2010		\$188,714	\$188,714	\$188,714	\$188,714
	Unit Built in 2011			\$291,536	\$291,536	\$291,536
	Unit Built in 2012			\$358,674	\$358,674	\$358,674
	Unit Built in 2013					\$413,570
	Unit Built in 2014					
	Unit Built in 2015					
	Unit Built in 2016					
	Unit Built in 2017					
	Unit Built in 2018					
	Unit Built in 2019					
	Unit Built in 2020					
	Unit Built in 2021					
	Unit Built in 2022					
	Unit Built in 2023					
	Unit Built in 2024					
	Unit Built in 2025					
	Performed Based Incentive Rate for 20 years \$/kWh	\$0.1800	\$0.1620	\$0.1620	\$0.1380	\$0.1380
Distributed Generation Non Solar Electric Energy Performance Based Incentive Plan - Solar Thermal, Solar Cooling, Wind, Biomass & Daylighting. Applies to all non residential solar electric in all years. UCPP & Self-Directed Funding	SubTotal Cost of Non Solar Electric Distributed Energy	\$91,890	\$244,713	\$487,659	\$799,550	\$1,159,175
	Performed Based Incentive					
	Unit Built in 2008	\$19,316	\$19,316	\$19,316	\$19,316	\$19,316
	Unit Built in 2009	\$68,135	\$68,135	\$68,135	\$68,135	\$68,135
	Unit Built in 2010		\$157,262	\$157,262	\$157,262	\$157,262
	Unit Built in 2011			\$242,946	\$242,946	\$242,946
	Unit Built in 2012			\$311,891	\$311,891	\$311,891
	Unit Built in 2013					\$359,626
	Unit Built in 2014					
	Unit Built in 2015					
	Unit Built in 2016					
	Unit Built in 2017					
	Unit Built in 2018					
	Unit Built in 2019					
	Unit Built in 2020					
	Unit Built in 2021					
	Unit Built in 2022					
	Unit Built in 2023					
	Unit Built in 2024					
	Unit Built in 2025					
	Performed Based Incentive Rate for 20 years \$/kWh	\$0.0500	\$0.0450	\$0.0450	\$0.0400	\$0.0400
UNSE Generated Renewable Power	Above Market Premium of Self Generated or Purchased Renewable Power Including Transmission After 2009	\$0.0161	\$0.0161	\$0.0161	\$0.0161	\$0.0161
	Cost of Self Generated or Purchased Renewable Power	\$497,303	\$600,268	\$695,570	\$781,401	\$901,069
Other RES Program Costs	Grid Integration Rate in \$/MWh	\$0.00	\$0.00	\$2.00	\$3.00	\$4.00
	Large Scale Grid Integration Costs in \$	\$0.00	\$0.00	\$43,190	\$72,774	\$111,884
	Administrative Costs & Integration Costs & Outreach and Advertising & Net Metering costs	\$991,500	\$1,503,418	\$1,879,347	\$2,328,057	\$2,575,707
GreenWatts Projects	Distributed non-residential community sited PV UFI projects funded with GreeWatts proceeds	\$847	\$1,270	\$1,694	\$2,117	\$2,541
Self-Directed Funding	Self-Directed Funding Projects at same \$/kWh as Feed-In Tariff Plan above. Included in that item, broken out separately here.	\$150,000	\$150,000	\$150,000	\$150,000	\$150,000
DG Program Subtotal	Distributed Generation & DG Admin and DG Integration Program Costs	\$5,963,630	\$6,569,922	\$8,743,458	\$10,489,819	\$8,386,988
Distributed Program % of Total Program	Percent of Total REST Program Costs	92.30%	91.63%	92.21%	92.47%	89.22%
Total Program Expenses	Total REST Program Cost	\$6,460,932	\$7,170,190	\$9,482,219	\$11,343,995	\$9,399,941
Program Revenue Streams	Credit Sales MWh	0	0	0	0	0
	Green Sales MWh	10	15	20	25	30
	Credit Sales \$/MWh	\$0	\$0	\$0	\$0	\$0
	Green Sales \$/MWh	\$85	\$85	\$85	\$85	\$85
	Renewable Product Sales Income - GreenWatts for Community Sited Commercial UFI PV only	\$847	\$1,270	\$1,694	\$2,117	\$2,541
	EPS Carryover Revenue	\$0	\$0	\$0	\$0	\$0
	REST Surcharge/Sample Tariff Income	\$6,650,000	\$7,050,000	\$9,800,000	\$11,700,000	\$10,000,000
	Value of UNSE PV Energy at \$50/MWh (incl SGSSS)	\$0	\$0	\$0	\$0	\$0
	PV O&M Exp @ \$50/MWh	\$0	\$0	\$0	\$0	\$0
	Investment Tax Credit	\$0	\$0	\$0	\$0	\$0
	Finance Cost @ 10% or Investment @ 5%	(\$5)	(\$9,501)	(\$3,080)	(\$16,899)	(\$35,660)
	Total REST Program Revenue	\$6,650,842	\$7,041,770	\$9,798,614	\$11,683,218	\$9,966,680

Annual Program \$ Balance	Total REST Program Annual Balance (Subsidy Program)					
	\$189,909	(\$128,421)	\$316,396	\$339,224	\$566,740	
Cumulative Program \$ Balance	Cumulative Gain (Loss) (Subsidy Program)					
	\$190,011	\$61,590	\$377,986	\$717,210	\$1,283,950	
Cumulative Program Cost	Cumulative REST Program Expenditures					
	\$8,659,632	\$15,829,823	\$25,312,041	\$36,656,036	\$46,055,977	
Variable Assumptions	Landfill Gas MWp	MWp	OG Energy Rate			
	Central Solar Conversion Rate	MWh/MWp				
	Distributed Solar Conversion Rate	MWh/MWp				
	Distributed Renewable Conversion Rate	MWh/MWp				
	Solar Thermal Conversion	MWh/MWp				
	Dispatchable Conversion Rate	MWh/MWp				
	Wind Conversion Rate	MWh/MWp				

Assumptions:

UNSE manages the Distributed Generation ("DG") program.

Residential DG: 60% solar electric; 40% solar hot water and wind - Funded by an up-front subsidy through 2012.

Commercial DG: 25% solar electric; 75% solar hot water heating, solar cooling, wind, biomass or day lighting - Funded by 20-year locked performance-based incentive after 2007 through 2030.

All banked renewable credits, including those from multipliers, will be useful in subsequent years for meeting REST or GreenWatts needs.

The cost of renewable energy purchased through RFPs and generated by UNSE in the future initially will be \$0.0161 per kWh above the market price for energy purchase at the same time the renewable energy was generated.

The cost of transmission after 2012 to bring the needed amounts of 50% wind to UNSE will be based on transmission costs of \$0.035 cents per kWh on a 20% capacity factor line, in 2013 with reduction to market in 2030.

All renewable generation sources for UNSE can be integrated into the existing transmission structure through 2012.

Energy sales and subsidy revenue growth is 1.52% per year: Assumes REST reduces customer energy loan growth due to the new generation installed to meet REST; and DSM reduces load growth.

Annual energy production rates for the various technologies are based on historical data from the first five years of the UNSE/TEP EPS programs.

The Performance Based Incentive Program has less risk of problems associated with customer generation production than the Up Front Subsidy Program, given that there is no expiration date.

Grid Integration costs are based on Xcel/Minnesota Dept of Commerce Report of 2004, Idaho Power Report of 2007, and British report of 2006.

Other REST Program Costs include: Interconnection application review costs, net metering costs, application processing costs, initial inspections, annual plan and reporting costs and compliance hearing costs.

There is no energy storage anticipated during the 2008 through 2015 time frame.

Storage will be needed after 2015, if unpredictable energy sources, like wind or solar, are supplant coal generation.

Administrative costs assume one person per 500/kWp per year of new commercial or residential solar installations and two technical gurus for all levels of installations.

Ongoing annual inspection and repair work will be contracted out.

Creation of a database with online access for customers and installers will add some costs.

Program Assumptions

Attachment 3 to Exhibit 1

Attachment 3

Development of Market Cost of Comparable Conventional Generation for the Renewable Energy Standard and Tariff

Consistent with the Renewable Energy Standard Tariff ("REST") Rules passed by the Arizona Corporation Commission ("Commission"), UNS Electric, Inc.'s ("UNS Electric") Renewable Energy Standard and Tariff Implementation Plan contemplates recovery of expenses in excess of the Market Cost of Comparable Conventional Generation ("MCCCG"). The Commission provided guidance on defining MCCCG in the context of its REST Rules and identified the MCCCG as "the Affected Utility's energy and capacity cost of producing or procuring the incremental electricity that would be avoided by the resources used to meet the Annual Renewable Energy Requirement, taking into account hourly, seasonal and long term supply and demand circumstances. Avoided costs include any avoided transmission and distribution costs and any avoided environmental compliance costs." R14-2-1801.11.

The great bulk of Renewable Energy Standard program expenses are expected to be from procurement of renewable energy generation sources, both customer-sited distributed generation and remote utility scale sources through purchased power agreements. There may be some internal renewable generation production sources built if the cost of purchased renewable energy is higher than self built options. The recovery of all expenses through the REST Tariff revenues will, to a very large degree, be affected by the methodology used to derive the MCCCG amount, expected to be an annual number. This document is intended to define the methodology for purchased power or for internally owned renewable generation sources. It may also be used as a comparison point for customer-sited distributed renewable generation resource cost recovery.

The proposed method assumes that an annual revenue requirement figure will build up as a sum from a series of 8,760 (8,784 in a leap year) hourly figures comparing actual renewable generation resource costs for each renewable energy resource purchased or self produced in each hour of the year against the MCCCG in those same hours. The comparable hourly MCCCG may be different for different renewable sources, taking into account the firmness of the renewable generation resource, the curtailability of the renewable generation resource and whether native load requirements were met by internally owned or contracted generation resources or if market purchases were required to meet native load requirements. The following table provides a MCCCG evaluation matrix. The hourly MCCCG cost determination criteria is listed in the box selected by comparing the types of Purchased Renewable Generation with the Market Condition and Dispatch Type. This method of cost determination is very data intensive and will be evaluated at the end of each year by running UNS Electric's PROMOD model software against the purchased renewable generation. The cost of the purchased renewable generation above MCCCG costs will be included in the REST Adjustor Mechanism and REST Tariff.

MCCCG Cost Determination Matrix

Types of Purchased Renewable Generation					
Market Condition and Dispatch Type		Dispatchable Firm Renewable Generation: Fuel/Solar hybrid, Wind/Hydro hybrid, Biomass	Must Run Firm Renewable Generation: Dedicated Landfill Gas or Biogas	Must Run Non-Firm Renewable Generation: Run of Canal or River Hydro	Curtailable Non Firm Renewable Generation: Wind or Solar without firming storage
	Selling to Market from In House Real and Contracted Generation Sources	MCCCG Cost Based on Incremental Production/Purchase Cost of Base Load Generation for that hour.			
	No Market Transactions from/to In House and Contracted Generation Sources				
	Purchasing from Day Ahead Market, but not Spot Market, to meet Native Load Requirements	MCCCG Cost Based on Average Day Ahead Market Price of Purchased Power for that hour.			
	Purchasing from Spot Market to meet Native Load Requirements	MCCCG Cost Based on Average Spot Market Price of Purchased Power for that hour.			

Incremental Production / Purchase of Base Load - The cost of the next kWh (incremental) amount of load that has to be provided by TEP generation sources and/or purchased power. This will be dependent on the season, month and time of day.

If Day Ahead Market or Spot Market purchases are being used to provide for reliability support capacity to meet native load requirements by freeing up in house or contracted generation resources for regulation or spinning reserve purposes for support of native load requirements, that would still represent a Market Purchase for purposes of determining which matrix box is applicable.

**Attachment 4
to Exhibit 1**

REDACTED

**Attachment 5
to Exhibit 1**

REDACTED

**Attachment 6
to Exhibit 1**

REDACTED

**Attachment 7
to Exhibit 1**

Attachment 7

Builder Credit Purchase Program Description

2009 REST

"Energy Smart Solar Home Program"

UNS Electric, Inc. ("UNS Electric" or the "Company") has made a strong commitment to supporting innovative renewable energy technologies and energy efficient new home construction. The SunShare program has brought technical guidance, financial incentives and outreach to promote the adoption of renewable technologies. UNS Electric has introduced the Energy Smart Home Program with Energy Star to promote energy efficient building. UNS Electric is now proposing to create a new program that integrates the Energy Star and Sunshare offerings to complement the Renewable Energy Standards and Tariff ("REST").

Rationale

Several builders in the Arizona marketplace have looked to include an integrated design with the goal of reaching a Net Zero Energy Home. John Wesley Miller has built two homes in the Tucson area that have been the subject of the National Association of Home Builders Research Center study. In Mohave County, Eagle View Estates has designed a subdivision of nearly four hundred homes. Each Eagle View Estates home is built to exceed Energy Star requirements and achieve Environments for Living Green certification. Additionally, they have made solar panels and solar water heating standard in every home. As local builders who do not have the buying power to compete on price in a competitive market, they look to differentiate their products by including high quality features and optimum energy performance. The challenge they face is marketing their attributes without a third party metric to differentiate themselves from other builders who may claim to be energy efficient.

Southwest Energy Efficiency Project (SWEEP) published a study in November of 2007 entitled "High Performance Homes in the Southwest" which evaluated the energy and cost savings potential from constructing more efficient new homes in five Southwest States. Although the report reviewed regional policy from a variety of different perspectives, the following recommendation was made for utilities offering energy efficiency programs for new home construction. "SWEEP recommends that utilities offer a 3-tiered incentives package to builders, beginning at ENERGY STAR and going up to a Net-Zero Energy Home level of performance."

UNS Electric proposes to follow this recommendation by adding a program at the "Net Zero Energy Home" level. This would provide a distinction for builders who are early adopters of new technologies and embrace high performance as a goal throughout their design process. For builders to effectively reach this level, it is necessary to incorporate certain goals at an early stage in the plan development. It is understood that initial participation at this level would be modest. However, it is important to set this goal

significantly above current building standards to set a milestone for market transformation.

The proposed marketing name for the program would be the Energy Smart Solar Home Program. This would allow UNS Electric to take advantage of the brand identity that Energy Smart and Energy Star have built in the marketplace. Computer modeling can demonstrate that the total annual electric load of the home may be satisfied by the annual generation of photovoltaic systems ("PV"). However, this is highly dependent on the assumptions of occupant behavior. Homes that have been built to the prescribed standards often times have not proven to be a true "net-zero" when occupied. This will help consumers to have a positive perception of the program and to understand that their lifestyle and consumption decisions play a large role in their homes performance.

Program Requirements

- Builder must participate in UNS Electric Energy Smart Homes Program.
- Builder may choose solar thermal or PV, or both.
- HVAC equipment must be sized per Manual J calculations, and duct systems must be designed per Manual D. This will provide for optimum performance in homes that incorporate a high performance design.
- Builder has the option of certifying their subdivision as a LEED for Home, NAHB Green Building Program or other Green Building Programs. UNS Electric will provide HERS Rating services and technical consultation through an implementation contractor.

Consumer Benefits

- Savings for consumers, when using both the solar energy and very efficient building practices, can exceed 60% over standard building practices.
- The home will be certified as an Energy Star Home which may be eligible for Energy Efficient Mortgage products. This may also increase the potential resale value of the home.
- By providing incentives during construction, the price of the solar system is then absorbed in the mortgage. This allows the consumer to utilize the generation of the PV system to offset the increased mortgage cost to create a better cash flow scenario.
- UNS Electric will provide up front installation of net meters along with training and education of homeowners to set proper expectations of system performance.

Builder Benefits

- For Solar Electric: Builder will receive an increase in the amount of the solar electric Up-Front Incentive (UFI) to an additional \$0.50 per DC watt installed over the approved RECPP. For systems that are over 7,000 watts DC, the incentive would be dropped by \$0.50 per DC watt installed from the approved RECPP. (Assuming the number of participating homes is 50 in 2009 with a panel average of 3 kW – the budget increase is \$75k – a small cost for the benefit.)
- For Solar Water Heating: Builder can choose to install solar water heating with no additional incentive beyond what is available in the standard SunShare offering.
- Cooperative advertising (advertising both the builder and benefits of renewable energy) will focus on societal benefits of solar technologies and building science. Twenty-five percent of the marketing and outreach budgets are reserved for the Energy Smart Solar Home Program.
- The Energy Smart Homes Program provides a rebate to help offset the cost of the HERS rating. The implementation contractor may provide additional consultation, training and technical support to builders, architects, mechanical engineers and subcontractors.

Utility Benefits

- The program provides a cost-effective method to market the installation of renewable technologies to meet REST requirements. This includes the initial cost to solicit participation in the renewable programs as, well as the economies of scale that are brought to the market by having large numbers of homes purchased using renewable technologies.
- There are intrinsic benefits to installing solar technologies at the time of construction. UNS Electric will be provided the opportunity to consult on such issues as building orientation, height of parapet walls, shading issues posed by adjacent structures and other potential obstacles to ideal sites for solar installations. This will provide the opportunity to optimize available space for renewable technologies.
- The marketing effort that is placed into promoting the UNS Electric Energy Smart Home program for new homes will have “spill over” to existing homes. Homeowners that may not be in the position to purchase a new home will see the co-branded media that may lead them to pursue a qualifying Sunshare Program solar energy system for their existing home.

Summary

UNS Electric believes that this proposed program design offers tremendous symbiotic benefits to their entire DSM/REST portfolio. By integrating the renewable technology component into the new home construction program, it allows UNS Electric to effectively build on brands that have been well established in the market place to effectively market renewable technologies. At the same time, it serves a niche of new home builders who are looking to differentiate their enhanced energy efficient product by provided a third party metric. From a regulatory stand point, the offering has strong merit as it builds on existing DSM/REST programs. The opportunity to co-brand our offerings will lead to a more effective use of marketing dollars and potential cross benefits between programs.

**Attachment 8
to Exhibit 1**

Attachment 8

UNSE Renewable Energy Standard Tariff Cost Recovery Factors Definition for 2009

7/1/2008

Total REST Full Compliance Budget 2009:

\$ 6,460,085

Full Compliance Implementation Plan

Purchased Renewable Energy:

Above Market Cost of Conventional Generation calculated annually on hourly data per MCCCC Matrix ^{aa}	\$497,303
Transmission direct-use cost	\$0
Transmission line-loss cost	\$0
Grid management ancillary services and day-ahead unit commitment cost	\$0
Grid stability analysis cost allocation ^{ab}	\$5,000
Fuel and maintenance \$ assoc. w/ increased CT use and load range ramp cycles to manage over/under scheduled RE	\$0
RFP preparation, issue and evaluation cost ^{ac}	\$2,000
Independent Auditor cost ^{ad}	\$10,000
Loss of revenue from off-system sales due to transmission constraints created by transmission alloc. to RE PPA	\$0
Labor overhead allocation cost for purchased renewable power contracts ^{ae}	\$10,000
In-state renewable resource economic development premium payment cost	\$0
Total	\$524,303

Customer Sited Distributed Renewable Energy:

Up-front subsidy payment to customers' cost ^{ba}	\$4,302,555
Annual production-based performance payment to customers' cost ^{bb}	\$593,728
Builder solar energy system program ^{bc}	\$75,000
Interconnection and net meter application processing labor cost ^{bd}	\$25,000
Acceptance testing cost ^{be}	\$100,000
Customer technical support cost ^{bf}	\$35,000
Annual meter reading cost ^{bg}	\$5,000
Support tools, materials, transportation and supply cost ^{bh}	\$25,000
Direct internal labor cost for administration of the customer sited renewable generation program ^{bi}	\$50,000
Outside services and internal labor for outreach, marketing materials, education and website maintenance cost ^{bj}	\$400,000
Grid management cost	\$0
Grid stability analysis cost allocation ^{bk}	\$0
Cost-of-service contracts for outside labor for inspections and maintenance ^{bl}	\$25,000
Loss of revenue from the fixed-cost portion of customer charges displaced by customer self generation	\$0
Total	\$5,636,283

Customer Care and Billing program (CC&B):

Annual administrative CC&B cost database upgrades ^{ca}	\$25,000
Initial database and customer interface program development and program revision cost ^{cb}	\$0
Capital A&G load allocations for above development work ^{cc}	\$0
CC&B incremental transaction allocation cost for CC&B support ^{cd}	\$25,000
Total	\$50,000

Energy Management System and Energy Accounting and Settlements (EMS&EAS):

Annual administrative EMS & EAS cost allocation based on share of transactions processed ^{da}	\$25,000
Initial database and program revision cost ^{db}	\$50,000
Capital A&G load allocations for above development work ^{dc}	\$25,000
Labor overhead allocation cost for EMS & EAS ^{dd}	\$25,000
Total	\$125,000

Net Metering:

Direct material cost for meters ^{ea}	\$14,000
Labor cost for meter installations ^{eb}	\$10,000
Direct energy credit purchase cost	\$0
Net metering rate design cost	\$0
Time-of-Use Net Metering Program development cost ^{ed}	\$0
Net Metering data interval recording for load research and program metrics evaluation ^{ec}	\$0
Communications for Net Metering data retrieval ^{ef}	\$0
Total	\$24,000

Reporting:

Annual Compliance Report and hearing cost ^{fa}	\$5,000
Annual Planning and Implementation Report and hearing cost ^{fb}	\$25,000
Annual Tariff review and hearing cost ^{fc}	\$25,000
Labor overhead and CC&B transaction allocation cost for reporting ^{fd}	\$5,500
Total	\$60,500

Outside Coordination and Support:

Support provided to University research projects (eg. AzRise) ^{ga}	\$20,000
Support through providing information and answering questions of national energy labs cost ^{ga}	\$0
Support through providing information and testing equipment of renewable energy equipment vendors cost ^{gb}	\$0
Responding to renewable energy questions from non TEP customers' cost ^{gc}	\$0
Support of outside service territory renewable energy interest cost ^{gd}	\$0
WREGIS and other renewable energy certification agency fee cost	\$0
Utility Wind Interest Group fee cost ^{ge}	\$0
Solar Electric Power Association fee cost ^{gf}	\$0
Other renewable energy association fees as needed cost ^{gg}	\$0
Training, travel, memberships, periodicals, etc. cost ^{gh}	\$20,000
Labor overhead allocation cost for outside coordination and support ^{gi}	\$0
Total	\$40,000

Renewable Energy Hardware Development:

Technology development projects – geothermal heat pumps, residential solar units, residential wind generation, etc. cost ^{ha}	
Energy storage demonstration project cost ^{hb}	\$0
Operation and maintenance of renewable generation systems cost ^{hc}	\$0
Renewable energy resource monitoring program cost ^{hd}	\$0
Support of Arizona-wide renewable energy studies cost ^{he}	\$0
Up-front funded renewable technology construction cost ^{hf}	\$0
Development of wind and solar forecasting program costs ^{hg}	\$0
Development of load-shed systems for managing rapid changes in renewable energy generation levels cost ^{hh}	\$0
Property taxes, sales taxes and insurance for renewable energy hardware costs ^{hi}	\$0
Labor overhead, Stores loads, allocation cost for renewable energy hardware development ^{hj}	\$0
Total	\$0

Grand Total**\$6,460,085**

Notes:

aa: 30,888 MWh @ \$16.10 per MWh above cost of MCCCCG – Purchased Power. Contracts are in addition to existing power purchase contracts, costs are incremental and caused by renewable purchased power contracts.

ab: Annual analysis of hourly delivery intermittencies on grid stability, forecasting development – internal UES personnel, 60 hours. Evaluation time is in addition to existing power purchase analysis and due to time variant nature of wind power.

ac: Internal development, review, posting, query response, evaluation, contract development and close out – internal UES personnel, 20 hours. RFPs are in addition to existing power purchase RFPs, costs are incremental and caused by renewable purchased power.

ad: Historic cost basis.

ae: Contract administration, settlement review, payment approval, internal overhead – internal UES personnel, 100 hours. Contracts are in addition to existing power purchase contracts, costs are incremental and caused by renewable purchased power contracts.

ba: Residential – est. 60% will be PV. .811 MWDC of PV in 2009. @ \$4.5 per watt DC = \$4.3M. 40% will be SDWH .730 MWp of SDWH in 2009. @ \$1.00 per watt = \$.73M. (Excludes Builder Program of \$.075M included in line bc.)

bb: Commercial PBI: Solar PV – 50% * 1,263 MWh/yr/ @ \$0.18 = \$.245M. The "other" commercial as thermal – 50% * 1,263 MWh @ \$0.05/kWh = \$.063M. Additional payments from 2008 add to \$.208M for PV and \$.019M for other. These numbers are grossed up for a full 12 months, bringing the total to \$.594M for Commercial PBI.

bc: Assumes an incremental .50 /watt DC for 50 homes with an average panel size of 3kWDC. (\$75k)

bd: assume .33 FTE - 300 PV units & 350 hot water/wind @ 1500 units/person-year. Currently 200 units/person/year productivity.

be: assume 1 FTE - 300 PV units & 350 hot water/wind @ 1500 units/person-year. Currently 200 units/person/year productivity.

bf: assume .33 FTE - 300 PV units & 350 hot water/wind @ 1500 units/person-year + commercial. Currently 200 units/person/year productivity.

bg: 300 meter reads per year including reporting and processing of data into reports

bh: Vehicles, small tools, and consumables for 4 mobile units

bi: .5 supervisory/managerial people @ 1200 units/person-year. Currently 200 units/person/year productivity.

bj: Direct-outreach education expense with providers. Includes media purchases, printing, and design.

bk: Studies of solar time-variant output impact on distribution grid. Review of solar capacity value. Used for matching grant funding. 0 person assigned.

bl: Used for annual inspections, customer support. Based on historic costs extrapolated to 1,200 customers from \$25,000/year for 300 customers.

ca: Initial estimate – discovery in progress - new programming.

cb: 2008 Estimated cost @ \$100k.

cc: Initial estimate – discovery in progress.

cd: Initial estimate – discovery in progress - database upgrades.

da: Initial estimate – discovery in progress.

db: Initial estimate – discovery in progress.

dc: Initial estimate – discovery in progress.

dd: Initial estimate – discovery in progress.

ea: approximately 300 net meters @ \$50 per meter

eb: 100 site installations @ \$100 per site.

ec: Initial estimate – discovery in progress. Recovery over 1-year period.

ed: Initial estimate – discovery in progress. Recovery over 1-year period.

ee: Future One-Quarter time for an energy analyst to collate data, prepare analysis and review cost impacts and effect on lost revenues of net metering.

ef: Future .25 FTE for an energy analyst for on going program review and quality control review of net metering program.

fa: Historic cost basis, extrapolated to a larger program with more reporting factors.

fb: Historic cost basis, extrapolated to a larger program with more reporting factors.

fc: Historic cost basis, extrapolated to a larger program with more reporting factors.

fd: Calculated as 10% of internal labor costs.

ga: Funding support for projects to fund renewable research at such entities as AzRise.

gb: Historic cost basis, extrapolated to a larger program with more reporting factors. Program manager level respondent.

gc: Historic cost basis, extrapolated to a larger program with more reporting factors. Program manager level respondent.

gd: Historic cost basis, extrapolated to a larger program with more reporting factors. Administrative level respondent.

ge: Based on proposal.

gf: Historic based.

gg: Historic based. Biomass, geothermal, etc.

gh: Historic based for 4 employees.

gi: Calculated as 0% of internal labor costs.

ha: Estimated based on project size and mix.

hb: Estimated based on project size and mix.

hc: Historic based. OH, DAMP and SASS

hd: Historic based.

he: Historic based.

hf: Operating Headquarters Test Yard – 0 kid


hg: Matching funds for grants in application.

hh: Matching funds for grants in application.

hi: Historic based.

hj: Calculated as 10% of internal labor costs = \$0 plus 2% of transaction costs = \$0 Total = \$0

**Attachment 9
to Exhibit 1**



Customer Self-Directed Renewable Energy Option REST-TS2 Renewable Energy Standard Tariff

AVAILABILITY

Open to all Eligible Customers as defined at A.A.C. R14-02-1801.H.

APPLICABILITY

Any Eligible Customer that applies to the Company under this program and receives approval shall participate at its option.

PARTICIPATION PROCESS

An Eligible Customer seeking to participate shall submit to the Company a written application that describes the Distributed Renewable Energy (DRE) resources or facilities that it proposes to install and the estimated costs of the project. The Company shall have sixty (60) calendar days to evaluate and respond in writing to the Eligible Customer, either accepting or declining the project. If accepted, the Customer shall be reimbursed up to the actual dollar amounts of customer surcharge paid under the REST-TS1 Tariff in any calendar year in which DRE facilities are installed as part of the accepted project. To qualify for such funds, the Customer shall provide at least half of the funding necessary to complete the project described in the accepted application, and shall provide the Company with sufficient and reasonable written documentation of the project's costs. Customer shall submit their application prior to May 1 of a given year to apply for funding in the following calendar year.

FACILITIES INSTALLED

The maintenance and repair of the facilities installed by a Customer under this program shall be the responsibility of the Customer following completion of the project. In order to be accepted by the Company for reimbursement purposes, the project shall, at a minimum, conform to the Company's System Qualification standards on file with the Commission. (REST Implementation Plan, Renewable Energy Credit Purchase Program – RECPP, Distributed Generation Interconnection Requirements, Net Metering Tariff, Company's Interconnection Manual)

PAYMENTS AND CREDITS

All funds reimbursed by the Company to the Customer for installation of approved DRE facilities shall be paid on an annual basis no later than March 30th of each calendar year. All Renewable Energy Credits derived from a project, including generation and Extra Credit Multipliers, shall become the property of the Company and shall be applied towards the Company's Annual Renewable Energy Requirement as defined in A.A.C. R14-2-1801.B.

RULES AND REGULATIONS

The standard Rules and Regulations of the Company as on file with the Arizona Corporation Commission shall apply where not inconsistent with this pricing plan.

RELATED SCHEDULES

- REST-TS1 - Renewable Energy Program Expense Recovery

Filed By: Raymond S. Heyman
Title: Senior Vice President
District: Entire Electric Service Area

Tariff No.: REST-TS2
Effective: PENDING
Page No.: 1 of 1

Exhibit 2

**UNS Electric, Inc.'s
Renewable Energy Standard &
Tariff**

**Implementation Plan
2009 – 2013**

(Best Value Plan)

TABLE OF CONTENTS

I.	Executive Summary	1
II.	Plan Components	2
A.	Renewable Energy Requirements	2
B.	Development of Renewables in UNS Electric's Service Territory.....	3
1.	Resource Planning	3
2.	Market Cost of Comparable Conventional Generation.....	4
3.	Transmission	5
4.	Renewable Generation Integration Management.....	5
5.	Distributed Generation	6
C.	Required Program Funding	9
III.	2009 UNS Electric REST Best Value Implementation Plan	10
A.	Energy.....	10
B.	Capacity.....	11
C.	Renewable Generation.....	11
1.	Existing Renewable Generation.....	11
2.	Renewable Generation Procurement Plan and Process.....	11
3.	Identifying Renewable Generation Requirements	12
a.	Costs of Renewable Generation.....	12
b.	Planned Resource Additions.....	13
D.	Distributed Generation.....	13
1.	Anticipated Distributed Generation Program Outcomes.....	15
2.	Key Components of the Proposed DG Administration Plan	15
a.	Administration	15
b.	Equipment and Installation Requirements	15
c.	Incentives	16
d.	Non-Conforming Projects.....	16

e.	Customer Self-Directed Option	16
f.	Builder Credit Purchase Program Description	16
3.	Distributed Generation Incentive Budgets.....	17
4.	Marketing, Advertising and Partnership Development.....	18
E.	Implementation and Administration.....	19
1.	Resources Required for the Renewable Generation Program	20
2.	Resources Required for the Distributed Generation Program	20
a.	Program Resources	20
b.	Material Costs	21
c.	Technological Improvements Required.....	21
F.	Renewable Technology Commercialization and Integration	22
IV.	Costs of Program Implementation	23
V.	Conclusion	24

EXHIBIT 2 – ATTACHMENT LIST

- Attachment 1** REST-TS1 Tariff
- Attachment 2** Five Year Renewable Energy and Capacity Forecast with Cost Estimates
- Attachment 3** Development of Market Cost of Comparable Conventional Generation for the Renewable Energy Standard and Tariff
- Attachment 4** New Mexico Wind Energy Above Marginal Cost of Comparable Conventional Generation (“MCCCG”) (REDACTED)
- Attachment 5** Tucson Area Landfill Gas Energy Above Marginal Cost of Comparable Conventional Generation (“MCCCG”) for UNS Electric, Inc. (REDACTED)
- Attachment 6** Tucson Area Solar Energy Above Marginal Cost of Comparable Conventional Generation (“MCCCG”) for UNS Electric, Inc. (REDACTED)
- Attachment 7** Builder Credit Purchase Program Description
- Attachment 8** REST Line Item Budget
- Attachment 9** Customer Self-Directed Renewable Energy Option REST-TS2 Tariff

EXHIBIT 2

I. EXECUTIVE SUMMARY

UNS Electric, Inc. ("UNS Electric" or "Company") has prepared a Renewable Energy Standard and Tariff ("REST") Implementation Plan for the five-year period 2009-2013 which is called UNS Electric's Best Value Plan (the "Plan"). In order to balance the desire for distributed renewable generation and the reasonable REST program costs, UNS Electric is proposing a Best Value Plan. This Plan alters the allocation between the residential and commercial distributed generation (DG) requirements while keeping the total DG goal at 15% of the total REST requirement. The Plan uses the REST Surcharge ("REST-TS1") (Attachment 1) energy rate amount of \$0.004988 per kWh; and caps the monthly payment for a residential customer at \$2.00, a commercial customer at \$39.00, and an industrial commercial customer at \$500.00. The Plan describes the renewable energy resources capacity that may be added during the next five years, the annual energy expected to be produced from these resources, estimated customer funding and tariff amounts required to support acquisition of those resources in 2009, and a 2009 program budget. The REST annual renewable energy requirement begins at 2.0% of total retail sales in 2009, and requires a minimum of 15% of the renewable energy to come from distributed energy sources, of which at least 50% (7.5% of total renewable energy) must be from residential customer sources.

As a separate document associated with the Plan, the Company is filing a Renewable Energy Credit Purchase Program ("RECPP"), which includes nearly all of the preliminary recommendations reached by an informal Uniform Credit Purchase Program Working Group ("WCPP Working Group" or "Working Group") established by Commission Staff during 2006. RECPP addresses the participation process for a wide range of customers, incentive levels, eligible technologies and system requirements.

UNS Electric currently estimates the cost of the Plan, in compliance with REST, to be \$2.9 million in 2009, increasing to \$12.5 million by 2013, with a five year total of \$39 million. REST funding is intended to cover the cost of utility-scale renewable generation in excess of the market cost of conventional resource alternatives, incentive payments for distributed energy resources, marketing expenses, and program implementation and administration costs. The above-market costs for renewable generation are based upon UNS Electric's current understanding of that market as derived from bids received as a result of a request-for-proposal ("RFP") for renewable energy as well as extensive discussion with renewable energy vendors and installers. The costs for distributed generation incentives and the program budget are based upon incentives developed as part of the Commission Staff's Working Group and UNS Electric's best estimations of market uptake for the various technologies available to its customers. Annual increases in the program budget are driven mainly by the annually increasing energy targets.

Lastly, experts agree that the future success of renewable energy depends on advances in technology and research. For this reason, as a part of this plan, UNS Electric is allocating funding for renewable research at University of Arizona in partnership with AzRise (Arizona Research Institute for Solar Energy).

II. PLAN COMPONENTS

A. Renewable Energy Requirements

This Plan has been created in response to the requirements of Arizona Administrative Code R14-2-1801 through R14-2-1815, formally known as the REST Rules. The Plan's main purpose is to present the renewable energy purchase and development plan as UNS Electric's Plan portfolio and tariffs. UNS Electric has prepared this Plan for the five-year period 2009-2013. REST requires that affected utilities satisfy an annual renewable energy requirement by providing a percentage of their retail electric energy sales from renewable resources. The required annual renewable energy percentage for the first year of implementation of this Plan begins at 2.0% in 2009, and increases .50% annually to 4.0% in 2013.

Renewable resources under this rule include "renewable generation" projects, which are constructed solely to export their energy production to the utility, and renewable DG, which is a renewable resource application acquired, installed, and operated by customers on their premises that is used to displace the customer's energy consumption. As part of REST, the energy generated or displaced by DG is applied towards the percentage of the utility's distributed renewable energy requirement. To determine compliance with REST, the metric used to track energy in kilowatt hours ("kWh") derived from renewable resources is the Renewable Energy Credit ("REC"), with one kWh equaling one REC.

Meeting REST requirements presents all affected Arizona utilities, including UNS Electric, with a number of uncertainties going forward. Given the needs of our neighboring states to meet their renewable energy mandates, there could be intense competition for renewable energy sources over the next several years. This competition will add to other challenges UNS Electric faces in meeting REST annual energy requirements. These include the timely completion and energy production from contracted renewable energy sources, availability of qualified contractors to install renewable DG facilities, the number of customers who will opt to participate in renewable DG projects, and, of primary interest to electric utility customers, the further development of technology to make renewable energy sufficiently affordable and reliable. Risks also include issues such as: the availability, level and consistency of federal, state and local incentives; the availability of renewable energy projects executed by financially and technically sound developers; the availability of adequate transmission resources to deliver new renewable energy resources to UNS Electric's load; the availability of renewable energy projects matching UNS Electric's anticipated cost profiles; the timing of new resource availability; and the ability of DG technologies and technology providers to serve the needs of customers. UNS Electric acknowledged the risks identified above and attempted to account for them in its Implementation Plan. The timely delivery of energy from renewable resources is critical to UNS Electric's compliance with the energy targets; development of these types of projects typically requires between two to five years. Recent experience across the nation indicates renewable generation projects suffer from high levels of project failure, broadly summarized as the inability to meet contract energy delivery dates. These failures and delays can be attributed to a broad range of issues, but are generally attributed to the immature nature of the renewable resource markets. Published experience with renewable energy projects in California suggests that a minimum overall contract failure rate of 20-30% should generally be expected for large

solicitations. UNS Electric has attempted to develop an implementation plan that assumes a slightly lower level of project failure rate to that observed in California. As a way to buffer against these risks, UNS Electric's experience with both renewable energy projects and with conventional energy technologies suggests that careful project screening can reduce, but not eliminate, some of the risk associated with project failures. Consequently, the Plan is general in nature and not specific with regard to the mix of resources to be used to meet REST requirements in 2009.

Utilities, such as UNS Electric, that are affected by REST rules are required by A.A.C. R14-2-1813(A) to file an Implementation Plan each year for review and approval by the Arizona Corporation Commission ("ACC" or "Commission"). The Plan must describe the procurement of renewable energy resources for the next five calendar years that will meet the requirements of REST. This description must identify the considered technologies, the expected schedule for the resource incorporation on a year-by-year basis, and a description of the kilowatts ("kW") capacity and kWh of energy that are expected to be added to the UNS Electric generation portfolio by the incorporation of those renewable energy resources.

B. Development of Renewables in UNS Electric's Service Territory

1. Resource Planning

UNS Electric has historically recognized that long-term resource planning is an essential element in determining both supply and demand-side elements of energy production and delivery when making decisions regarding construction of new generation and transmission assets. Beginning in 2003, UNS Electric has studied numerous cost-effective alternative energy sources to meet the growing energy needs of its customers. UNS Electric's long-term resource planning process is an integral part of the renewable energy planning and goal setting process. The forecast of annual kWh of energy and kW of capacity from renewable energy resources by technology to meet the REST goals is listed in Attachment 2.

UNS Electric initially considers self-build renewable energy options in the cost evaluation portion of the planning process, but does not include them as a criterion in determining the need for renewable generation options. Purchased renewable power allows for greater flexibility in use of scarce financial resources in developing renewable generation resources, which are typically priced above the Market Cost of Comparable Conventional Generation ("MCCCG"). Purchase of renewable energy allows UNS Electric to more effectively use its resources in developing renewable energy for its customers through partnering with renewable energy developers. It is thus an essential element in the Company's generation portfolio. However, cost-effective self-build renewable energy options will be pursued as an alternative to purchased renewable energy if necessary. UNS Electric plans to purchase all of its non-DG renewable energy from its existing fleet of wind and solar generation systems and its landfill gas-to-energy facility. UNS Electric may, as a last resort if purchased renewable energy supplies are insufficient to meet REST requirements, purchase RECs from its bank, created during the Environmental Portfolio Surcharge ("EPS") program, to meet REST requirements.

UNS Electric uses an Independent Monitor to review the RFP evaluation criteria and process to ensure a fair and equitable RFP evaluation is performed in comparing bids against each other as well as against the MCCCCG.

2. Market Cost of Comparable Conventional Generation

MCCCCG, as used in the evaluation of renewable energy bids and as used in the context of determining MCCCCG costs of purchased renewable energy for recovery in the REST Adjustor Mechanism calculation, is determined from market costs based on bids received from the Company's pending purchases of conventional energy sources RFP process and/or the cost of UNS Electric's generation. This depends on the type of purchased renewable generation resource (firm, non-firm, dispatchable, etc.) and the market conditions at the time of the renewable purchase.

This MCCCCG portion of purchased renewable energy resources is recovered under the REST Tariff as determined in the REST Adjustor Mechanism calculation, whereas the portion of the cost of the renewable energy purchased at or below MCCCCG is recovered in the base generation rates. Therefore, precise MCCCCG of purchased renewable generation is important for proper allocation of generation costs.

The REST's annual increases of renewable targets suggest that renewable generation resources can be developed and procured in increments sized to match annual increases. However, a utility's ability to add renewable resources in amounts that specifically match the requirement is unlikely. Therefore, in some years the renewable generation procured will exceed that specifically targeted; these excess additions are sometimes referred to as "non-linear additions." As such, it is important for the Commission to realize that the procurement of renewable generation is similar to that of traditional generation in this "non linear" process. To receive the most competitive prices, the procurement of generation resources is based on the purchase of blocks of energy (MWh) and capacity (MW) at a specified price. As mentioned above, in some years the company will exceed the target and, therefore, the costs; while in other years the opposite will occur.

An MCCCCG definition and matrix document (Attachment 3) was developed to determine the applicable market conditions and the type of the purchased renewable generation resource for which the MCCCCG is to be evaluated. The matrix is based on the renewable energy technology type employed and market conditions, along with dispatch conditions at the time of the production of the renewable energy under evaluation. The MCCCCG calculation will be dependent on the hour of the day, the season of the year and the month. The MCCCCG will be evaluated for true up as part of the REST Adjustor Mechanism calculation at the end of each year by running UNS Electric's PROMOD model software against the purchased renewable generation costs. As discussed above, the cost of the purchased renewable generation above the MCCCCG costs will be included in the REST Tariff as determined in the REST Adjustor Mechanism calculation.

To determine the MCCCCG of the renewable energy options, UNS Electric undertook a study that applied the matrix to the 2006 actual generation market conditions, and proposed generation profiles of wind generation and round-the-clock generation bids received in 2007. The

evaluation resulted in MCCCCG values for each of UNS Electric's meter billing periods. These hourly MCCCCG values were then applied against the hourly generation profiles for the three lowest-cost option renewable generation proposals offered in response to UNS Electric's 2007 RFP for renewable generation. See Attachments 4, 5, and 6 (REDACTED) for the above MCCCCG cost for the renewable generation bids currently under negotiation. In 2008, during the negotiations for the 2007 renewable generation bids, the Arizona wind bidder dropped out of the process. UNS Electric has issued another RFP for renewable generation in 2008.

3. Transmission

All of the wind renewable energy resources evaluated for MCCCCG are located at least 150 miles from Mohave and Santa Cruz Counties. Thus, transmission on existing or new lines will be required to bring the energy from these resources to the customer loads in those locations. Nevertheless, UNS Electric believes the REST goals for 2008 through 2010 are not of large enough magnitude to require additional transmission installations to support purchased renewable power delivery to UNS Electric planned under the Plan. However, it is very likely that the resources needed to meet the 2011 and future REST goals of UNS Electric will require additional transmission line installations. Starting in 2009, UNS Electric anticipates, network service agreements with third parties (or resource displacement strategies to achieve the targets) between the windy areas of Arizona north of the Mogollon Rim and the UNS Electric population centers. It is important that the transmission planning process include the needs for moving renewable energy from the resource sites to the population centers. It is also important that the Commission include recovery of transmission of renewable energy delivery and regulation expenses. It is not yet clear where additional transmission will be required or what would be appropriate venue in which to recover the expenses of such transmission. In some cases, as discussed below, strategically located energy storage could mitigate the need for additional transmission once that technology is mature and economical.

As UNS Electric transitions to a low-carbon, sustainable-generation portfolio with energy storage over the next 100 years, while supporting continued customer growth and the transition of transportation technologies from a base of fossil fuels to electric energy based sources, there may be an increased need for additional transmission capacity from the more remote areas of Arizona, where wind generation and central solar generation is most cost effective, to the population centers. However, effective use of optimally-located energy storage, in combination with the location of central solar generation at the sites of existing power plants and customer sited renewable generation, could reduce the need for additional transmission. Further study and evaluation is needed in this area.

4. Renewable Generation Integration Management

There are costs associated with the integration and load balancing of intermittent renewable resources such as solar or wind. The current lowest cost renewable energy resource available to UNS Electric is wind generation. Many studies have been published regarding the costs of integrating wind generation into a utility generation portfolio, most recently by Idaho Power, citing a cost of over \$10 per MWh for integration, using hydro generation resources for balancing. Studies performed by Tucson Electric Power, which have been recognized by a

recent \$100,000 grant award from the Department of Energy to develop evaluation methods for determining the capacity value of solar generation to utilities, indicate that solar generation without some integrated energy storage – both central plant and distributed – has a much greater time-variant percentage fluctuation in output than wind generation over the same time frame. Preliminary studies by Tucson Electric Power and Carnegie Mellon University indicate geographic diversity is not as effective in reducing the high level of variation in the output of solar generation as it is for the output of wind generation. While the cost study for integration of solar energy into a utility generation portfolio is not yet complete, UNS Electric does not expect that the cost of managing the integration of both time variant renewable generation sources, solar and wind, will be more than an insignificant factor until the year 2011 (based on the lower initial REST annual energy percentages in the early program years). UNS Electric will use the data taken in the years prior to 2011 to evaluate the cost impact of integrating wind and solar generation with its existing fueled generation portfolio. After 2011, UNS Electric expects to include a factor for recovery of integration costs in its REST Tariff through the REST Adjustor Mechanism, and thus requests approval of that factor, not the amount of the charge, at this time.

5. Distributed Generation

The REST requires that affected utilities satisfy a percentage of their annual renewable energy requirement through the addition of distributed energy resources. The required DG percentage in 2008 began at 10% of the 1.75% total requirement and for the current implementation period begins at 15% of the 2.0% total requirement in 2009, and increases to 30% of the 4.0% total requirement in 2013. That percentage remains at 30% of the total renewable energy requirement through 2025.

Considerable public discussion has surrounded the DG targets described in the REST. This discussion has centered on questions related to the magnitude of customer interest in DG, the effect of introducing many new distributed technologies, the ability of the technology suppliers and installers to meet the potential customer demand, long-term reliability of these technologies and, ultimately, the total cost of incentives required to drive the required customer participation to meet REST compliance. The extent of customer participation is the primary driver of DG results and it is simply unknown and unknowable at this time. UNS Electric's three years of experience with its SunShare Incentive Program demonstrated that changes in public policy affecting the program (i.e., state and federal tax incentive increases) and changes in program incentives can have dramatic impacts on customer participation, in some cases beyond those anticipated and positive results can be location specific. There is virtually no way to accurately predict whether the amount of incentives being offered will motivate customers in all parts of the service territory to participate at the necessary rate for full REST compliance. This is particularly germane, because even with availability of significant incentives, customers must still provide significant personal funding in order to have DG systems installed on their homes or businesses. Today, the typical residential distributed photovoltaic system costs about \$21,000 to install, attracts about \$10,000 in government and utility incentives, and requires a customer investment of about \$11,000.

UNS Electric recognizes that DG is an important component of the renewable energy goals of the REST. UNS Electric recognizes that uncertainty exists with respect to the proposed incentive levels and the total number of RECs that they will generate; however, in order to

comply with the DG targets, UNS Electric believes this funding level is necessary if consumer demand for DG is to be sufficient to meet the REST DG annual energy requirements. The assumptions used to build the DG program budget are based on incentives developed as part of Commission Staffs UCPP Working Group, market insights from those same meetings, and UNS Electric's experience with its SunShare Program modeled with customer payback term scenarios with current federal and state incentives. UNS Electric expects in this Plan to purchase all REST DG credits through its GreenWatts SunShare program offerings, as described in the RECPP program below.

UNS Electric believes that customer-sited renewable DG systems are part of the long-term goal of a sustainable, Arizona self-sufficient energy supply for its customers. Thus, a Renewable Energy Credit Purchase Program incentive program, the UNS Electric Renewable Energy Credit Purchase Program ("RECPP") is to be offered for our customers who install and operate renewable DG systems.

UNS Electric implemented a true net metering program, approved by the Commission in 2004, in combination with a utility-sponsored solar energy system rebate program, SunShare, approved by the Commission in August 2004. While development of distributed renewable generation will reduce UNS Electric's need to produce electric energy from fossil fuels to meet its customer's energy needs, central or distributed solar and wind generation have demonstrated over five years of UNS Electric renewable energy production and SunShare experience that they are not able alone to meet the firm capacity or voltage control requirements essential in providing safe, reliable electricity service to all of our customers. Historic data indicates there is nearly zero firm capacity benefit on an annual basis from the installation by Mohave County or Santa Cruz County-based customers of distributed solar and wind generation systems to UNS Electric at the time of annual peak loads due to typical monsoon conditions that drive the peak loads, yet generally cover the sky with clouds as the loads peak.

There are both additional benefit factors as well as additional cost factors to UNS Electric from customers installing and operating renewable DG systems at their homes or businesses. Distributed Generation can provide benefits to both the customers owning the DG as well as to the utility in whose distribution system the DG has been installed. There are also costs from the installation of DG to both the owner of the DG and the utility. If the DG output is not time-variant, the benefits are demonstrably higher and the costs lower to both the DG owner and the utility. However, if the output is time variant or is a function of weather patterns which can affect peak utility system demand, such as monsoon cycles, the benefit of the DG for firm capacity support is significantly reduced. Other benefits include: (1) reduced line losses, (2) increased life for current induced heating devices like transformers, (3) reduced water consumption at generating plants, (4) reduced emissions from conventional generating plants, and (5) reduced impact from the recovery and transportation processes used to provide fossil fuels for conventional generating plants.

Costs of DG to the owner include the cost of any required fuel, operation and maintenance costs ("O&M"), initial installation costs and ownership costs including financing, taxes and insurance associated with ownership of a generation system. There are also costs to the utility, including: (1) the increased need for rapid response automatic voltage control and load management devices in the distribution systems, (2) increased hardware to provide proper protection to

distribution circuits with high percentages of DG installed, (3) additional repair time after a storm to clear DG sources prior to start of work, (4) increased outage recovery time from uncontrollable (to the utility) DG resources that start generating automatically in an unpredictable manner, and (5) lost revenue from the reduced sales of electricity with consumption-only based rate structures. The quantification of these benefits and costs is very much utility-specific and of fairly low magnitude at the low levels of DG penetration expected in 2008 through 2010. While accurate, valid data is also difficult to obtain at low levels of DG penetration, over time as DG installations increase, the data quality and quantity will improve and benefits and costs of renewable DG will be accurately quantified.

Net metering programs provide an added benefit to the DG owner by providing a credit at the retail rate for generation output produced in excess of use over a given time period. For time-variant non-dispatchable DG systems like solar or wind, this can be a large benefit as DG output cannot be easily scheduled by the owner to match demand. Utilities can positively impact a decision to install DG by offering net metering programs for time-variant DG systems and by eliminating or reducing the cost of the interconnection to the utility grid. Utilities can also positively support installation of DG by eliminating or reducing backup capacity and energy fees, charged to a DG customer when the DG system is not operational for planned or unplanned reasons. Utilities positively support renewable DG systems, such as solar generation, through providing rebate programs to reduce the initial cost of a DG system or through providing production-based REC purchase programs to provide an ongoing revenue stream for the owner to offset O&M and ownership costs..

Utilities receive a benefit from DG systems primarily from dependable reductions in peak annual demand from the generation output of DG systems during high load demand hours. Firm, guaranteed reductions in peak demand allow utilities to reduce requirements for building generation, transmission and distribution capacity. However, if the DG generation is not firm and guaranteed to a very high degree of confidence over many annual load cycles, the utility cannot reduce its planned capacity requirements from customer installation of DG. Utilities will benefit from fuel use reductions and reductions in distribution losses through DG installation, effectively the variable portion of energy production expenses. There can also be a benefit to utilities from an increase in operational life for various distribution components, such as transformers and underground cables whose life is reduced by operation at elevated temperatures, created in part by high electrical loads. However, this benefit is also heavily dependent upon the ability of the DG to provide firm, highly reliable output during the highest load demand hours of the year. Thus, to a utility, the benefit of DG is a very large function of the capacity credit assigned to a generator based on its proven ability to provide electrical generation output during the peak load demand hours of the year for that utility.

The costs of renewable DG to a utility include the direct cost of any rebates or production payments made for renewable generation, as well as internal and external labor or consultant costs of reviewing interconnection plans and providing interconnection devices to DG installers. However, in many cases, the largest cost to a utility from installation of DG systems is lost revenues from energy-only based utility rates, as a DG system reduces the energy consumption of the owner. The DG owner still must have a distribution drop to their premises, the distribution, transmission and generation capacity must still be available to support demand, the

meter must still be read and bills prepared, remittances processed and administration of the utility provided.

A time variant DG system does reduce utility annual fuel use and line losses in the distribution system. However, since the energy based utility rate DG owner uses less energy per billing cycle, that owner will be providing reduced amounts of revenue to the utility to compensate for those services which the utility is obligated to continue providing and the DG owner requires for continuity of service. This can be addressed through partial requirements tariffs, backup service charges, an increase in the monthly fixed service charge and other rate mechanisms designed to provide a decoupling of the fixed cost of providing electrical service from energy production-based related charges. Decoupling of rates from consumption can reduce this negative impact and more closely align the financial interests of customers and utilities for support of self-generation.

Time variant DG output would appear to a utility control system as variable negative load. If the amount of DG output variance exceeded the amount of load variation normally experienced by the utility, it could result in the need for additional high-ramp rate peaking generation or storage capacity, beyond what would be required without the time variant DG installations. The cost of installation and operation of natural gas-fired high-ramp rate capability firming generation, or electrical energy storage is an additional cost to a utility for support of time variant DG sources in its service territory. The installation of rapid change, time variant DG, coupled with the current inability of solar generation systems to provide reactive power, may also adversely impact the ability of existing utility voltage control devices, primarily slow response capacitor banks, to adjust reactive power flows to support local distribution system voltage in a sustainable, reliable manner during cloud passing events. Additional grid regulation support requirements, such as low-voltage ride through, droop support and frequency-stability regulation, are not currently provided by grid-connected solar generation systems and will consequently need to be provided in greater quantities by utilities in the future, with the associated cost of installation, maintenance and operation of these control devices recovered.

Due to the relatively small amount of renewable DG installed in any North American utility service territory, there is not sufficient verified cost data to accurately and unambiguously determine the cost or benefits of renewable DG to UNS Electric. Therefore, UNS Electric does not propose an allowance for indirect costs or benefits of renewable DG be applied to increase or decrease the expenses UNS Electric will incur in offering a renewable DG incentive program at this time. The REST Adjustor Mechanism will reflect recovery of all actual direct expenses of the renewable DG program. In the future, as verifiable cost and benefit data is available from renewable DG programs with significant participation in the UNS Electric service territory, the Company will apply those indirect factors to the REST Adjustor Mechanism value calculation.

C. Required Program Funding

The Plan is estimated to cost a total of \$39 million over the five-year period covered by this Plan. This Plan is designed to achieve compliance with the REST requirements. The cost for the first program year is estimated to be approximately \$2.9 million and increases to \$12.5 million in 2013, driven mainly by the increasing energy targets. In this Plan, UNS Electric is requesting a REST Tariff to recover the estimated 2009 costs of approximately \$2.9 million. In

each succeeding year, as part of the Plan, UNS Electric will request a reset of the adjuster to collect the estimated costs for the following calendar year and true up revenue received and expenses incurred for prior REST program years.

Several of the attachments contained in this Plan include pricing estimates that have been made by UNS Electric in development of the program costs. Some of the pricing included in this Plan is pricing from existing confidential proposals. The price estimates are necessary to allow UNS Electric to provide the information sought by the Commission as part of the background and support for the Plan. In addition, summary expenditures and energy requirements for generation provided on a year-by-year basis could be used to infer much of the confidential pricing information. UNS Electric believes it is in the best interest of the Company and its customers to ensure that future suppliers of renewable resources compete for the right to supply renewable energy without a pre-conceived notion of the pricing assumptions or confidential pricing in this Plan.

This Plan makes reasonable assumptions concerning renewable energy resources, and as UNS Electric gains more experience with renewable resources, future plans will account for the realities UNS Electric encounters in the actual implementation of REST.

III. 2009 UNS ELECTRIC REST BEST VALUE PLAN

A. Energy

The minimum annual percentage of a utility's retail sales that must be obtained from renewable resources is identified in REST; the Plan's first-year target for 2009 is 2.0%. The renewable resource targets required to meet UNS Electric's targets for each year of the Plan are detailed in Attachment 2. The REST targets are described in two categories, renewable generation and distributed generation resources.

Renewable generation consists of projects that export their energy production to the utility. These projects are typically large-scale facilities that use renewable resources such as wind, solar, geothermal, biomass, and biogas to generate electricity. Energy produced from those resources is delivered through transmission and distribution systems and, ultimately, to the utility's customers.

Distributed generation resources represent technology applications that are physically installed on the customer's property. These applications are usually designed specifically for the distributed setting. Distributed applications under REST would include a wide range of technologies; these technologies are currently most frequently represented by photovoltaic and solar water heating systems. The DG displaces some of the customer's energy needs, and can be tied to the existing UNS Electric distribution system or installed as a remote application independent of the UNS Electric distribution system. UNS Electric does not plan to install DG at customers' properties other than through our GreenWatts-funded community leadership sited projects; rather, the installation of DG is facilitated by providing customers with financial incentives for the installation of such resources by licensed contractors.

B. Capacity

There are no capacity requirements (in kW) in the REST targets, but rather requirements are energy-based (kWh) only. However, this Plan utilizes historically-based generation capacity assumptions to forecast compliance with the energy targets. When one equates energy targets to planned capacity levels, it is important to recognize that the capacity factors for various renewable-generation technologies vary significantly. Some technologies, such as biomass and geothermal, are predictable and can produce energy at capacity factors of approximately 80-90%, similar to conventional-base load generation. Other renewable generation technologies, such as solar, are less predictable and have inherently low capacity factors of 15-30%, which are driven by daily fluctuations such as the availability of solar radiation and are influenced by location. There are other renewable generation technologies, such as wind, which are less predictable on a real-time basis. On an annual basis, however, wind will generally produce capacity factors in the range of 25-35%, depending upon the characteristics of the wind resource in a specific location.

A key factor in reaching a target, therefore, is the combination of technologies utilized, and the ultimate mixture will dictate the additional capacity required to achieve the energy targets. Attachment 2 provides the level of capacity for the specific mixture of technologies assumed in the Plan for the coming five years. This Attachment is not intended to be an exact representation of the resources UNS Electric intends to acquire, but rather is offered as an example of a potential resource mix, based upon UNS Electric's current understanding of the marketplace. The economics of a particular technology or resource will ultimately determine the extent to which any one technology is employed as part of the overall portfolio's content.

C. Renewable Generation

This Plan has been designed for sufficient flexibility in order to provide the maximum opportunities to meet or exceed the REST target at a reasonable cost. The following sets forth descriptions of the expected resource additions over the next five years:

1. Existing Renewable Generation

UNS Electric presently has no power purchase agreements ("PPA") for renewable generation resources. However, UNS Electric owns and operates approximately 0.008 MW of solar capacity.

2. Renewable Generation Procurement Plan and Process

Energy required to meet the UNS Electric targets and the anticipated demand for renewable rates in each of the next five years is outlined in Attachment 2 to the Plan. Generally speaking, two to five years is required from the initiation of a project via an RFP to the point at which energy can flow into the UNS Electric system from a completed renewable generation project. The development and construction of the project itself accounts for the majority of that time period; therefore, an RFP process started in 2007 may realistically be expected to result in producing renewable energy applicable to the renewable resource target in 2009, at the earliest during the third or fourth quarter.

UNS Electric estimates that it will need additional amounts of renewable energy commencing in 2008, in addition to that which has already been built. As a result, UNS Electric implemented a competitive procurement process in 2005, 2006, 2007, and most recently in 2008. The competitive procurement process consists of, but is not limited to, the issuance of RFPs, negotiated bilateral supply contracts, and other competitive solicitations seeking long-term renewable resources. Implementing an effective competitive procurement process will ensure a fair and unbiased procedure that will efficiently incorporate a full range of renewable resource alternatives from the marketplace.

During the evaluation of submitted bids from the competitive procurement process, UNS Electric's review of proposals will include analysis of: energy production; capacity value; deliverability; technical characteristics; operational performance; reliability; efficiency; credit worthiness; grid impact mitigation; and respondent experience. The procurement and project selection procedure employed by UNS Electric has been documented and certified to be fair and appropriate by an independent auditor as required by REST.

UNS Electric's Plan attempts to fully acknowledge the reality that PPAs and project development methods will not necessarily conform to required delivery schedules and planned quantities. Renewable generation projects, like other generation projects, may fail to achieve scheduled commercial operation. A recent review of renewable projects in California stated that utilities should expect that 20-30% of renewable contracts could experience termination or major delays. Delays or failures of that magnitude could cause UNS Electric to fall short of its renewable energy targets. Thus, such risks require UNS Electric to design and employ contingency measures. In order to prevent energy shortfalls resulting from these risks, a procurement goal of 120% of the target energy for three to five years into the future will be employed.

3. Identifying Renewable Generation Requirements

The renewable resource targets increase from 2.0% in 2009 to 4.0% in 2013 during the five-year period of this Plan. The Plan focuses on existing and planned renewable resource projects to meet those targets. It is also contemplated that new renewable generation will be contracted for and developed during that five-year period. It should be noted that UNS Electric has based its program's budget and energy procurement on several assumptions that are mentioned in the discussion that follows.

a. Costs of Renewable Generation

The costs of renewable generation are based for the purposes of resource and budget planning upon the portion of the renewable energy cost that is above the Market Cost of Comparable Conventional Generation (MCCCG). The value amount above UNS Electric's cost for comparable generation was established at the time the bids of proposed contracts were evaluated, and that value is applied to the total proposed purchased power cost for the planning year. For future contracts, the price is estimated based upon existing renewable generation contracts, recent market experience, and general trends observed in renewable generation

project development. Subsequently, these numbers will be re-evaluated during subsequent five-year planning periods. All renewable resource costs are described in terms of dollars per megawatt hour ("MWh") above UNS Electric's comparable conventional generation values.

b. Planned Resource Additions

REST's annual increases in renewable targets suggest that renewable generation resources can be developed and procured in increments sized to match annual increases. However, a utility's ability to add renewable resources in amounts that specifically match the requirement is unlikely. Therefore, in some years the renewable generation procured will exceed that specifically targeted; these excess additions are sometimes referred to as "non-linear additions." As such, it is important for the Commission to realize that the procurement of renewable generation is similar to that of traditional generation in this "non linear" process. To receive the most competitive prices, the procurement of generation resources is based on the purchase of blocks of energy (MWh) at a specified price. As mentioned above, in some years the company will exceed the target and, therefore, the costs will be higher; while in other years the opposite will occur.

The schedule of resource additions provided in Attachment 2 of the Plan identifies specific targeted additions of renewable resources. The planning model incorporates an assumed-capacity factor for each renewable technology. The modeled capacity factors are based on UNS Electric's review of technical performance data for each technology, discussions with project developers, and a review of published information related to currently operating commercial renewable resources.

D. Distributed Generation

UNS Electric has identified distributed generation ("DG") as an important component of the renewable energy goals of REST, and as part of this Plan UNS Electric proposes funding, as modified herein. UNS Electric recognizes that uncertainty exists with respect to the proposed incentive levels and the total number of generated RECs; UNS Electric has considerable experience with renewable DG programs, and, without increasing the incentives proposed in UNS Electric's Full Compliance Plan or modifying the residential DG goal, UNS Electric is virtually positive that the residential DG goal will not be achieved.

For this Plan (Best Value), UNS Electric is proposing the DG goals remain consistent at 15% of the total REST requirement but differs from the equal split between commercial systems and residential systems. The incentives remain the same as in 2008 and as recommended by the UCPP Working Group. By reducing the residential requirement, and with it the up front costs, overall program costs are cuts in half from the Full Compliance Plan from \$6.4 million to \$2.9 million. In order to accomplish the lower cost, UNS Electric is proposing the following schedule:

Current DG Requirement		Allocation of DG REST Requirement		
Year	DG %	Residential (Customer-sited)	Non -Residential (Customer-sited)	Wholesale Distributed Generation Component*
2009	15%	Minimum 25%	Minimum 25%	Up to 50%
2010	20%	Minimum 30%	Minimum 30%	Up to 40%
2011	25%	Minimum 35%	Minimum 35%	Up to 30%
2012	30%	Minimum 40%	Minimum 40%	Up to 20%
2013	30%	50%	50%	Up to 10%

* Wholesale DG counts toward the Non-Residential component only.

As a result, UNS Electric has requested a level of funding for its first REST Tariff Adjuster Mechanism necessary to recover 2009 estimated expenses for the DG program. Increases in the adjuster will be required in future years for UNS Electric to meet the DG requirements in REST. UNS Electric believes that adjusting the funding annually allows UNS Electric, working with the Commission, to implement a flexible program with a clear understanding of program performance and costs without over-collecting funds from customers in the near-term or compromising the overall resource goals of this Plan and REST.

The Commission's Staff initiated the UCPP Working Group described in A.A.C. R14-2-1810 in June 2006, and UNS Electric participated in all of the Working Group's efforts. UNS Electric has generally used the approach developed by the UCPP Working Group for the Company's proposed DG incentive program, RECPP. The Working Group has made significant progress towards identifying program workflows, technology-sensitive incentive structures and levels, and technology- specific requirements and limitations. The efforts of the Working Group also provided UNS Electric with insight into the anticipated potential contributions from technologies not previously included in UNS Electric's SunShare programs. Planning models, implementation strategies, and budgeting for the DG program were all designed with specific consideration for the UCPP Working Group's recommendations. In addition, UNS Electric relied on over six years' experience with its SunShare Program, as well as on continuing dialogue with many industry and consumer stakeholders.

In 2009, UNS Electric is proposing to offer a Builder Credit Purchase Program that integrates the energy efficiency of UNS Electric's Energy Smart Home and the renewable energy of UNS Electric's SunShare program to complement REST. Most of the requirements of RECPP remain intact, but simply packages energy efficiency and renewable energy together to move toward the goal of a "net zero" home.

1. Anticipated Distributed Generation Program Outcomes

UNS Electric has developed a set of planning tools to help anticipate DG program outcomes, both from energy and budgetary perspectives. In developing the anticipated program outcomes for this Plan, a number of assumptions about technologies and customer preferences were first necessitated. The assumptions included the anticipated number of categorical projects requesting incentives and the anticipated energy contribution from each DG project. Anticipated energy contribution is calculated by utilizing assumptions on average project size and average project production. The detailed assumptions were required for purposes of budget and planning, but are not intended to reflect allocations, funding caps, or preference for any one technology. The energy production assumptions are set forth in Attachment 2 for the Plan.

Included in the UNS Electric RECPP are incentives drawn from the draft UCPP Working Group findings. RECPP is a separate document submitted in general compliance with A.A.C. R14-2-1810.B. RECPP, as generally described herein, details different incentive types for use in the DG program. For planning purposes, assumptions about customer preference for the variety of incentive alternatives were utilized.

The UNS Electric -proposed DG budget, combined with these planning assumptions, results in specific outcomes as noted in Attachment 2 for the Plan. The actual results of program implementation may well be different from those anticipated by UNS Electric's planning efforts, as customers learn more about the variety of technologies and applications available as a result of UNS Electric's program marketing, advertising, and partnership-development efforts.

2. Key Components of the Proposed Distributed Generation Administration Plan

UNS Electric's DG program is detailed in RECPP. The following describes several key common components of UNS Electric's program as set forth in the RECPP.

a. Administration

Project funding is not guaranteed until a reservation confirmation is provided by UNS Electric for each project. To receive a reservation and an incentive, applicants must follow the established reservation, installation, and inspection procedures.

b. Equipment and Installation Requirements

The installed DG systems will be required to adhere to generally accepted industry standards, federal, state and local codes, all applicable regulatory requirements, and manufacturer recommendations for installation and operation. Systems must be installed and warranted by an Arizona licensed contractor holding an active certification for the technology being installed, or, in some cases, by a residential homeowner if willing to accept a lower level of incentive.

c. Incentives

Incentives are designed to defray some of the costs of a system designed to offset a typical load of a customer. Systems qualifying for DG incentives cannot qualify for other utility incentives.

Residential - Customers applying for residential incentives may apply for a one-time payment based upon the DG system's capacity, or based upon the estimated first-year savings provided by the DG system, dependant upon the technology used. This type of incentive is referred to as an Up-Front Incentive ("UFI"). Residential customers can also apply for a production-based incentive ("PBI") as an option, or if their warranty conditions are not sufficient to meet the UFI qualifications.

Non-Residential - Non-residential customers will either receive a UFI or a PBI, which is paid out over time. Projects receiving PBI payments are paid based on system energy output rather than on system capacity. Projects with a capacity less than or equal to 20 kW can elect to receive a one-time capacity based UFI; all others will receive incentives based upon production (a PBI).

d. Non-Conforming Projects

Those DG projects that fall outside of the standard administrative, equipment, or incentive requirements for RECPP projects, or projects that are solicited by UNS Electric to achieve specific program goals, may be eligible for incentives as non-conforming projects. These projects must be comparable to conforming projects in financial efficiency in order to be considered eligible for incentives.

e. Customer Self-Directed Option

Per REST, certain interested eligible customers are required to apply and declare the amount of the self-directed funding requested before May 1st of the year prior to the request for funding payment, effectively at least 60 days before the Plan is filed for the upcoming year. These projects must be comparable to conforming projects in financial efficiency to be considered for incentives. The amount of funds allocated to customer self-directed projects will be disclosed in the Plan for the next program year. For 2009, no customers have requested funds for self-directed projects.

f. Builder Credit Purchase Program Description

In 2009, UNS Electric is proposing to offer a Builder Credit Purchase Program that combines the energy efficiency of UNS Electric's Energy Smart Home and the renewable energy of UNS Electric's SunShare program to complement REST.

Southwest Energy Efficiency Project (SWEEP) published a study in November of 2007 entitled "High Performance Homes in the Southwest" which evaluated the energy and cost-savings potential of constructing more efficient new homes in five Southwest States. Although the report reviewed regional policy from a variety of different perspectives, for utilities offering energy

efficiency programs for new home construction, "SWEEP recommends that utilities offer a 3-tiered incentives package to builders, beginning at ENERGY STAR and going up to a Net-Zero Energy Home level of performance."

UNS Electric proposes to follow this recommendation by adding a program at the "Net-Zero Energy Home" level. This would provide a distinction for builders who are early adopters to new technologies and embrace high performance as a goal throughout their design process. For builders to effectively reach this level, it is necessary to incorporate certain goals at an early stage in the plan development. It is understood that initial participation at this level would be modest. However, it is important to set this goal significantly above current building standards to set a milestone for market transformation. See Attachment 7 for additional information.

Program highlights include:

- Participation in UNS Electric's new home program.
- Builder may choose solar thermal or PV or both with an increased incentive of \$0.50 per DC watt installed for PV. (No increased incentive for solar thermal.)
- Builder has the option of certifying their subdivision as a LEED for Home with UNS Electric providing Manual J calculations, HERS Rating services and technical consultation.
- Savings for consumers, when using both the solar energy and very efficient building practices, can exceed 60% over standard building practices.
- By providing incentives during construction, the price of the solar system is then absorbed in the mortgage. This allows the consumer to utilize the generation of the PV system to offset the increased mortgage cost to create a better cash flow scenario.
- Provide up front installation of net meters, along with training and education of homeowners, to set proper expectations of system performance.
- Coop advertising with the builder focusing on the benefits of combining both energy efficiency and renewable generation.
- The program provides inspections and testing at each home to ensure quality installation by homebuilder's subcontractors. This includes all of the requirements for a HERS rating as well as a verification of renewable technologies.

3. Distributed Generation Incentive Budgets

UNS Electric's initial DG incentive budget for the five-year planning window is described in Attachment 8 to the Plan. The incentive budget for the Plan allocation is designed to result in half of the distributed energy to be from residential installations and half from non-residential. Annual increases in program budget are designed to accommodate both an increase in the DG

energy target and to account for the increasing levels of commitment to PBIs, which are used primarily for non-residential DG resources. The incentive matrices incorporated as part of RECPP describe incentive reductions every two years of the program. Those planned reductions were designed by the UCPP Working Group to reflect the anticipation that DG technologies will decline in cost as market penetration and product availability increase. Three specific allocations are described in RECPP for the Plan. They include: non-residential UFI; non-residential PBIs; and residential UFIs.

The RECPP describes potential funding for customer self-directed projects. As part of the RECPP, a budgetary earmark is required in order to fund projects meeting the criteria of customer self-directed projects. No funds have been requested to UNS Electric by customers for 2009. Consequently, no allocation for self-directed or non-conforming projects has been established in this inaugural Plan.

The annual funding level for DG incentives was established based upon the estimates of the renewable energy needed for compliance, anticipated consumer demand, projected sales and development time frames, variations in the levels of technology maturity, and availability of equipment for installation. Should it happen that funds collected for use in the DG incentive program are not fully subscribed within a program year, those funds will be applied to the next program year and allocated to achieve the required energy outcome between residential and non-residential projects. Those over-collected funds would reduce the amount of the REST Tariff (Customer Self-Directed Tariff "REST-TS2") (Attachment 9) in the subsequent year.

4. Marketing, Advertising and Partnership Development

UNS Electric is committed to conducting an action-oriented marketing campaign that will not only inform and educate consumers about the importance of renewable DG and its potential benefits to customers and the community at large, but also spur them into investing in renewable energy.

Education and community awareness are the catalysts for the shift in public attitude required to jump-start the robust solar energy market envisioned by political leaders and DG advocates. Information is the prerequisite in achieving real movement toward alternative energy solutions. But fostering enhanced knowledge on the subject is not enough; ultimately, the goal is to proliferate solar and renewable energy DG in the Mohave and Santa Cruz Counties.

The marketing campaign will take a three-pronged strategic approach: 1) identify key stakeholders and analyze their specific interests; 2) educate those stakeholders (such as residential customers, business owners, students and opinion leaders) about the nature and benefits of DG; and 3) create marketing messages that encourage customers to take action, while promoting incentives designed to make DG an attractive choice for customers to reduce their carbon footprint.

The following key marketing components are designed to bring DG into the mainstream:

- Create an actionable campaign that focuses on the benefits, improved reliability and environmental impact of DG; cause consumers to see DG in a whole new light.
- Utilize media that will best reach our various stakeholders through both paid and public service messages, as well as earned media.
- Develop collateral pieces for both residential and non-residential customer acquisition.
- Heavily promote the DG program on www.uesaz.com and through customer communication vehicles such as bill inserts, e-newsletters and bill messaging.
- Maximize participation in green expos and other targeted community-wide events.
- Create and promote solar-based educational programs for the schools.
- Identify and solicit the support of "change agents" in the community who can effectively influence key stakeholder groups.
- Partner with various media outlets and vendors to develop co-promotions based around distributed generation; provide supporting collateral such as site signage and counter displays for added promotional support.
- Expand partnerships with area solar installers by continuing to provide technical expertise and collateral materials as well as sharing industry news and product updates.
- Escalate UNS Electric's involvement in the community dialogue about energy sustainability, lending expertise and experience through existing networks, ranging from classroom presentations and demonstration projects to interaction with environmental organizations and homeowner associations.

UNS Electric has been widely recognized for many years as a leader in the development and installation of solar energy systems. As a byproduct of that leadership, UNS Electric has cultivated relationships, and acquired industry intelligence, that can now be applied to the propagation of DG in Mohave and Santa Cruz County..

The previously described marketing components are based on currently available data. As the campaign proceeds, UNS Electric staff will monitor and analyze results, and will consider modifications to the campaign that mitigate deficiencies or capitalize on successes.

E. Implementation and Administration

As part of the development of a strategy and budget for REST implementation, a logical separation was created between 1) those elements required to support the renewable generation portion of the program, and 2) the DG portion of the program. Renewable generation involves expertise in utility-scale technologies, competitive procurement and evaluation processes, project siting, utility integration, transmission- and distribution-related

issues, complex contract negotiations, and contract management. The DG program will be a mass-market program involving thousands of individual interactions requiring customer communication, interconnections, inspections, customer billing, and a sophisticated system to monitor REC production. Certain UNS Electric resources will be used to support both portions of REST, as discussed below.

1. Resources Required for the Renewable Generation Program

A renewable generation program requires knowledge-area experts to identify those aspects of renewable generation procurement, engineering, and market analysis that are unique from those same areas in conventional energy operation, and to coordinate with the impacted operational areas of UNS Electric in order to seamlessly integrate renewable resource management into UNS Electric's standard utility business practices. These experts comprising the renewable generation administrative team include the personnel necessary to manage the program, which incorporates establishing policies and procedures, procuring renewable generation, handling contract administration and construction management, managing benchmarking and resource integration studies, and performing program monitoring and compliance reporting.

There are also UNS Electric employees supporting the program that are neither part of the administrative nor the implementation teams. These personnel are considered "non-incremental" and are required to support the general operations of the utility and have responsibilities that are not directly related to the DG program. These would include, but would not be limited to, employees within UNS Electric's regulatory, pricing, accounting, legal, contract administration, and meter reading areas.

2. Resources Required for the Distributed Generation Program

The implementation strategy for the DG program was developed with the following goals:

- Develop an accurate, efficient and customer-friendly process.
- Integrate the program's processes into the general business operations.
- Create a measurable process that responds to adjustments in the volume of program participation.
- Support the strategic marketing efforts of the program.

In order to accomplish these goals, a significant investment in program implementation and management is needed. The DG program represents a significant number of individual transactions, and each transaction impacts numerous parts of UNS Electric's business infrastructure. Thus, implementation costs for the DG program are significant.

a. Program Resources

The program's personnel team is comprised of the human resources necessary to execute the DG incentive program. This includes the fixed-payroll personnel required to administer the reservation and interconnection applications and agreements, review system design for

conformance with RECPP and interconnection requirements, process incentive payments, answer customer and installer questions about the program, and perform field inspections. It also includes the variable-payroll personnel required to program and install net or performance meters, label utility equipment to identify potential back-feed sources, and provide billing support to net-metering customers. Further needed are the employees required to manage the execution of the program, develop and execute the marketing and advertising programs, and provide ongoing program monitoring and compliance reporting. The number of implementation team members required is proportional to both the number of applicants at any one time and the number of program participants. Additionally, just as in the case of renewable generation resources discussed above, many non-incremental employees will also be needed to support the DG program.

b. Material Costs

In order to measure the actual amount of kWh returned to the grid by DG facilities, a DG performance meter, as well as a standard utility meter, must be utilized in UNS Electric's system. The incremental cost charged to REST is the total cost of the performance meter in addition to the incremental cost of any net meters added as replacements for the standard utility meter.

RECPP will capture an annual meter read for all DG systems generating electricity for compliance verification and program evaluation purposes. UNS Electric believes that many customers may also be interested in the ability to track total kWh generated by their system. To facilitate both the meter-read capture requirement and to assist customers tracking the kWh production by the DG system, UNS Electric plans to install and read the system performance meter for all participants in the program. The only costs charged to REST are those costs associated with providing the second meter to record system production. There are also incidental material costs associated with the program including, but not limited to, system locks, tags, inspection tools and transportation for inspection personnel.

UNS Electric may also install an interval-recording meter on a certain number of sites that will be used by load research to conduct studies on the coincidence of solar output vs. UNS Electric system load. The only material cost charged to the REST Plan will be the incremental costs of the interval recording meter.

c. Technological Improvements Required

For UNS Electric to effectively and efficiently implement the DG incentive program, it will be necessary to integrate with its existing systems, including: customer billing, the program and operations databases, accounting systems, and dispatch and scheduling tools. This investment is required to ensure integrity and to support the scale of the program as it is described in the Plan. The technology tools to support the distributed incentive program that UNS Electric will develop and integrate into existing systems include:

- Agreement-Processing and Workflow-Management Tools — These tools will provide an interface through the UNS Electric.com website to allow customers and vendors to complete and submit all program forms and agreements on-line with data to be stored in a central database. They will include an

integrated workflow-management component to provide status tracking, work orders, and scheduling. The tools will also integrate into all major systems, including the billing system, and the operations and accounting databases.

- Performance Information Tools — Readings from the system performance meter will be integrated into the UNS Electric billing system.
- Meter Database Management — Readings from the bi-directional meter will be integrated into the UNS Electric billing system. The credit for the energy sold back to the UNS Electric system will be calculated within the billing system and will appear on the customer's standard UNS Electric bill.
- Reporting and Maintenance — Data capture necessary for ongoing program monitoring and compliance reporting will be facilitated by developing standard reports and a reporting tool for *ad hoc* queries. Database development is underway in 2008.
- Energy Management System ("EMS") Reporting — Upgrades to the EMS system are necessary to capture the system cost of purchased renewable energy on a real time hourly basis.

F. Renewable Technology Commercialization and Integration

UNS Electric includes a budget allocation in the Plan for studies related to commercialization and integration of renewable resources. The purpose of this budget allocation is to enhance and accelerate the development, deployment, commercialization, and utilization of renewable resources for the benefit of UNS Electric customers.

Commercialization and integration studies to help meet the accelerated REST goals for renewable resources will be prioritized. As part of UNS Electric's long-standing commitment to renewable resources, several studies related to commercialization and integration are already underway. Those studies and ongoing experience with renewable resources will help identify additional study subjects necessary to develop the tools needed to achieve program goals.

The activities undertaken as part of this program may be supported either by UNS Electric solely, or in partnership with other organizations and entities including private industry, public research institutions, and government laboratories. UNS Electric intends to take full advantage of opportunities to leverage state and federal research and development efforts and support funding opportunities when planning and funding these activities. UNS Electric will also strive to increase coordination efforts with other utilities, the U.S. Department of Energy ("DOE"), the Arizona Department of Commerce Energy Office, and national laboratories to realize greater investment of federal research funds in Arizona and, more specifically, the UNS Electric service territory. UNS Electric also intends to coordinate more closely with Arizona universities to better utilize those resources.

Studies presently underway that were currently funded by the EPS (now REST) include:

- Arizona Renewable Resource Study — Jointly funded by Arizona Public Service ("APS"), Salt River Project ("SRP"), and TEP/UNS Electric, the study represents an independent analysis of potential renewable resources in Arizona. The analysis is being conducted by leading energy engineering consulting group, Black and Veatch, and will effectively establish a baseline understanding of renewable energy resources presently perceived as available within the state. In addition, the study will define renewable energy technology applications, associated cost structures, as well as identify renewable energy market opportunities, which should encourage the development of renewable energy projects in Arizona. This study is complete.
- TEP Solar Capacity Value Study — This study drives extensive research that leverages available high-resolution solar generation data within Arizona and evaluates the potential for reliably incorporating utility scale and customer-sited distributed solar generation into TEP's system. DOE has awarded TEP a \$100,000 grant to develop a specific solar capacity value evaluation method TEP proposed based on the data noted above.
- Joint Utility Market Study — This joint effort will result in a statewide market study evaluating consumer receptiveness to the installation of distributed renewable energy equipment, particularly photovoltaic. Participants include APS, SRP, TEP/UNS Electric and the Arizona Cooperative Utilities.
- Transmission and System Integration Impacts — These studies would be designed to provide TEP/UNS Electric with a better understanding of the operational impacts, costs of integration, and the identification of opportunities with renewable energy resources in the TEP/UNS Electric generation, transmission and distribution systems. TEP/UNS Electric recognizes the critical importance of transmission in the success of the expansion of renewable generation. Any significant increase in renewable generation must be integrated into the long-term planning for transmission to be successful.
- Distribution System Impacts — These studies will examine the impacts of distributed generation resources on the power distribution system. Specific areas of study would include impacts on the general distribution system, design and construction, operations and maintenance, voltage stability, safety, power quality, and load forecasting.

IV. COSTS OF PROGRAM IMPLEMENTATION

The UNS Electric Plan's cost is comprised of two key cost segments, renewable generation and distributed generation. A summary of the costs of those segments and the major components

for each segment are included in Attachment 8 to this Plan. As seen in Attachment 8, UNS Electric currently estimates the cost to comply with REST at \$2.9 million for 2009. Future annual increases are driven mainly by the annually increasing energy targets.

REST funding is intended to cover the cost of utility-scale renewable generation in excess of the market cost of conventional resource alternatives, incentive payments for distributed energy resources, marketing expenses, and program implementation and administration costs. The costs for renewable generation are based on UNS Electric's most current insights into that market. The costs for DG incentives and the program budget are based on incentives developed as part of the Commission Staffs UCPP Working Group and UNS Electric's best estimations of market uptake for the various technologies available to consumers.

UNS Electric is presently requesting REST Tariff funding of \$2.9 million for 2009 under the Plan. The requested REST Tariff amount, and modifications to the DG requirements would provide a reasonable opportunity, but certainly no guarantee, for compliance with the REST requirements in 2009. The estimates contained in Attachment 8 for the Plan will be updated each year to determine the necessary level of funding from UNS Electric's customers.

V. CONCLUSION


Arizona is beginning the transition from a fossil-fuel based primary energy foundation to a sustainable primary energy based foundation. The transition is needed to ensure that future generations of Arizona citizens have a long-term supply of safe, affordable, convenient energy on demand. As with all transitions, the first steps are the most expensive, difficult and uncertain. Currently, all Arizona sources of renewable energy come at a cost greater than any current fossil-fuel energy source. However, due to increased use of renewable energy, the cost difference is closing and in a decade or less, renewable energy may be at economic parity with fossil fuel sources. Technical challenges to the seamless integration of time-variant renewable energy sources with dispatchable generation sources have been found. But, with proper planning, continuous data analysis and deliberate technology management, the challenges can be converted to opportunities and the path to sustainable energy integration can be smooth.

The EPS, adopted by the Commission in 2001, provided UNS Electric with the opportunity, and, just as importantly, sufficient funding to develop appropriate amounts of solar technologies, both in partnership with customers and at utility scale, to understand the basic tools that will need to be developed over the next decade to fully integrate solar energy into its generation portfolio. UNS Electric's REST Plan and REST Tariff continue that transition to sustainable energy sources by setting a definitive, sustainable timeline and providing sufficient funding to support 15 percent of annual energy needs from renewable resources by 2025.

Arizona has the nation's best solar energy resource, wherein only 0.5 percent of Arizona's land surface, if covered with ten-percent-efficient solar generation and combined with efficient, inexpensive, reliable energy storage, could provide all of Arizona's current annual electric energy needs. Solar energy is Arizona's energy future. In 2100, we expect that future Arizonans will look back in history from their end of the timeline and wonder why there was a time when solar energy was not the energy source of choice. At our end of the timeline we know that the economics and technologies are not yet fully capable of economically and reliably supporting

100 percent of Arizona's energy needs from renewable resources. Commission approval of the REST Plan and its appropriate funding through the REST Adjustor Mechanism and the REST Tariff will challenge UNS Electric to continue its sustainable energy transition at an accelerated pace for the next two decades. UNS Electric looks forward to working with the Commission in fulfilling the promise of the REST Plan and REST Tariff, in working with its customers to develop DG projects throughout the UNS Electric service area, and in developing renewable energy as a whole.

**Attachment 1
to Exhibit 2**



**Renewable Energy Standard and Tariff Surcharge
REST-TS1
Renewable Energy Program Expense Recovery
Best Value Plan**

APPLICABILITY

Mandatory, non-bypassable surcharge applied to all energy consumed by all customers throughout Company's entire electric service area.

RATES

For all energy billed which is supplied by the Company to the customer, the price shall be \$0.004988 per kWh of metered monthly energy consumption on all kWh consumed per meter that month up to and including a monthly cap of:

For residential customers:	\$2.00 per month.
For commercial customers:	\$39.00 per month.
For industrial customers:	\$500.00 per month

Note: An industrial customer is one with monthly demand in excess of 3,000 kW for the three consecutive months preceding the current billing period.

For non-metered services, the lesser of the load profile or otherwise estimated kWh required to provide the service in question, or the service's contract kWh shall be used in the calculation of the surcharge.

| This charge will be a line item on customer bills reading "Arizona Corporation Commission Renewable Energy Standard & Tariff."

RULES AND REGULATIONS

The standard Rules and Regulations of the Company as on file with the Arizona Corporation Commission shall apply where not inconsistent with this pricing plan.

TAX CLAUSE

To the charges computed under the above rate, including any adjustments, shall be added the applicable proportionate part of any taxes or governmental impositions which are or may in the future be assessed on the basis of gross revenues of the Company and/or the price or revenue from the electric energy or service sold and/or the volume of energy generated or purchased for sale and/or sold hereunder.

Filed By: Raymond S. Heyman
Title: Senior Vice President
District: Entire Electric Service Area

Tariff No.: REST-TS1
Effective: June 1, 2008
Page No.: 1 of 1

**Attachment 2
to Exhibit 2**

Attachment 2

Five Year Renewable Energy and Capacity Forecast with Cost Estimates (Best Value Plan)

UNSE-2009	Item	2009	2010	2011	2012	2013
UNSE & REST Program Factors	RES Annual Renewable Energy Percentage	2.00%	2.50%	3.00%	3.50%	4.00%
	Energy Sales - MWh Growth @ 1.52%/yr	1,826,544	1,881,244	1,945,323	2,015,532	2,046,168
	Expected DSM Program Annual Energy Reductions	7,810	11,948	16,428	20,878	27,455
	Expected DG Program Annual Energy Reductions	1,803	5,451	9,319	14,397	20,793
	Net Retail Energy Sales in MWh per Year	1,816,931	1,863,845	1,919,576	1,980,257	1,997,921
	Renewable Energy - MWh	36,339	46,596	57,587	69,309	79,917
	Minimum Distributed Energy %	15.00%	20.00%	25.00%	30.00%	30.00%
	Minimum Distributed Energy MWh	5,451	9,319	14,397	20,793	23,975
	Minimum Residential Distributed Energy %	3.75%	6.00%	8.75%	12.00%	15.00%
	Minimum Residential Distributed Energy MWh	1,363	2,796	5,039	8,317	11,988
Renewable Resource Energy and Power Conversion	Maximum Commercial Distributed Energy %	11.25%	14.00%	16.25%	18.00%	15.00%
	Maximum Commercial Distributed Energy MWh	4,088	6,523	9,358	12,476	11,988
	Residential Distributed Generation - MWp Total New 60% Solar PV	0.366	1.003	2.000	3.456	5.088
	Residential Distributed Energy - MWp Total New 40% Solar Hot Water/Space Heating & Wind	0.545	1.118	2.016	3.327	4.795
	Commercial Distributed Generation - MWp Total New 75% Solar Electric PV in 2008, 50% in 2009, 25% after	1.202	0.959	1.376	1.835	1.763
	Commercial Distributed Generation - MWp Total New 25% in 2008, 50% in 2009, 75% after, Non Solar Electric @ avg. 50% CF	0.467	1.117	1.602	2.136	2.053
	Distributed Solar Elect MWp Old With Multipliers	0.24	0.24	0.24	0.24	0.24
	Utility Solar Elect MWp Old With Multipliers	0.02	0.02	0.02	0.02	0.02
	Utility Fueled Generation - MWp Old With Multipliers	0.000	0.000	0.000	0.000	0.000
	Utility Generated @ 80% NonDispatchable Energy - MWp New No Multipliers - Wind	12.824	15.479	17.937	20.150	23.236
	Utility Generated @ 20% Fueled - MWp New No Multipliers	0.705	0.850	0.985	1.107	1.277
	Resulting Total Solar Electric Capacity in MW	1.816	2.210	3.624	5.539	7.099
	Resulting Total Solar Electric Annual Energy in MWh	4,036	4,483	6,537	9,284	11,364
	Incremental Solar Capacity Watts Installed per Year per Person	8.711	10.899	18.754	29.395	38.059
	Resulting Total Distributed Solar Water Heating Capacity in MW	1.567	2.749	4.355	6.446	7.792
	Resulting Total Distributed Solar Water Heating Annual Energy in MWh	1,567	2,749	4,355	6,446	7,792
	Resulting Total Distributed Non Solar Electric Dispatchable or Displaced Generation Capacity in MW	0.467	0.745	1.068	1.424	1.368
	Resulting Total Distributed Non Solar Electric Dispatchable or Displaced Generation Annual Energy in MWh	2,044	3,262	4,679	6,238	5,994
	Resulting Total Wind Electric Generation Capacity in MW	12.824	15.479	17.937	20.150	23.236
	Resulting Total Wind Electric Generation Annual Energy in MWh	24,686	29,798	34,528	38,789	44,729
Annual Credit Balances MWh	Resulting Total Biomass Electric Generation Capacity in MW	0.705	0.850	0.985	1.107	1.277
	Resulting Total Biomass Electric Generation Annual Energy in MWh	6,172	7,449	8,632	9,697	11,182
	Total Renewable Generating Annual Energy in MWh	38,505	47,741	58,732	70,454	81,062
	Total Renewable Generating Capacity in MW	17.378	22.033	27.969	34.666	40.772
Assumption	Residential Distributed Electric Credit Balance	0	0	0	0	0
	Commercial Distributed Energy Credit Balance	0	0	0	0	0
	Utility Generated Electric Credit Balance	1,484	1,469	1,449	1,424	1,394
	Residential Distributed Generation Solar Electric %	60.00%	60.00%	60.00%	60.00%	60.00%
Residential Solar Electric Up Front Subsidy Payment UCPP Plan	Residential Distributed Generation Up Front Solar Electric Subsidy Program \$/Watt DC	\$3.00	\$3.00	\$3.00	\$3.00	\$3.00
	Additional Residential Distributed Solar Electric Capacity Needed in MWp in given Year	0.205	0.637	0.997	1.457	1.631
	Subtotal Cost of Residential Distributed Solar Electric Subsidies	\$615,044	\$1,910,759	\$2,990,825	\$4,370,925	\$4,893,926

Distributed Solar Hot Water & Wind Up Front Subsidy Payment UCPP Plan	Residential Distributed Solar Hot Water & Wind Up Front Subsidy Program \$/Watt AC Equivalent	\$0.5000	\$0.5000	\$0.5000	\$0.5000	\$0.5000
	Additional Residential Distributed Solar Hot Water & Wind Capacity Needed in MWp in given Year	0.185	0.573	0.897	1.311	1.468
	Subtotal Cost of Residential Distributed Solar Hot Water & Wind Subsidies	\$92,257	\$286,614	\$448,624	\$655,639	\$734,089
Assumption	Distributed Generation Solar Electric %	65.00%	25.00%	25.00%	25.00%	25.00%
	SubTotal Cost of Distributed Solar Electric Generation	\$734,859	\$951,120	\$1,330,117	\$1,760,526	\$2,174,095
	Performance Based Incentive					
Distributed Generation Solar Electric Performance Based Incentive Plan - Applies to all non residential solar electric in all years. UCPP & Self-Directed Funding	Unit Built in 2008	\$208,613	\$208,613	\$208,613	\$208,613	\$208,613
	Unit Built in 2009	\$478,307	\$478,307	\$478,307	\$478,307	\$478,307
	Unit Built in 2010		\$264,200	\$264,200	\$264,200	\$264,200
	Unit Built in 2011			\$378,996	\$378,996	\$378,996
	Unit Built in 2012				\$430,409	\$430,409
	Unit Built in 2013					\$413,570
	Unit Built in 2014					
	Unit Built in 2015					
	Unit Built in 2016					
	Unit Built in 2017					
	Unit Built in 2018					
	Unit Built in 2019					
	Unit Built in 2020					
	Unit Built in 2021					
	Unit Built in 2022					
	Unit Built in 2023					
	Unit Built in 2024					
	Unit Built in 2025					
	Performance Based Incentive Rate for 20 years \$/kWh	\$0.1800	\$0.1620	\$0.1620	\$0.1380	\$0.1380
Distributed Generation Non Solar Electric Energy Performance Based Incentive Plan - Solar Thermal, Solar Cooling, Wind, Biomass & Daylighting. Applies to all non residential solar electric in all years. UCPP & Self-Directed Funding	SubTotal Cost of Non Solar Electric Distributed Energy	\$95,296	\$311,024	\$626,855	\$1,001,123	\$1,360,749
	Performance Based Incentive					
	Unit Built in 2008	\$19,316	\$19,316	\$19,316	\$19,316	\$19,316
	Unit Built in 2009	\$71,542	\$71,542	\$71,542	\$71,542	\$71,542
	Unit Built in 2010		\$220,167	\$220,167	\$220,167	\$220,167
	Unit Built in 2011			\$315,830	\$315,830	\$315,830
	Unit Built in 2012				\$374,269	\$374,269
	Unit Built in 2013					\$359,626
	Unit Built in 2014					
	Unit Built in 2015					
	Unit Built in 2016					
	Unit Built in 2017					
	Unit Built in 2018					
	Unit Built in 2019					
	Unit Built in 2020					
	Unit Built in 2021					
	Unit Built in 2022					
	Unit Built in 2023					
	Unit Built in 2024					
	Unit Built in 2025					
	Performance Based Incentive Rate for 20 years \$/kWh	\$0.0500	\$0.0450	\$0.0450	\$0.0400	\$0.0400
UNSE Generated Renewable Power	Above Market Premium of Self Generated or Purchased Renewable Power Including Transmission After 2009	\$0.0161	\$0.0161	\$0.0161	\$0.0161	\$0.0161
	Cost of Self Generated or Purchased Renewable Power	\$497,303	\$600,268	\$695,570	\$781,401	\$901,069
Other RES Program Costs	Grid Integration Rate in \$/MWh	\$0.00	\$0.00	\$2.00	\$3.00	\$4.00
	Large Scale Grid Integration Costs in \$	\$0.00	\$0.00	\$43,190	\$72,774	\$111,884
	Administrative Costs & Integration Costs & Outreach and Advertising & Net Metering costs	\$826,500	\$1,391,495	\$1,749,667	\$2,203,197	\$2,575,707
GreenWatts Projects	Distributed non-residential community sited PV UFI projects funded with GreeWatts proceeds	\$847	\$1,270	\$1,694	\$2,117	\$2,541
Self-Directed Funding	Self-Directed Funding Projects at same \$/kWh as Feed-In Tariff Plan above. Included in that item, broken out separately here.	\$150,000	\$150,000	\$150,000	\$150,000	\$150,000
DG Program Subtotal	Distributed Generation & DG Admin and DG Integration Program Costs	\$2,364,803	\$4,852,283	\$7,104,591	\$9,920,752	\$11,629,224
Distributed Program % of Total Program	Percent of Total REST Program Costs	82.62%	88.99%	90.58%	92.07%	91.99%
Total Program Expenses	Total REST Program Cost	\$2,862,106	\$5,452,551	\$7,843,352	\$10,774,928	\$12,642,177
Program Revenue Streams	Credit Sales MWh	0	0	0	0	0
	Green Sales MWh	10	15	20	25	30
	Credit Sales \$/MWh	\$0	\$0	\$0	\$0	\$0
	Green Sales \$/MWh	\$85	\$85	\$85	\$85	\$85
	Renewable Product Sales Income - GreenWatts for Community Sited Commercial UFI PV only	\$847	\$1,270	\$1,694	\$2,117	\$2,541
	EPS Carryover Revenue	\$0	\$0	\$0	\$0	\$0
	REST Surcharge/Sample Tariff Income	\$2,900,000	\$5,400,000	\$8,200,000	\$11,700,000	\$13,000,000
	Value of UNSE PV Energy at \$50/MWh (incl SGSSS)	\$0	\$0	\$0	\$0	\$0
	PV O&M Exp @ \$50/MWh	\$0	\$0	\$0	\$0	\$0
	Investment Tax Credit	\$0	\$0	\$0	\$0	\$0
	Finance Cost @ 10% or Investment @ 5%	(\$5)	(\$1,942)	\$1,439	(\$17,270)	(\$62,766)
	Total REST Program Revenue	\$2,900,842	\$5,399,329	\$8,203,133	\$11,684,848	\$12,939,775

Annual Program \$ Balance	Total REST Program Annual Balance (Subsidy Program)				
	\$38,736	(\$53,223)	\$359,781	\$909,920	\$297,599
Cumulative Program \$ Balance	Cumulative Gain (Loss) (Subsidy Program)				
	\$38,837	(\$14,582)	\$345,395	\$1,255,315	\$1,552,914
Cumulative Program Cost	Cumulative REST Program Expenditures				
	\$5,060,806	\$10,513,357	\$18,356,709	\$29,131,636	\$41,773,813
Variable Assumptions	Landfill Gas MWp	MWp			
	Central Solar Conversion Rate	MWh/MWp			
	Distributed Solar Conversion Rate	MWh/MWp			
	Distributed Renewable Conversion Rate	MWh/MWp	OG Energy Rate		
	Solar Thermal Conversion	MWh/MWp			
	Dispatchable Conversion Rate	MWh/MWp			
Program Assumptions	Wind Conversion Rate	MWh/MWp			

Assumptions:

UNSE manages the Distributed Generation ("DG") program.

Residential DG: 60% solar electric; 40% solar hot water and wind - Funded by an up-front subsidy through 2012.

Commercial DG: 25% solar electric; 75% solar hot water heating, solar cooling, wind, biomass or day lighting - Funded by 20-year locked performance-based incentive after 2007 through 2030.

All banked renewable credits, including those from multipliers, will be useful in subsequent years for meeting REST or GreenWatts needs.

The cost of renewable energy purchased through RFPs and generated by UNSE in the future initially will be \$0.0161 per kWh above the market price for energy purchase at the same time the renewable energy was generated.

The cost of transmission after 2012 to bring the needed amounts of 50% wind to UNSE will be based on transmission costs of \$0.035 cents per kWh on a 20% capacity factor line, in 2013 with reduction to market in 2030.

All renewable generation sources for UNSE can be integrated into the existing transmission structure through 2012.

Energy sales and subsidy revenue growth is 1.52% per year. Assumes REST reduces customer energy loan growth due to the new generation installed to meet REST; and DSM reduces load growth.

Annual energy production rates for the various technologies are based on historical data from the first five years of the UNSE/TEP EPS programs.

The Performance Based Incentive Program has less risk of problems associated with customer generation production than the Up Front Subsidy Program, given that there is no expiration date.

Grid Integration costs are based on Xcel/Minnesota Dept of Commerce Report of 2004, Idaho Power Report of 2007, and British report of 2006.

Other REST Program Costs include: Interconnection application review costs, net metering costs, application processing costs, initial inspections, annual plan and reporting costs and compliance hearing costs.

There is no energy storage anticipated during the 2008 through 2015 time frame.

Storage will be needed after 2015, if unpredictable energy sources, like wind or solar, are supplant coal generation.

Administrative costs assume one person per 500/kWp per year of new commercial or residential solar installations and two technical gurus for all levels of installations.

Ongoing annual inspection and repair work will be contracted out.

Creation of a database with online access for customers and installers will add some costs.

**Attachment 3
to Exhibit 2**

Attachment 3

Development of Market Cost of Comparable Conventional Generation for the Renewable Energy Standard and Tariff

Consistent with the Renewable Energy Standard Tariff ("REST") Rules passed by the Arizona Corporation Commission ("Commission"), UNS Electric, Inc.'s ("UNS Electric") Renewable Energy Standard and Tariff Implementation Plan contemplates recovery of expenses in excess of the Market Cost of Comparable Conventional Generation ("MCCCG"). The Commission provided guidance on defining MCCCG in the context of its REST Rules and identified the MCCCG as "the Affected Utility's energy and capacity cost of producing or procuring the incremental electricity that would be avoided by the resources used to meet the Annual Renewable Energy Requirement, taking into account hourly, seasonal and long term supply and demand circumstances. Avoided costs include any avoided transmission and distribution costs and any avoided environmental compliance costs." R14-2-1801.11.

The great bulk of Renewable Energy Standard program expenses are expected to be from procurement of renewable energy generation sources, both customer-sited distributed generation and remote utility scale sources through purchased power agreements. There may be some internal renewable generation production sources built if the cost of purchased renewable energy is higher than self built options. The recovery of all expenses through the REST Tariff revenues will, to a very large degree, be affected by the methodology used to derive the MCCCG amount, expected to be an annual number. This document is intended to define the methodology for purchased power or for internally owned renewable generation sources. It may also be used as a comparison point for customer-sited distributed renewable generation resource cost recovery.

The proposed method assumes that an annual revenue requirement figure will build up as a sum from a series of 8,760 (8,784 in a leap year) hourly figures comparing actual renewable generation resource costs for each renewable energy resource purchased or self produced in each hour of the year against the MCCCG in those same hours. The comparable hourly MCCCG may be different for different renewable sources, taking into account the firmness of the renewable generation resource, the curtailability of the renewable generation resource and whether native load requirements were met by internally owned or contracted generation resources or if market purchases were required to meet native load requirements. The following table provides a MCCCG evaluation matrix. The hourly MCCCG cost determination criteria is listed in the box selected by comparing the types of Purchased Renewable Generation with the Market Condition and Dispatch Type. This method of cost determination is very data intensive and will be evaluated at the end of each year by running UNS Electric's PROMOD model software against the purchased renewable generation. The cost of the purchased renewable generation above MCCCG costs will be included in the REST Adjustor Mechanism and REST Tariff.

MCCCG Cost Determination Matrix

Types of Purchased Renewable Generation					
Market Condition and Dispatch Type		Dispatchable Firm Renewable Generation: Fuel/Solar hybrid, Wind/Hydro hybrid, Biomass	Must Run Firm Renewable Generation: Dedicated Landfill Gas or Biogas	Must Run Non-Firm Renewable Generation: Run of Canal or River Hydro	Curtable Non Firm Renewable Generation: Wind or Solar without firming storage
	Selling to Market from In House Real and Contracted Generation Sources	MCCCG Cost Based on Incremental Production/Purchase Cost of Base Load Generation for that hour.			
	No Market Transactions from/to In House and Contracted Generation Sources				
	Purchasing from Day Ahead Market, but not Spot Market, to meet Native Load Requirements	MCCCG Cost Based on Average Day Ahead Market Price of Purchased Power for that hour.			
	Purchasing from Spot Market to meet Native Load Requirements	MCCCG Cost Based on Average Spot Market Price of Purchased Power for that hour.			

Incremental Production / Purchase of Base Load - The cost of the next kWh (incremental) amount of load that has to be provided by TEP generation sources and/or purchased power. This will be dependent on the season, month and time of day.

If Day Ahead Market or Spot Market purchases are being used to provide for reliability support capacity to meet native load requirements by freeing up in house or contracted generation resources for regulation or spinning reserve purposes for support of native load requirements, that would still represent a Market Purchase for purposes of determining which matrix box is applicable.

**Attachment 4
to Exhibit 2**

REDACTED

**Attachment 5
to Exhibit 2**

REDACTED

**Attachment 6
to Exhibit 2**

REDACTED

**Attachment 7
to Exhibit 2**

Attachment 7

Builder Credit Purchase Program Description

2009 REST

"Energy Smart Solar Home Program"

UNS Electric, Inc. ("UNS Electric" or the "Company") has made a strong commitment to supporting innovative renewable energy technologies and energy efficient new home construction. The SunShare program has brought technical guidance, financial incentives and outreach to promote the adoption of renewable technologies. UNS Electric has introduced the Energy Smart Home Program with Energy Star to promote energy efficient building. UNS Electric is now proposing to create a new program that integrates the Energy Star and Sunshare offerings to complement the Renewable Energy Standards and Tariff ("REST").

Rationale

Several builders in the Arizona marketplace have looked to include an integrated design with the goal of reaching a Net Zero Energy Home. John Wesley Miller has built two homes in the Tucson area that have been the subject of the National Association of Home Builders Research Center study. In Mohave County, Eagle View Estates has designed a subdivision of nearly four hundred homes. Each Eagle View Estates home is built to exceed Energy Star requirements and achieve Environments for Living Green certification. Additionally, they have made solar panels and solar water heating standard in every home. As local builders who do not have the buying power to compete on price in a competitive market, they look to differentiate their products by including high quality features and optimum energy performance. The challenge they face is marketing their attributes without a third party metric to differentiate themselves from other builders who may claim to be energy efficient.

Southwest Energy Efficiency Project (SWEET) published a study in November of 2007 entitled "High Performance Homes in the Southwest" which evaluated the energy and cost savings potential from constructing more efficient new homes in five Southwest States. Although the report reviewed regional policy from a variety of different perspectives, the following recommendation was made for utilities offering energy efficiency programs for new home construction. "SWEET recommends that utilities offer a 3-tiered incentives package to builders, beginning at ENERGY STAR and going up to a Net-Zero Energy Home level of performance."

UNS Electric proposes to follow this recommendation by adding a program at the "Net Zero Energy Home" level. This would provide a distinction for builders who are early adopters of new technologies and embrace high performance as a goal throughout their design process. For builders to effectively reach this level, it is necessary to incorporate certain goals at an early stage in the plan development. It is understood that initial participation at this level would be modest. However, it is important to set this goal

significantly above current building standards to set a milestone for market transformation.

The proposed marketing name for the program would be the Energy Smart Solar Home Program. This would allow UNS Electric to take advantage of the brand identity that Energy Smart and Energy Star have built in the marketplace. Computer modeling can demonstrate that the total annual electric load of the home may be satisfied by the annual generation of photovoltaic systems ("PV"). However, this is highly dependent on the assumptions of occupant behavior. Homes that have been built to the prescribed standards often times have not proven to be a true "net-zero" when occupied. This will help consumers to have a positive perception of the program and to understand that their lifestyle and consumption decisions play a large role in their homes performance.

Program Requirements

- Builder must participate in UNS Electric Energy Smart Homes Program.
- Builder may choose solar thermal or PV, or both.
- HVAC equipment must be sized per Manual J calculations, and duct systems must be designed per Manual D. This will provide for optimum performance in homes that incorporate a high performance design.
- Builder has the option of certifying their subdivision as a LEED for Home, NAHB Green Building Program or other Green Building Programs. UNS Electric will provide HERS Rating services and technical consultation through an implementation contractor.

Consumer Benefits

- Savings for consumers, when using both the solar energy and very efficient building practices, can exceed 60% over standard building practices.
- The home will be certified as an Energy Star Home which may be eligible for Energy Efficient Mortgage products. This may also increase the potential resale value of the home.
- By providing incentives during construction, the price of the solar system is then absorbed in the mortgage. This allows the consumer to utilize the generation of the PV system to offset the increased mortgage cost to create a better cash flow scenario.
- UNS Electric will provide up front installation of net meters along with training and education of homeowners to set proper expectations of system performance.

Builder Benefits

- For Solar Electric: Builder will receive an increase in the amount of the solar electric Up-Front Incentive (UFI) to an additional \$0.50 per DC watt installed over the approved RECPP. For systems that are over 7,000 watts DC, the incentive would be dropped by \$0.50 per DC watt installed from the approved RECPP. (Assuming the number of participating homes is 50 in 2009 with a panel average of 3 kW – the budget increase is \$75k – a small cost for the benefit.)
- For Solar Water Heating: Builder can choose to install solar water heating with no additional incentive beyond what is available in the standard SunShare offering.
- Cooperative advertising (advertising both the builder and benefits of renewable energy) will focus on societal benefits of solar technologies and building science. Twenty-five percent of the marketing and outreach budgets are reserved for the Energy Smart Solar Home Program.
- The Energy Smart Homes Program provides a rebate to help offset the cost of the HERS rating. The implementation contractor may provide additional consultation, training and technical support to builders, architects, mechanical engineers and subcontractors.

Utility Benefits

- The program provides a cost-effective method to market the installation of renewable technologies to meet REST requirements. This includes the initial cost to solicit participation in the renewable programs as, well as the economies of scale that are brought to the market by having large numbers of homes purchased using renewable technologies.
- There are intrinsic benefits to installing solar technologies at the time of construction. UNS Electric will be provided the opportunity to consult on such issues as building orientation, height of parapet walls, shading issues posed by adjacent structures and other potential obstacles to ideal sites for solar installations. This will provide the opportunity to optimize available space for renewable technologies.
- The marketing effort that is placed into promoting the UNS Electric Energy Smart Home program for new homes will have “spill over” to existing homes. Homeowners that may not be in the position to purchase a new home will see the co-branded media that may lead them to pursue a qualifying Sunshare Program solar energy system for their existing home.

Summary

UNS Electric believes that this proposed program design offers tremendous symbiotic benefits to their entire DSM/REST portfolio. By integrating the renewable technology component into the new home construction program, it allows UNS Electric to effectively build on brands that have been well established in the market place to effectively market renewable technologies. At the same time, it serves a niche of new home builders who are looking to differentiate their enhanced energy efficient product by provided a third party metric. From a regulatory stand point, the offering has strong merit as it builds on existing DSM/REST programs. The opportunity to co-brand our offerings will lead to a more effective use of marketing dollars and potential cross benefits between programs.

**Attachment 8
to Exhibit 2**

Attachment 8

UNSE Renewable Energy Standard Tariff Cost Recovery Factors Definition for 2009

7/1/2008

Total REST Best Value Plan Budget 2009:

\$ 2,861,259

	Best Value Plan
Purchased Renewable Energy:	
Above Market Cost of Conventional Generation calculated annually on hourly data per MCCCCG Matrix ^{aa}	\$497,303
Transmission direct-use cost	\$0
Transmission line-loss cost	\$0
Grid management ancillary services and day-ahead unit commitment cost	\$0
Grid stability analysis cost allocation ^{ab}	\$5,000
Fuel and maintenance \$ assoc. w/ increased CT use and load range ramp cycles to manage over/under scheduled RE	\$0
RFP preparation, issue and evaluation cost ^{ac}	\$2,000
Independent Auditor cost ^{ad}	\$10,000
Loss of revenue from off-system sales due to transmission constraints created by transmission alloc. to RE PPA	
Labor overhead allocation cost for purchased renewable power contracts ^{ae}	\$10,000
In-state renewable resource economic development premium payment cost	\$0
Total	\$524,303
Customer Sited Distributed Renewable Energy:	
Up-front subsidy payment to customers' cost ^{ba}	\$632,301
Annual production-based performance payment to customers' cost ^{bb}	\$830,156
Builder solar energy system program ^{bc}	\$75,000
Interconnection and net meter application processing labor cost ^{bd}	\$15,000
Acceptance testing cost ^{be}	\$30,000
Customer technical support cost ^{bf}	\$75,000
Annual meter reading cost ^{bg}	\$10,000
Support tools, materials, transportation and supply cost ^{bh}	\$10,000
Direct internal labor cost for administration of the customer sited renewable generation program ^{bi}	\$45,000
Outside services and internal labor for outreach, marketing materials, education and website maintenance cost ^{bj}	\$300,000
Grid management cost	\$0
Grid stability analysis cost allocation ^{bk}	\$0
Cost-of-service contracts for outside labor for inspections and maintenance ^{bl}	\$25,000
Loss of revenue from the fixed-cost portion of customer charges displaced by customer self generation	\$0
Total	\$2,047,456
Customer Care and Billing program (CC&B):	
Annual administrative CC&B cost database upgrades ^{ca}	\$25,000
Initial database and customer interface program development and program revision cost ^{cb}	\$0
Capital A&G load allocations for above development work ^{cc}	\$0
CC&B incremental transaction allocation cost for CC&B support ^{cd}	\$25,000
Total	\$50,000
Energy Management System and Energy Accounting and Settlements (EMS&EAS):	
Annual administrative EMS & EAS cost allocation based on share of transactions processed ^{da}	\$25,000
Initial database and program revision cost ^{db}	\$50,000
Capital A&G load allocations for above development work ^{dc}	\$25,000
Labor overhead allocation cost for EMS & EAS ^{dd}	\$25,000
Total	\$125,000
Net Metering:	
Direct material cost for meters ^{ea}	\$5,000
Labor cost for meter installations ^{eb}	\$9,000
Direct energy credit purchase cost	\$0
Net metering rate design cost	\$0
Time-of-Use Net Metering Program development cost ^{ed}	\$0
Net Metering data interval recording for load research and program metrics evaluation ^{ee}	\$0
Communications for Net Metering data retrieval ^{ef}	\$0
Total	\$14,000

Reporting:

Annual Compliance Report and hearing cost ^{fa}	\$5,000
Annual Planning and Implementation Report and hearing cost ^{fb}	\$25,000
Annual Tariff review and hearing cost ^{fc}	\$25,000
Labor overhead and CC&B transaction allocation cost for reporting ^{fd}	\$5,500
Total	\$60,500

Outside Coordination and Support:

Support provided to University research projects (eg. AzRise) ^{ga}	\$20,000
Support through providing information and answering questions of national energy labs cost ^{ga}	\$0
Support through providing information and testing equipment of renewable energy equipment vendors cost ^{gb}	\$0
Responding to renewable energy questions from non TEP customers' cost ^{gc}	\$0
Support of outside service territory renewable energy interest cost ^{gd}	\$0
WREGIS and other renewable energy certification agency fee cost	\$0
Utility Wind Interest Group fee cost ^{ge}	\$0
Solar Electric Power Association fee cost ^{gf}	\$0
Other renewable energy association fees as needed cost ^{gg}	\$0
Training, travel, memberships, periodicals, etc. cost ^{gh}	\$20,000
Labor overhead allocation cost for outside coordination and support ^{gi}	\$0
Total	\$40,000

Renewable Energy Hardware Development:

Technology development projects – geothermal heat pumps, residential solar units, residential wind generation, etc. cost ^{ha}	
Energy storage demonstration project cost ^{hb}	\$0
Operation and maintenance of renewable generation systems cost ^{hc}	\$0
Renewable energy resource monitoring program cost ^{hd}	\$0
Support of Arizona-wide renewable energy studies cost ^{he}	\$0
Up-front funded renewable technology construction cost ^{hf}	\$0
Development of wind and solar forecasting program costs ^{hg}	\$0
Development of load-shed systems for managing rapid changes in renewable energy generation levels cost ^{hh}	\$0
Property taxes, sales taxes and insurance for renewable energy hardware costs ^{hi}	\$0
Labor overhead, Stores loads, allocation cost for renewable energy hardware development ^{hj}	\$0
Total	\$0

Grand Total**\$2,861,259**

Notes:

aa: 30,888 MWh @ \$16.10 per MWh above cost of MCCCCG – Purchased Power. Contracts are in addition to existing power purchase contracts, costs are incremental and caused by renewable purchased power contracts.

ab: Annual analysis of hourly delivery intermittencies on grid stability, forecasting development – internal UES personnel, 60 hours. Evaluation time is in addition to existing power purchase analysis and due to time-variant nature of wind power.

ac: Internal development, review, posting, query response, evaluation, contract development and close out – internal UES personnel, 20 hours. RFPs are in addition to existing power purchase RFPs, costs are incremental and caused by renewable purchased power.

ad: Historic cost basis.

ae: Contract administration, settlement review, payment approval, internal overhead – internal UES personnel, 100 hours. Contracts are in addition to existing power purchase contracts, costs are incremental and caused by renewable purchased power contracts.

ba: Residential – est. 60% will be PV. .205 MWDC of PV in 2009. @ \$3.0 per watt DC = \$.615M. 40% will be SDWH .185 MWp of SDWH in 2009. @ \$.50 per watt = \$.92M. (Excludes Builder Program of \$.075M included in line bc.)

bb: Commercial PBI: Solar PV – 65% * 2,657 MWh/yr/ @ \$0.18 = \$.478M. The "other" commercial as thermal – 35% * 1,431 MWh @ \$0.05/kWh = \$.072M. Additional payments from 2008 add to \$.208M for PV and \$.019M for other. These numbers are grossed up for a full 12 months, bringing the total to \$.830M for Commercial PBI.

bc: Assumes an incremental .50 /watt DC for 50 homes with an average panel size of 3kWDC. (\$75k)

bd: assume .15 FTE - 115 PV units & 180 hot water/wind @ 1500 units/person/year. Currently 200 units/person/year productivity.

be: assume .2 FTE - 115 PV units & 180 hot water/wind @ 1500 units/person/year. Currently 200 units/person/year productivity.

bf: assume .5 FTE - 115 PV units & 180 hot water/wind @ 1500 units/person/year + commercial. Currently 200 units/person/year productivity.

bg: 100 meter reads per year including reporting and processing of data into reports

bh: Vehicles, small tools, and consumables for 4 mobile units

bi: 0.5 supervisory/managerial people @ 1200 units/person/year. Currently 200 units/person/year productivity.

bj: Direct-outreach education expense with providers. Includes media purchases, printing, and design.

bk: Studies of solar time-variant output impact on distribution grid. Review of solar capacity value. Used for matching grant funding. 0 person assigned.

bl: Used for annual inspections, customer support. Based on historic costs extrapolated to 1,200 customers from \$25,000/year for 300 customers.

ca: Initial estimate – discovery in progress - new programming.

cb: 2008 Estimated cost @ \$100k.

cc: Initial estimate – discovery in progress.

cd: Initial estimate – discovery in progress - database upgrades.

da: Initial estimate – discovery in progress.

db: Initial estimate – discovery in progress.

dc: Initial estimate – discovery in progress.

dd: Initial estimate – discovery in progress.

ea: approximately 100 net meters @ \$50 per meter

eb: 100 site installations @ \$100 per site.

ec: Initial estimate – discovery in progress. Recovery over 1-year period.

ed: Initial estimate – discovery in progress. Recovery over 1-year period.

ee: Future One Quarter time for an energy analyst to collate data, prepare analysis and review cost impacts and effect on lost revenues of net metering.

ef: Future .25 FTE for an energy analyst for on going program review and quality control review of net metering program.

fa: Historic cost basis, extrapolated to a larger program with more reporting factors.

fb: Historic cost basis, extrapolated to a larger program with more reporting factors.

fc: Historic cost basis, extrapolated to a larger program with more reporting factors.

fd: Calculated as 10% of internal labor costs.

ga: Funding support for projects to fund renewable research at such entities as AzRise.

gb: Historic cost basis, extrapolated to a larger program with more reporting factors. Program manager level respondent.

gc: Historic cost basis, extrapolated to a larger program with more reporting factors. Program manager level respondent.

gd: Historic cost basis, extrapolated to a larger program with more reporting factors. Administrative level respondent.

ge: Based on proposal.

gf: Historic based.

gg: Historic based. Biomass, Geothermal, etc.

gh: Historic based for 4 employees.

gi: Calculated as 0% of internal labor costs.

ha: Estimated based on project size and mix.

hb: Estimated based on project size and mix.

hc: Historic based. OH, DAMP and SASS

hd: Historic based.

he: Historic based.

hf: Operating Headquarters Test Yard – 0 kid

hg: Matching funds for grants in application.


hh: Matching funds for grants in application.

hi: Historic based.

hj: Calculated as 10% of internal labor costs = \$0 plus 2% of transaction costs = \$0 Total = \$0

hj: Calculated as 10% of internal labor costs = \$0 plus 2% of transaction costs = \$0 Total = \$0

**Attachment 9
to Exhibit 2**



Customer Self-Directed Renewable Energy Option REST-TS2 Renewable Energy Standard Tariff

AVAILABILITY

Open to all Eligible Customers as defined at A.A.C. R14-02-1801.H.

APPLICABILITY

Any Eligible Customer that applies to the Company under this program and receives approval shall participate at its option.

PARTICIPATION PROCESS

An Eligible Customer seeking to participate shall submit to the Company a written application that describes the Distributed Renewable Energy (DRE) resources or facilities that it proposes to install and the estimated costs of the project. The Company shall have sixty (60) calendar days to evaluate and respond in writing to the Eligible Customer, either accepting or declining the project. If accepted, the Customer shall be reimbursed up to the actual dollar amounts of customer surcharge paid under the REST-TS1 Tariff in any calendar year in which DRE facilities are installed as part of the accepted project. To qualify for such funds, the Customer shall provide at least half of the funding necessary to complete the project described in the accepted application, and shall provide the Company with sufficient and reasonable written documentation of the project's costs. Customer shall submit their application prior to May 1 of a given year to apply for funding in the following calendar year.

FACILITIES INSTALLED

The maintenance and repair of the facilities installed by a Customer under this program shall be the responsibility of the Customer following completion of the project. In order to be accepted by the Company for reimbursement purposes, the project shall, at a minimum, conform to the Company's System Qualification standards on file with the Commission. (REST Implementation Plan, Renewable Energy Credit Purchase Program – RECPP, Distributed Generation Interconnection Requirements, Net Metering Tariff, Company's Interconnection Manual)

PAYMENTS AND CREDITS

All funds reimbursed by the Company to the Customer for installation of approved DRE facilities shall be paid on an annual basis no later than March 30th of each calendar year. All Renewable Energy Credits derived from a project, including generation and Extra Credit Multipliers, shall become the property of the Company and shall be applied towards the Company's Annual Renewable Energy Requirement as defined in A.A.C. R14-2-1801.B.

RULES AND REGULATIONS

The standard Rules and Regulations of the Company as on file with the Arizona Corporation Commission shall apply where not inconsistent with this pricing plan.

RELATED SCHEDULES

- REST-TS1 - Renewable Energy Program Expense Recovery

Filed By: Raymond S. Heyman
Title: Senior Vice President
District: Entire Electric Service Area

Tariff No.: REST-TS2
Effective: PENDING
Page No.: 1 of 1

Exhibit 3

UNS Electric, Inc. Uniform Credit Purchase Program

Renewable Energy Credit Purchase Program

(RECPP)

Definition

2009 – 2013

Full Compliance Plan

UNS Electric, Inc. Renewable Energy Credit Purchase Program (RECPP)

UNS Electric, Inc. ("UNS Electric" or the "Company") is committed to assisting our customers develop their own renewable generation resources, through a balanced and supportive renewable energy distributed generation incentive program. Our goal is to create a program that will provide incentives for affordable, environmentally sensitive, customer-sited renewable energy generation systems to supplement UNS Electric customer's energy needs. A properly designed system, matched to a customer's energy use, will provide a reduction in utility bills through the use of renewable resources. This program reflects our commitment to reduce the cost of developing renewable energy resources.

Defined Terms

ACC – Arizona Corporation Commission.

AZROC – Arizona Registrar of Contractors.

Applicant – Utility customer of record for the Utility Revenue Meter located at the installation site; a builder of the structure (residential or non-residential) who will reserve and install the Qualifying system; or for an off-grid Qualifying System, the property owner for the installation site located within a Utility's service territory.

Arizona Business License – A business license issued by the ACC.

Cancelled – Reservation Status indicating that a Reservation has been terminated, funding is no longer allocated, and the utility has removed the reservation from the funding queue.

Cancellation – The termination of the Reservation.

Commissioned – Qualifying System certified to be in operation.

Commissioning Package – Written verification signed by the installer and the customer confirming that the system has been installed in conformance with the approved reservation and that the system is ready for operation.

Conforming Project – Any project utilizing a renewable technology listed in Attachment D.

Conformance Inspection – Inspection performed by the utility to verify that the system has been installed and operates in conformance with the Reservation application.

Customer – Utility customer of record for the Utility Revenue Meter located at the installation site or a builder of the structure (residential or non-residential) who will reserve and install the Qualifying System.

Extension – The extension of the Reservation Timeframe.

Installer – The entity or individual responsible for the installation of a qualifying system.

Interconnection Inspection – Inspection performed by the utility to confirm that the system can be safely interconnected to the power grid.

Non-Conforming Project – Non-conforming projects include, but are not limited to, projects with staged completion dates, multi-customer or multi-system projects, projects involving more than one technology, projects requiring new or unique agreement terms, projects with technologies for which qualification standards have not been developed or projects requiring non-standard timeframes.

Performance Based Incentive (“PBI”) – Incentive based on a rate per kWh output or equivalent kWh of energy savings.

Project Costs – System Costs plus financing costs.

Proof of Project Advancement – Documentation demonstrating that a project is progressing on schedule and is staged for Commissioning on or before the end of the Reservation Timeframe.

Qualifying System – Distributed renewable energy systems meeting the qualifications for production of qualified Renewable Energy Credits in Arizona acceptable to the Arizona Corporation Commission as they may be defined for affected utilities to meet any renewable energy standards.

Renewable Energy Credit (“REC”) – One Renewable Energy Credit is created for each kWh, or kWh equivalent for non-generating resources, derived from an eligible renewable energy resource. RECs shall include all environmental attributes associated with the production of the eligible renewable energy resource.

Reservation – A dollar amount committed by the utility to fund a project if all program requirements are met.

Reservation Status – Indicator relating to approval or denial of a Reservation request. If a Reservation is approved, the Reservation Status is Reserved. If a Reservation request is denied, the Reservation Status is either Cancelled or Wait Listed.

Reserved – Status indicating the acceptance of a Reservation request.

Reservation Timeframe – The duration of the utility’s funding commitment for a Reservation.

System Costs – Costs associated with the Qualifying System components, direct energy distribution, system control/metering, and standard installation costs directly related to the installation of the Qualifying System.

Up Front Incentive (UFI) – One time incentive payment based on system capacity or estimated energy kWh production rather than on measured system output.

Wait List – Status indicating Applicant has met program requirements, but the Utility has insufficient funding to commit to funding the project.

UNS Electric, Inc. Renewable Energy Credit Purchase Program (RECPP) Review Panel

UNS Electric will participate in a RECPP Review Panel for ongoing review and modification of all Renewable Distributed Generation programs, as prescribed by the ACC. UNS Electric believes that the Review Panel making recommendations to modify all UNS Electric renewable programs is critical to its ultimate success. Program elements may need to be adjusted to reflect new information, changing market conditions, incorrect initial assumptions, or technological innovations.

Panel Structure and Function

The Review Panel will be a five member panel created and maintained to provide on-going review of all renewable distributed generation program modifications and to efficiently facilitate incorporation of features that increase program efficacy as more information is gained by program implementation. The panel will make recommendations to the UNS Electric Renewable Energy program management for review and potential program incorporation.

The panel make-up includes one representative from the ACC staff, two representatives from the Tucson area renewable distributed generation industry, and two representatives from UNS Electric. The industry representatives should not exceed one each from a technology type and should reflect the diversity of technologies and consumer types available in the Mohave County or Santa Cruz County areas.

No renewable distributed generation industry representative shall serve more than one, four-year term.

The Review Panel shall make recommendations for consideration on the following subjects:

- Adjustment of incentive structures to reflect market response
- Process related issues that affect market function
- Development of new conforming incentives, as necessary
- Arbitration of incentive or program borne conflicts


The Review Panel should meet twice per year (or more often as necessary) to assess the items related to the above-described purpose. The Review Panel will review input from stakeholders on items before it for consideration, and it is anticipated that on occasion stakeholders may be consulted by the Review Panel to provide additional input. Upon full consideration of an item, the Review Panel will vote on adoption of the specified recommendation. A super-majority majority vote of at least four affirmative votes on a subject would result in a recommendation for consideration and potential incorporation into the RECPP.

Process Map – Conforming Projects

UNS Electric mapped the RECPP process for conforming projects to illustrate the flow of information between the applicant and UNS Electric. The following sections reflect the recommended process flow.

Step 1 – Reservation Request and Assignment of Reservation Status

UCPP CONFORMING PROJECTS PROCESS MAP



Process Map Description – Step 1


The first input UNS Electric receives from the customer is the reservation request. UNS Electric will review the reservation request to ensure the application conforms to program requirements. Residential reservation requests are processed on a first-come, first-served basis. Non-residential reservation requests are assigned a rank based on the lowest expected life cycle credit purchase cost. Additional detail on non-residential reservations is provided in the incentives section of this report.

After reviewing the reservation request, UNS Electric will assign a reservation status. If the reservation request is approved, UNS Electric will send a confirmation to the applicant. If the reservation request is denied because the request is not in compliance with program requirements, UNS Electric will send

notification to the applicant of the discrepancies and that the request will be cancelled. Similarly, if the reservation request is denied because funding is not available, UNS Electric will send a notification to the applicant that the request will be placed on a waiting list.

Residential reservation requests will be reviewed within 30 days of the utility's receipt of the request. Non-residential reservation requests will be reviewed within 90 days of UNS Electric's receipt of the request. Further detail relating to reservation periods is provided under the section titled Incentive Allocation.

Step 2 – Proof of Advancement Process Map



Process Map Description – Step 2

The applicant must submit proof of advancement to UNS Electric to retain his or her reservation within the timeframes outlined below. At a minimum, the Proof of Project Advancement documentation for a non-residential application greater than 20 kWac will include:

- A project agreement (between customer and installer);
- An executed installation agreement including all project participants;
- Building and/or construction permits and/or a full set of design development or construction drawings (80% or more complete); and
- An executed interconnection agreement (if applicable).


Residential customers and non-residential customers installing a renewable energy system with rated production capacity of 20 kWac or less must provide copies of City/County inspection permits to UNS Electric.

The timeline for proof of project advancement is based on the date of reservation confirmation and must be provided by the customer in accordance with the following schedule:

Residential	Non-Residential $\leq 20,000$ watts AC capacity equivalent	Non-Residential $> 20,000$ watts AC capacity equivalent
60 Days	60 Days	120 Days

If proof of project advancement is not received within the specified timeframe, the customer will be notified that the reservation is cancelled. The applicant has the option to reapply for funding after the reservation has been cancelled. The request will be processed in the same manner as a new project reservation and will be contingent upon availability of funding.


Step 3 – Interconnection Inspection (for Grid-Tied Qualifying Systems with capacity larger than 20 kWac)



Process Map Description – Step 3

Non-residential grid-tied qualifying systems of electrical generating capacity larger than 20 kWac must submit to and pass an interconnection inspection before the system can be commissioned. UNS Electric conducts the interconnection inspection and will notify the applicant of the results of the inspection. If the system passes the inspection, the application retains the reservation. The applicant can keep the reservation even if the system fails the initial inspection, as long as the deficiency is remedied within the defined reservation timeframe described in Step 2.

Step 4 – System Commissioning For Non-Residential Systems with capacity Larger Than 20 kWac



Process Map Description for System Commissioning Non-Residential Customers – Step 4

After the Non-Residential system has been commissioned, the applicant must submit a commissioning package to UNS Electric. UNS Electric will review the commissioning package and confirm that all program requirements have been met, including passing the interconnection inspection. For systems with capacity larger than 20 kWac, UNS Electric may, at its discretion, perform a conformance inspection of the system. UNS Electric will notify the applicant of the scheduled conformance inspection and the applicant must make the system available for inspection. In some cases, an incentive payment may not be issued until after a qualifying system has passed the conformance inspection.


Residential customers and non-residential customers with systems of capacity 20 kWac and less will notify UNS Electric that their installation is complete. UNS Electric will perform an acceptance test to verify installation and system performance after receiving copies of City/County permit.

Residential customers and non-residential customers with systems of capacity 20 kWac and less, who are receiving a UFI payment, and have met all program requirements, will receive the incentive payment within thirty days of successful acceptance. After UNS Electric issues the UFI payment to the

applicant, UNS Electric is assigned exclusive rights to all the RECs associated with the generation produced from the qualifying system for a period of not less than twenty years.

Systems receiving PBI payments will report production, receive payment, and release all RECs in conformance with the detail described in this report under the sections titled *Procedures for Production Based Incentives and Distributed Generation Incentives*.

Conditionally Required SUNS Electric - Cancellations



Process Map Description – Cancellations

Unless an extension is granted, as described below, a reservation request will be cancelled if all program requirements have not been met with the reservation timeframe.

The reservation timeframe is determined in accordance with the following schedule:

Residential	Non-Residential ≤ 20,000 watts ac capacity equivalent	Non-Residential > 20,000 watts ac capacity equivalent
180 Days from Reservation Confirmation Date	180 Days from Reservation Confirmation Date	365 Days from Reservation Confirmation Date

UNS Electric will notify the applicant of the pending cancellation in accordance with the following schedule:

Residential	Non-Residential ≤ 20,000 watts ac capacity equivalent	Non-Residential > 20,000 watts ac capacity equivalent
30 Days Prior to Cancellation	30 Days Prior to Cancellation	60 Days Prior to Cancellation

Extensions

UNS Electric will grant an extension for up to 90 days following timely receipt of a customer's request for extension. UNS Electric may approve written extension requests detailing the conditions for delay for periods beyond 90 days under extenuating circumstances.

Operations Monitoring

All customers receiving renewable energy self-generation incentives are obligated to report system production to UNS Electric in accordance with the reporting schedule established in the program agreement between UNS Electric and the customer. UNS Electric, at its option, may perform periodic inspection of the system for operation, metered production, and reporting purposes.

Procedures for Production Based Incentives

Each project eligible for a PBI requires a project agreement between the applicant(s) and UNS Electric that will detail the assignment of energy and RECs and the assignment of payment. All PBI Project Agreements will include the following requirements:

1. Meters certified according to the UNS Electric standards that provide readings in kWh will be provided by UNS Electric as part of the system commissioning package.
2. Quarterly meter reads will be performed by UNS Electric and quarterly payments will be made to the assigned payee within 30 days, based on quarterly kWh production. If the payment due is less than \$25.00, it will be held for the next payment period.
3. PBI payments will begin with the first quarterly production following receipt of the completed system commissioning package and commissioning test, if required, and continue for the life of the agreement term. As part of this provision, it is understood that systems commissioned mid-quarter will receive payment only for the production of that partial quarter.

Installer Qualifications

All systems receiving incentives under the RECPP must be installed by a qualified installer. The following requirements must be submitted by the applicant as part of the reservation request. UNS Electric will verify that the installer meets the following minimum qualifications prior to confirming a reservation request:

1. The installer must possess a valid license on file with the AZROC with a license classification appropriate for the technology being installed or the installer must identify use of a contractor holding an appropriate license on file with the AZROC for the technology being installed. A copy of the AZROC license must be provided as part of the reservation request.

2. The installer must possess an Arizona business license that is active and in good standing.

Installers may request that the above information be retained on file with UNS Electric; however, under this option the installer must certify that the information on file remains current with the submission of each reservation request. Information on file must be renewed yearly.

Installations By Customer (Residential Photovoltaic and Wind Only)

Residential customers may self-install photovoltaic ("PV") and wind generators of capacity not to exceed 10 kWac providing they adhere to all applicable codes and standards. The customer installed systems are eligible for an incentive equal to 70% of the standard UFI, as otherwise listed in the incentive table, Attachment D. UNS Electric reserves the right to withdraw this self-install qualification condition at any time in the future, if UNS Electric finds self-installations are not adhering to the applicable codes and standards or are found to be of poor quality workmanship.

Energy Reporting

UNS Electric will report on the productivity of all RECPP distributed renewable energy resource systems within the format of the annual renewable energy Compliance Report to the ACC. For PBI systems, UNS Electric will report on the actual metered production of each system as reported by the customer and confirmed by UNS Electric. For systems receiving a UFI, UNS Electric will report on the total installed capacity and metered production.

System Removal

If receiving a UFI, customer shall not remove the Qualifying System or any components thereof from the premises until December 31st of the 20th full calendar year following completion of system installation of the renewable energy system, without express agreement of UNS Electric. If receiving a PBI, customer shall not remove the Qualifying System or any components thereof from the premises until the last day of the final month of the final full calendar year of the applicable incentive payment term in the Agreement following completion of system installation of the renewable energy system, without express agreement from UNS Electric. If customer removes the Qualifying System in violation of this provision, customer shall immediately reimburse UNS Electric all incentive amounts paid by UNS Electric to customer or on behalf of customer to an authorized third party.

In addition, if a Qualified System is removed, UNS Electric shall monitor that specific customer site to ensure that an additional incentive is not provided for any new distributed renewable energy resource system on that site until the REC contracted operational life of the original system has been completed.

UNS Electric shall attempt to monitor the number of missing or non-working distributed generation systems and shall summarize its observations in its annual Compliance Report.

Qualifying Distributed Renewable Energy Resource Technologies – Technology Criteria

The following technology criteria are not intended to preclude the participation of any renewable energy technology approved for implementation under the RECPP. These criteria are aimed at detailing those technologies or application segments within a technology which have been reviewed in detail by UNS Electric and were accepted as eligible conforming projects for the RECPP. In addition, the following sections provide detail on those criteria required by participating technologies.

General Criteria

UNS Electric acknowledges that many regulations and site specific requirements may apply to the installation of any one renewable energy technology. UNS Electric agrees that no requirement imposed by these technology criteria shall be imposed in conflict with any other governmental requirements. Any RECPP based requirement which is in conflict with a site specific governmental requirement shall be detailed in the reservation request. All qualifying systems must adhere to the following requirements in addition to the RECPP program requirements:

- The project must comply with applicable local, state, and federal regulations.
- Products must be installed according to manufacturers' recommendations.
- Installations must meet applicable governmental statutes, codes, ordinances, and accepted engineering and installation practices.
- Systems must be permitted and inspected by the jurisdiction having authority over construction projects in the customer's locale.
- All major system components must be new and must not have been previously placed in service in any other location or for any other application.
- All renewable electricity generation systems must include a dedicated performance meter (provided by UNS Electric) which allows for measurement of system energy production. Certain other non-electric renewable energy production systems, noted below, will require customer supplied metering for PBI payment calculation purposes.
- If the qualifying system is grid-tied, the system must meet Arizona Corporation Commission Interconnection Requirements for Self-Generation Equipment.

Referenced standards

Some technology-specific criteria reference third party standards. The requirements of those standards are fully applicable when referenced as part of technology specific criteria. UNS Electric notes that rapid growth in national and international renewable energy programs is resulting in greater need for the development of standardization in such areas as: design, implementation, performance measurement, system integrity, and installation. UNS Electric recognizes that new standards are likely to develop in the near future for technologies included in the RECPP and recommends that the new standards are examined for application in this program definition as they become available. The following standards or standard development bodies are referenced as part of the recommended technology criteria:

- The Active Solar Heating Systems Design Manual developed by the American Society of Heating, Refrigerating, and Air Conditioning Engineers, Inc. ("ASHRAE") in cooperation with the Solar

Energy Industries Association ("SEIA") and the ACES Research and Management Foundation (the Design Manual).

- Arizona State Boiler Regulations (see R4-13-406).
- The select technology specific qualification developed by the California Energy Commission ("CEC").
- Solar Rating and Certification Corporation ("SRCC"). The SRCC criteria and ratings can be viewed at www.solar-rating.org.
- The Underwriters Laboratory ("UL").
- IEEE -929 standard for utility interconnection of PV systems.

Technology Specific Criteria

The following equipment qualifications listed are mandatory requirements which must be met at the time of project commissioning to receive a RECPP incentive. The installation guidance is intended to provide consumers with information on installation and operation practices which are most likely to support achieving the system's designed output. Installation guidance is mandated in order for a project to receive a RECPP incentive, as it does reflect both industry and UNS Electric concurrence on those practices which are important for a technology to best achieve the designed output. In the future, additional installation guidance items may be considered for inclusion as part of the equipment qualifications.

Biomass/Biogas, Hydro or Geothermal Electric

Equipment Qualifications

- Biomass/Biogas, Hydro or Geothermal system installations involving a regulated boiler or pressure vessel are required to comply with all Arizona state boiler regulations; provide a qualifying boiler inspection identification number; and keep all applicable permits in good standing.
- System must include a dedicated performance meter to allow for monitoring of the amount of electricity produced.
- Pre-operational/or pre-commissioning energy savings and design output for the system will be verified by submitting either a testing certification for a substantially similar system prepared by a publicly funded laboratory or by submitting an engineering report stamped by a qualified registered professional engineer. The engineering report shall provide a description of the system and major components, design criteria and performance expectations, applicable standards and/or codes, and a brief history of components in similar applications.
- The system will have a material and labor warranty of at least five years.
- The system must meet Arizona DEQ environmental standards.

Installation Guidance

Because of the individual nature of biomass/biogas hydro or geothermal systems, care should be taken to make sure the system complies with all applicable permitting and regulatory requirements including, but not limited to, air emission standards and air permit regulations.

Biomass/Biogas or Geothermal Space Heating, Process Heating or Space Cooling

Equipment Qualifications

- Biomass/Biogas or geothermal system installations involving a regulated boiler or pressure vessel are required to comply with all Arizona state boiler regulations; provide a qualifying boiler inspection identification number; and keep all applicable permits in good standing.
- Energy savings and designed output for the system will be verified by submitting either a testing certification for a substantially similar system prepared by a publicly funded laboratory or by submitting an engineering report stamped by a registered professional engineer. The engineering report shall provide a description of the system and major components, design criteria and performance expectations, applicable standards and/or codes, and a brief history of components in similar applications.
- Energy production for space heating, space cooling and process heating will be calculated as one kWh of energy per 3,415 Btu of useful heat delivered by the system as measured by a dedicated heat delivery measuring meter and used by the building space or process.
- The system will have a material and labor warranty of at least five years.
- The system must meet Arizona DEQ environmental standards.

Installation Guidance

Because of the individual nature of biomass/biogas or geothermal systems, care should be taken to make sure the system complies with all applicable permitting and regulatory requirements including, but not limited to, air emission standards and air permit regulations.

Solar Non-residential Daylighting

Equipment Qualifications

All systems shall include the following components as part of the daylighting system:

- A roof mounted skylight assembly with a dome having a minimum 70% solar transmittance.
- A reflective light well to the interior ceiling or a minimum 12" below roof deck in open bay areas.
- An interior diffusion lens.
- A minimum of one thermal break/dead air space in the system between the skylight dome and the interior diffuser.
- If artificial lighting systems remain a part of the installation, the system shall include automated lighting control(s) which are programmed to keep electric lights off during daylight hours of sufficient solar insulation to provide minimum design illumination levels.
- The system must provide a minimum of 70% of the light output of the artificial lighting system which would otherwise be used for all of the claimed period of energy savings as measured in foot-candles in the workspace 36 inches above the floor.
- Energy savings and designed output for the system will be verified by submitting either a testing certification for a substantially similar system prepared by a publicly funded laboratory or by submitting an engineering report stamped by a registered professional engineer or accredited AEE Measurement and Verification professional. The engineering report shall provide a description of the system and major components, design criteria and performance expectations, applicable standards and/or codes, and a brief history of components in similar applications.
- The system will have a material and labor warranty of at least five years.

Installation Guidance

All systems should be installed such that the skylight dome is substantially unshaded and have substantially unobstructed exposure to direct sunlight between the hours of 9:00 a.m. and 3:00 p.m.

Small Wind Generator

A small wind generator is a system with a nameplate capacity rating of one MW or less. The technology criteria described below are intended for small wind generators with a nameplate rating of 100 kW or less. Larger systems will be required to submit a detailed package describing site selection, energy production modeling, and an engineered system design and installation report.

Equipment Qualifications

- Eligible small wind systems must be certified and nameplate rated by the CEC¹. See www.consumerenergycenter.org/erprebate/equipment.html for a list of certified generators. For grid tied or off-grid wind generators where an inverter is used, the CEC listed nameplate rating of the wind generator will be multiplied by the CEC approved weighted efficiency percentage listed for the inverter in the "List of Eligible Inverters" at www.consumerenergycenter.org/cgi-bin/eligible_inverters.cgi to calculate the wind turbine nameplate rating for use in determining the UFI payment.
- Grid connected inverters used as part of the system shall carry a UL listing certifying full compliance with Underwriter's Laboratory ("UL")-1741.
- A system must include a dedicated performance meter (provided by UNS Electric) installed to allow for measurement of the amount of electricity produced.
- The performance meter and utility disconnect for grid tied systems will be installed in a location readily accessible by UNS Electric during normal business hours.
- Off-grid systems of capacity less than 10 kWac will not be metered. Compliance reporting production will be based on an annual 20% capacity factor.
- The tower used in the installation must be designed by an Arizona registered engineer and must be suitable for use with the wind generator. Tower installation must be designed and supervised by individuals familiar with local geotechnical conditions.
- To receive a UFI, the wind generator and system must be covered by a manufacturer's warranty of at least ten years. Otherwise the system will qualify for a PBI. In all cases, the wind system will have a material and labor warranty of at least five years.

Installation Guidance

- Location: a wind turbine hub should be at least 20 feet above any surrounding object and at least 28 feet above the ground within a 250-foot radius. Wind generators should be installed in locations with an elevation at or above the general elevation of the surrounding terrain.
- Lot Size: should be one-half acre at minimum. Municipalities and public facilities such as schools and libraries are exempt from the minimum lot size requirements.
- The proposed system for which application is made should be demonstrated by support information to obtain at least a 15% annual capacity factor. The following are readily available

¹ UNS Electric recommends review of the SWCC standards for rating small wind generators once they become available for purposes of supplanting the CEC requirement in this Technology Criterion.

methods for helping to demonstrate the potential for a 15% capacity factor, but other methods may be used. The installation location should have a demonstrated average annual wind speed of at least 10 MPH as measured at a height of no more than 50 feet above the ground. Average annual wind speed can be demonstrated by wind speed records from an airport, weather station, or university within 20 miles of the proposed wind generator location, or by a 50 meter wind power density classification of Class 2 "Marginal" or higher on the State of Arizona Average Annual Wind Resource Map dated July 16, 2005, or later as published by Sustainable Energy Solutions of Northern Arizona University. Northern Arizona University provides detailed wind resource maps as well as other resource services. For more information contact Northern Arizona University at <http://wind.nau.edu/maps/>.

Photovoltaic Systems

Equipment Qualifications

All Systems

- All UFI based systems shall be installed with a horizontal tilt angle of 0 degrees to 60 degrees, and an azimuth angle of +/- 100 degrees of due south. Installation configurations for some systems receiving a UFI will not be eligible for the full RECPP incentive. The reduction will be determined by the UNS Electric developed derating chart, Attachment B of this document, and as discussed further in this report under the section titled Conforming Project Incentives.
- A system must include a dedicated performance meter (on grid tied systems, supplied by UNS Electric) to allow for monitoring of the amount of electricity produced.
- Qualifying systems using Building Integrated Photovoltaic (BIPV) modules of total array capacity of 5 kWdc or less shall receive 90% of the UFI incentive value for PV systems listed in Attachment A. Systems using BIPV modules of total array capacity of greater than 5 kWdc shall only receive a PBI.
- Photovoltaic modules must be covered by a manufacturer's warranty of at least 20 years.
- Inverters must be covered by a manufacturer's warranty of at least ten years to receive a UFI and at least five years to receive a PBI.

Grid-Connected Systems

- The minimum PV array size shall be no less than 1,200 Wdc.
- All photovoltaic modules must be certified by a nationally recognized testing laboratory as meeting the requirements of UL Standard 1703.
- All other electrical components must be UL listed.
- The inverter must be certified as meeting the requirements of IEEE-1547 - Recommended Practice for Utility Interface of Photovoltaic Systems and it must be UL-1741 certified.
- The utility meter, inverter, and utility disconnect will be installed in a location readily accessible by UNS Electric during normal business hours.
- UFI based systems shall meet the requirements of Attachment A or Attachment C as appropriate.

Off-Grid Systems

- The minimum PV array size shall be no less than 600 Wdc and the maximum PV array size shall not exceed 2,000 Wdc.
- All photovoltaic modules must be certified by a nationally recognized testing laboratory as meeting the requirements of UL-1703.

- Off-grid systems will not be metered. Compliance reporting production will be based on an annual 20% capacity factor using nameplate DC rating for capacity.
- All other electrical components must be UL listed.

Installation Guidance

The Customer will be directed to the following resources to gain information regarding industry reference documents for system installation and performance forecasting:

The California Energy Commission's Guide to Buying a Photovoltaic Solar Electric System at http://energy.ca.gov/reports/2003-03-11_500-03-014F.PDF

The Arizona Consumers Guide to Buying a Solar Electric System at www.azsolarcenter.com/design/azguide-1.pdf

Solar Space Cooling

Equipment Qualifications

- The minimum cooling capacity of the system will be 120,000 BTU (10 tons) per hour.
- Solar collector panels used will have a Solar Rating and Certification Corporation ("SRCC") OG-100 rating or laboratory documentation showing the panel energy output under controlled and replicable test conditions.
- Energy savings and designed output for the system will be verified by submitting either a testing certification for a substantially similar system prepared by a publicly funded laboratory or by submitting an engineering report stamped by a registered professional engineer. The engineering report shall provide a description of the system and major components, design criteria and performance expectations, applicable standards and/or codes, and a brief history of components in similar applications.
- System must include a dedicated performance meter to allow for monitoring of the amount of heat input to the thermal cooling device or system. Energy production will be calculated at one kW-hr per 3,415 Btu of metered heat delivered to the thermal cooling device or system.
- The system will have a material and labor warranty of at least five years.

Installation Guidance

- The horizontal tilt angle of the collector panels should be between 20 and 60 degrees and an azimuth angle should be between +/- 45 degrees of south.
- All systems should be installed such that the energy collection system is substantially unshaded and should have substantially unobstructed exposure to direct sunlight between the hours of 9:00 a.m. and 3:00 p.m.
- The system installation should comply with the design manual.

Non-residential Solar Water Heating and Space Heating

Equipment Qualifications

- Solar collector panels used will have a SRCC OG-100 certification or laboratory documentation showing the panel energy output under controlled and replicable test conditions.
- If annual energy production is expected to exceed 10,000 kWh or equivalent, the system must include a dedicated performance customer supplied meter to allow for monitoring of the amount of useful heat produced. Otherwise, compliance reporting production will be based on the design energy savings submitted at time of application.
- Energy savings and designed output for the system will be verified by submitting either a testing certification for a substantially similar system prepared by a publicly funded laboratory or by submitting an engineering report stamped by a registered professional engineer. The engineering report shall provide a description of the system and major components, design criteria and performance expectations, applicable standards and/or codes, and a brief history of components in similar applications.
- The solar collector, heat exchangers and storage elements shall have an equipment warranty of at least 10 years to qualify for a UFI and at least five years to qualify for a PBI.
- The system will in all cases have a material and full labor warranty of at least five years.

Installation Guidance

- The horizontal tilt angle of the collector panels should be between 20 and 60 degrees (30 and 60 degrees for space heating applications) and an azimuth angle +/- 45 degrees of south.
- All systems should be installed such that the energy collection system is substantially unshaded and should have substantially unobstructed exposure to direct sunlight between the hours of 9:00 a.m. and 3:00 p.m.
- The system installation should comply with the design manual.

Small Domestic Solar Water Heating and Space Heating

Equipment Qualifications

- Domestic Solar Water Heating systems will be rated by the SRCC and meet the OG-300 system standard. Systems that include OG-100 collectors, but are not certified under OG-300, will need to be verified by submitting either a testing certification for a substantially similar system prepared by a publicly funded laboratory or by submitting an engineering report stamped by a registered professional engineer detailing annual energy savings. Solar Space Heating systems will utilize OG-100 collectors.
- Domestic Water Heating systems shall be selected and sized according to the geographic location and hot water needs of the specific application. Reservation requests will include a manufacturer's verification disclosing that the system size and collector type proposed is appropriate for the specific application, including certification that collector stagnation temperature shall never exceed 300 degrees Fahrenheit under any possible conditions at the location of the installation. The manufacturer's verification may be presented as a manufacturer's product specification sheet and will be included in the reservation request. Compliance reporting production will be based on the design energy savings submitted at time of application.

- Solar Space Heating systems will be sized in conformance with the Solar Space Heating Incentive Calculation Procedure (Attachment E.) Compliance reporting production will be based on the design energy savings submitted at time of application.
- Active, open-loop systems are not eligible for RECPP incentives except for active, open-loop systems that have a proven technology or design that limits scaling and internal corrosion of system piping, and includes appropriate automatic methods for freeze protection and prevents stagnation temperatures that exceed 250 degrees F. under all conditions at the location of installation. Details disclosing conformance with this exception shall be submitted as part of the manufacturer's verification documentation.
- Integrated Collector System ("ICS") systems shall have a minimum collector piping wall thickness of 0.058 inches. Details disclosing conformance with this requirement shall be submitted as part of the manufacturer's verification documentation. ICS units shall include certification that collector stagnation temperature shall never exceed 250 degrees F. under any possible conditions at the location of the installation.
- The 'high' limit on all Domestic Water Heating controllers shall be set no higher than 160 degrees F.
- Active thermal storage for solar space heating systems shall use water as the storage element.
- Contractors must provide a minimum of a five year equipment warranty as provided by the system manufacturer, including a minimum warranty period of five years for repair/replacement service to the customer.
- Domestic Water Heating systems that are installed as an addition to an existing system or are submitted as a customer designed system or not certified to OG-300 must be specifically reviewed and approved by the utility.
- The solar collector, heat exchangers and storage elements shall have an equipment warranty of at least 10 years to qualify for a UFI and at least five years to qualify for a PBI.

Installation Guidance

- The system shall be installed with a horizontal tilt angle between 20 degrees and 60 degrees (40 and 60 degrees for space heating applications), and an azimuth angle of +/- 60 degrees of due south (+/- 20 degrees for space heating applications). It is recommended that collectors be positioned for optimum winter heating conditions at a minimum tilt angle of 45 degrees above horizontal, or as recommended by the manufacturer for the specific collector type and geographic location of installation.
- All systems should be installed such that the energy collection system is substantially unshaded and should have substantially unobstructed exposure to direct sunlight between the hours of 9:00 a.m. and 3:00 p.m.
- Heat exchange fluid in glycol systems should be tested, flushed and refilled with new fluid as necessary or at a minimum every five years or sooner per manufacturer's recommendations.
- It is recommended that the anode rod be checked and replaced per manufacturer's recommendations, but no less frequently than every five years.
- It is recommended that the system design include a timer, switch, or other control device on the backup element of the storage tank.
- The collectors and storage tank should be in close proximity to the backup system and house distribution system to avoid excessive pressure or temperature losses.
- It is recommended that in areas where water quality problems are reported to have reduced the expected life of a solar water heater, that a water quality test is performed for each residence to

screen for materials that through interaction with the materials of the proposed solar water heating system may reduce the expected operational life of the system components. The customer should consider contacting the manufacturer to determine if warranty or operational life will be affected.

- In areas subject to snow accumulation, sufficient clearance will be provided to allow a 12" snowfall to be shed from a solar collector without shadowing any part of the collector.
- Each system shall have a comprehensive operation and maintenance manual at the customer's site, which includes a spare parts list, data sheets and flow diagrams indicating operating temperatures and pressures, maintenance schedules and description of testing methods and each customer must complete an initial start up and operation training review with the contractor at the time of system start up.
- Ball valves shall be used throughout the system. Gate valves shall not be used.
- Pipes carrying heated fluids shall be insulated for thermal energy conservation as well as personnel protection.

Technologies without Technology Specific Criteria and Non-Conforming Projects

Technology specific criteria have not yet been developed for the following qualifying technologies:

- Fuel Cells
- Non-Residential Pool Heating

For applicants requesting incentives for the above technologies or for applicants requesting installation of a technology with conforming project technology criteria, but where some criteria cannot be met, the applicant will need to submit design and output documentation.

Applicants installing these systems will, at a minimum, need to provide an energy savings and designed output report for the system. The report must include either a testing certification for a substantially similar system prepared by a publicly funded laboratory or an engineering report stamped by a qualified registered professional engineer. The engineering report and/or testing certification shall provide a description of the system and major components, design criteria and performance expectations, applicable standards and/or codes, and a brief history of components in similar applications. Additional information may be required as part of the RECPP requirements.

Distributed Renewable Energy Resource Incentives

Incentive Principles

RECPP incentives can be applied to systems designed to serve only the typical load of the customer with whom the incentive agreement has been established. The assessment of that typical load does not preclude the periodic production of electricity in excess of the customer's demand. Under some circumstances it is understood that select customer installations will be designed to serve loads greater than that of the customer. Under those circumstances, the RECPP incentive will be applied only to the fraction of the generation which is used to serve the typical customer load. Other incentives were developed separate and apart from other RECPP program incentives, such as those for demand side

management projects. Systems are not eligible to receive RECPP incentives if other utility incentives are applied.

Up-front incentives ("UFIs") are those incentives where the customer receives a one-time payment based on the system's designed capacity or based on the first year energy savings provided by the system. In general, this type of incentive is appropriate for smaller, 20 kWac or less, non-residential installations and all residential installations. The second incentive type is a production based incentive ("PBI"). The PBI allows the customer to collect incentive payments in direct relation to the actual system production. PBIs are most appropriate where the total system costs are large, of 20 kWac capacity or above.

Incentive funds can be applied to a project, which is the sum of all systems installed at a customer site in a single calendar year. A customer site is the sum of facilities and/or buildings associated with a single utility revenue meter.

A customer site can obtain a UFI for multiple projects, under separate reservations, up to 20,000 Wac capacity equivalent at each customer site. Once the sum of incentives for all project(s) exceeds the 20,000 Wac capacity equivalent limit, described below, incentives for additional projects will take the form of a PBI. This condition only applies to non-residential systems. No partial or split payment types are allowed under one project regarding a UFI or PBI.

All residential systems will be offered only a UFI, unless system warranty conditions will not qualify for a UFI in which case a PBI would apply. Residential customers will receive a UFI up to a cap of 20 kWac. If a residential system is installed above 20 kWac, UNS Electric will only provide an incentive payment for the first 20 kWac. Non-residential systems may receive either a UFI or a PBI, depending on the warranty period, technology and the installation size. UFIs were developed for technologies where the average project size results in a total single site renewable capacity equivalent installed less than or equal to 20,000 watts AC. PBIs were developed for technologies where the average project size results in a total single site installed capacity equivalent of more than 20,000 Wac. Both UFIs and PBIs were developed for technologies where projects can range in size. There is no incentive cap for non-residential systems other than annual program funding considerations.

In return for UNS Electric's payment of a UFI, UNS Electric will be given complete and irrevocable ownership of the RECs until December 31st of the 20th full calendar year after completion of installation of the system. Operational life during that time frame must be supported by system warranty or planned maintenance schedules.

UNS Electric's payment of a PBI will assure UNS Electric complete and irrevocable ownership of the REC for the full duration of the PBI agreement. The agreement duration must fully coincide with the PBI payment schedule and the system must be supported by system warranty or planned maintenance schedules for the term of the agreement.

Projects receiving a UFI can receive no more than 60% of the system cost in the total incentive payout. A PBI can not exceed 60% of the real project costs, defined as the undiscounted total system cost plus acceptable financing charges. Acceptable finance charges are finance charges used for the PBI incentive cap calculation and can not exceed the current prime interest rate plus 5%. Financing charges must be disclosed as part of the commissioning package, if not disclosed before.

It is expected that the UFI and PBI incentive caps as a percentage of system cost will decline in the third year of the program to 55%, and the caps will decline to 50% in the fifth year and beyond.

RECPP incentives in combination with other state and federal incentives make it likely that some renewable energy production systems would be free to the customer, or in the extreme, that the customer would realize a net profit from installing a system.

To prevent this result, UNS Electric requires that customers requesting incentives for these systems be required to contribute a minimum of 15 percent of the System Cost in the case of a UFI and of the Project Cost in the case of a PBI. As such, the incentive for all RECPP projects will be calculated as follows: assume the full application of all available incentives, not including the RECPP incentive, and regardless of the customer's ability to fully realize any particular incentive, add the customer contribution (15%), and finally add the RECPP incentive. If the RECPP incentive can be fully applied given the other incentive cap provisions without exceeding the System Cost in the case of a UFI or Project Cost in the case of a PBI, the customer will receive the full incentive amount. If the RECPP incentive cannot be fully applied without exceeding the System Cost in the case of a UFI or Project Cost in the case of a PBI, the RECPP incentive will be capped such as not to exceed the System Cost in the case of a UFI or the Project Cost in the case of a PBI. The incentive amount will be calculated at the time the application is approved for reservation. If federal or state incentives change during the period of time after the reservation approval, the incentive amount reserved will not be changed as long as the reservation is not cancelled.

Conforming Project Incentives

Conforming project incentives were developed to help create or expand incipient markets for distributed renewable energy production facilities, taking into account each technology's specific market conditions, and placing a significant portion of the cost on project owners. The incentives reflect specific input from each technology representative(s). Program incentives were generally not developed with specific consideration for other available state or federal incentives. Incentive caps detailed above were relied upon to account for the impact of multiple incentive sources.

In general, PBI incentive levels were developed first by establishing an incentive for a 10-year agreement. The incentives proposed by UNS Electric are detailed in Attachment D. UNS Electric proposes that the incentive matrix in Attachment D be applied for the first five years of the RECPP. In all cases, incentive values listed in Attachment D are maximum values. Applicants are encouraged to submit applications requesting incentive amounts less than the maximums listed. Applications requesting a lower level of incentive payment than the maximum will have an increased chance of acceptance in the allocation ranking process.

UNS Electric proposes that incentive types should transition to all PBI based incentives after 2012 and incentive levels should continue to decline in future program years. In the long term, incentives should be market based. UNS Electric also recommends that the declining incentives and proposed reductions be carefully reviewed prior to implementation.

Technologies with Special Incentive Considerations

Beyond the requirements of the technology specific criteria and the requirements of the incentive matrix, some technologies require additional project specific adjustment of the available incentives. Those specific requirements are detailed below.

Photovoltaic Systems

The productivity of photovoltaic systems is sensitive to the specifics of the installation method and location. In particular, these systems are impacted by shading, photovoltaic panel horizontal tilt angle and azimuth, and potentially regional conditions. These factors are particularly important as they relate to systems receiving UFI type incentives both in the amount of incentive received by the customer and in the computation of the capacity reported by UNS Electric.

UNS Electric has established a single incentive adjustment table clearly detailing adjustments for each allowable photovoltaic system configuration. UNS Electric will work to assure that the adjustment table is easily interpreted by consumers and installers. The incentive adjustment chart prepared by UNS Electric is included as Attachment B.

Small Domestic Solar Hot Water and Space Heating Systems

Accurately predicting appropriate incentive levels in support of system costs associated with small domestic solar hot water and space heating systems present a challenge. RECPP incentives in combination with other state and federal incentives make it likely that some systems would be free to the customer, or in the extreme, that the customer would realize a net profit from installing a system.

To prevent this result, UNS Electric proposes that customers requesting incentives for these systems be required to contribute a minimum of 15 percent of the system cost. As such, the incentive for small domestic solar hot water and space heating systems will be calculated as follows: assume the full application of all available incentives, not including the RECPP incentive, and regardless of the customer's ability to fully realize any particular incentive, add the customer contribution (15%), and finally add the RECPP incentive. If the RECPP incentive can be fully applied without exceeding the System Cost, the customer will receive the full incentive amount. If the RECPP incentive cannot be fully applied without exceeding the System Cost, the RECPP incentive will be capped such as not to exceed the System Cost.

Example:

$$\text{RECPP Incentive} \leq (\text{System Cost}) - (\text{Total of all Incentives})$$

Where:

$$\text{Total of all Incentives} = \text{Federal Incentives} + \text{State Incentives} + (15\% \text{ Customer Contribution})$$

For purpose of UFI calculation, System Cost for a solar space heating system will not include the cost of any passive thermal storage or the cost of the building heating system itself. It will include the cost of

new materials and installation of active thermal storage, expansion tanks, controls, tempering valves, piping, vents, drains, safety valves and all freeze protection.

Small Solar Space Heating System

There are several additional challenges associated with Solar Space Heating Systems. Variability in design for these systems generally suggested a high level of expertise was required to appropriately size and design the systems; yet the overall system cost seemed to require a standardized approach. In order to address this challenge, UNS Electric has adopted a standardized calculation method to support system sizing and incentive payment. The display page of the spreadsheet calculation is presented in Attachment E.

The solar space heating incentive calculation does not suggest or imply that a full energy audit is required to qualify for the solar space heating incentive. The intent is that industry professionals can utilize the calculation tool to aid in facilitating sound system design.

The effective use of the solar space heating incentive calculation is contingent on a Building Design Review. The Building Design Review calculations, inputs and outputs will be determined and specified as part of the reservation request. It is noted that stakeholder acceptance of the proposed calculation tool is conditioned on the future development of standardized design tools, potentially including input tables and charts.

UNS Electric believes that the proposed approach reflects sound design principles and uses inputs which should be available to professionals in this industry segment. UNS Electric does, however, recognize that the approach used in the standardized calculation is not currently universally applied. UNS Electric proposes that continuing efforts be made to develop standard input charts and tables to increase the efficiency of the method's application. In addition, it is the expectation of UNS Electric that the standard calculation can, in most instances, be implemented by practitioners in the solar space heating industry. UNS Electric supports industry collaborative efforts to increase technical knowledge development in this specific area.

RECPP Incentive Allocation

UNS Electric identified two primary program level allocations in conjunction with the RECPP. The first allocation is that associated with RECPP conforming projects. The second is that associated with RECPP non-conforming Projects.

Conforming Project Incentive Allocation

Beyond the allocation made by UNS Electric for purposes of funding conforming projects, UNS Electric also recommends an allocation framework within the conforming project allocation. UNS Electric designed the allocation framework with several key considerations in mind. The factors considered in developing project incentive allocations were as follows:

- Administrative ease
- Economic efficiency
- Consumer clarity and ease of understanding
- Establishment of a high degree of market certainty
- Encouragement of cost reductions in renewable energy technologies
- Flexibility sufficient to allow timely adaptations to changing market conditions
- Capability for making funds available in a timely manner, and
- Avoidance of excessive incentives

These considerations resulted in two different allocation frameworks, one for residential projects and one for non-residential projects. The allocation frameworks are described below.

Conforming Projects – Residential Incentive Allocation – 80% of Distributed Generation funds in 2009.

Funds for conforming residential projects will be divided into four quarters (Jan-Mar, Apr-Jun, Jul-Sep, and Oct-Dec). Funds within each quarter will be made available weekly for reservations on a first-come, first-served basis. However, applications received during a given week that request incentive funding levels below the maximum incentive values will receive priority for the allocation of funds available that week based on the lowest expected life cycle credit purchase cost as provided in the application and verified by UNS Electric. Reservation requests can be made throughout each quarter and will be reviewed and approved by the utility weekly as long as the quarterly funding has not been exhausted, assuming all other program requirements have been met.

Funds unused in one quarter will be equally divided among the remaining quarters in that year. Funds allocated to residential projects will not roll forward from one year to the next. If funds in one quarter are fully exhausted, funds for the following quarter will be made available at the start of the following quarter.

Reservations which are rejected as a result of insufficient funds will be offered the opportunity to retain their original reservation date for one additional quarter without the need to resubmit application documentation. If the incentive level has changed from the date of the original reservation to the date when the reservation is approved, the new incentive level shall be applied.

Conforming Projects – Non-residential Incentive Allocation – 20% of Distributed Generation Funds in 2009.

The non-residential incentive allocation framework allows market forces to play a major deciding role in the selection of projects when the volume of proposed projects exceeds the budget for non-residential projects. When the volume of proposed projects is relatively small so that the non-residential program is not fully subscribed, all conforming projects would be selected. In addition, a yearly review will be made to observe and review trends in requested and approved incentive levels. UNS Electric believes this element is important for the on-going management and potential adjustment of incentive levels as needed to respond to market conditions.

Non-residential funds will be equally divided into four quarters (Jan-Mar, Apr-Jun, Jul-Sep, and Oct-Dec). Funds within each period will be made available to projects based on a ranking generated by

lowest expected life cycle credit purchase cost as provided in the application and verified by UNS Electric. In the event of a tie in the ranking, when the program would be fully subscribed if both projects were given reservation status, funds will be awarded based on the date of receipt of the completed reservation request.

In each three-month period, reservation requests will be accepted, but they will be reviewed by the utility only after the conclusion of the three month period. Once reservation requests are fully ranked in each reservation period, notification of reservation approvals and rejections will be made in conformance with the rankings and available funding.

Funds unused in one period will be equally divided among the remaining periods in that year. Funds allocated to non-residential projects will not roll forward from one year to the next. Reservations which are rejected as a result of insufficient program funds may elect to carry forward into the next period and retain the original reservation date. The election must be made at the time of the original application.

Within each period, projects submitted to the utility for reservation will be ranked based on a calculated index value for purposes of allocating non-residential funds as proposed in the application and verified by UNS Electric. Lowest lifecycle cost projects will be funded first. Indexing of the non-residential projects will be performed based on the verified incentive values and terms in the application for that project. Projects with higher incentive payments result in a higher expected life cycle credit purchase cost and projects that produce more kWh result in a lower expected life cycle credit purchase cost.

Conforming Projects Fund Contributions Between Residential and Non Residential

Available funding will be split between residential and non-residential project classes. Initially 20% is being allocated to non-residential system incentives and 80% is being allocated to residential system incentives. This split will be reapplied each quarter if all funds are not reserved.

Non-Conforming Projects – Allocation: 0% of Distributed Generation Funds in 2009.

Non-conforming projects include, but are not limited to, projects with staged completion dates, multi-customer or multi-system projects, projects involving more than one technology where an interrelated incentive was not developed, projects requiring new or unique agreement terms, or projects requiring timelines differing from those offered to conforming projects. Non-conforming projects also include technologies for which a conforming incentive or technical qualifications were not developed at the time of this plan.

As detailed in the RECPP incentive allocation section of this plan, UNS Electric will disclose the allocation of funds for non-conforming projects in its implementation plan for the next year. UNS Electric will generally, but not always, include a minimum allocation to allow for the potential development of projects with technologies not included on the conforming project incentive matrix.

UNS Electric will apply a minimum of 50% and a maximum of 75% of the non-reserved, non-conforming project allocation to conforming project funding at the end of each calendar quarter. Unreserved non-conforming project allocations will not carry forward from one year to the next.

Incentives used for non-conforming projects must achieve similar economic efficiency as those incentives used in the conforming project category. Incentives applied for non-conforming projects must meet the lower of: 1) the maximum allowable incentive for the proposed technology as described in Attachment D, or 2) the average incentive value of projects accepted by UNS Electric for incentive disbursement for the proposed technology in the previous year.

Some qualifying technologies will not meet either of the previously described economic efficiency measures. Those applicants can negotiate the requested system or project incentive with UNS Electric. In no instance can the incentive exceed the highest calculated appropriate incentive payment value for projects approved by UNS Electric in the previous year.

Under some circumstances a non-conforming project may not identify the customer at project initiation. Regardless of the project design, implementation, or timeline, a customer must be identified at the time of system commissioning. Non-conforming funds will be disbursed upon filing by the customer and acceptance of project commissioning documentation by UNS Electric. For purposes of financing non-conforming projects, funds can be assigned to third parties.

Non-conforming systems must report system capacity (for up-front incentives) or production (for performance-based incentives) in general conformance with those same technologies as described in the conforming project requirements and be covered by similar warranties. For those technologies not described in the conforming project criteria, the reservation documentation must include details related to warranty, system capacity and anticipated annual production. Metering equipment must be made available to UNS Electric during normal business hours for inspection and reporting purposes.

Initially, no funding would be allocated to the Non-Conforming Project class; however, if Non-Conforming Project applications are received, unused funds from the Conforming Project Classes may be allocated to the Non-Conforming Project class. Alternatively, if sufficient interest in developing Non-Conforming Projects is demonstrated, they could be accepted into the Conforming Project class after development and acceptance of technical standards and appropriate incentive values; or UNS Electric could request a special project fund allocation for a specific Non-Conforming Project in its annual REST Tariff Adjustor Mechanism and Implementation Plan filing.

ATTACHMENT A

Application Process

System Qualifications

All solar electric generating Customer Systems must meet the following system and installation requirements to qualify for UNS Electric Company's ("UNS Electric" or the "Company") GreenWatts™ SunShare Hardware Buydown Program. Capitalized terms not defined herein shall have the meanings ascribed to them in the GreenWatts™ SunShare Program Hardware Buydown Agreement.

1. A Residential Customer System must have a total solar array nameplate rating of at least 1,200 watts DC and no more than 30,000 watts DC. Any Non-Residential Customer System must have a total solar array nameplate rating of more than 1,200 watts DC.
2. The Customer System components must be certified as meeting the requirements of IEEE-929 - Recommended Practice for Utility Interface of Photovoltaic Systems.
3. The Customer System components must be certified as meeting the requirements of UL-1741 - Power Conditioning Units for use in Residential Photovoltaic Power and be covered by a non-prorated manufacturer's warranty of at least two years.
4. Photovoltaic components must be certified as meeting the requirements of UL-1703 - Standard for Flat Plate Photovoltaic Modules and Panels Systems and be covered by a non-prorated manufacturer's warranty of at least 20 years.
5. The Customer System design and installation must meet all requirements of the latest edition of the National Electrical Code, including Article 690 and all grounding, conductor, raceway, over-current protection, disconnect and labeling requirements.
6. The Customer System and installation must meet the requirements of all federal, state and local building codes and have been successfully inspected by the building official having jurisdiction. Accordingly, the installation must be completed in accordance with the requirements of the latest edition of National Electrical Code in effect in the jurisdiction where the installation is being completed (NEC), including, without limitation, Sections 200-6, 210-6, 230-70, 240-3, 250-26, 250-50, 250-122, all of Article 690 pertaining to Solar Photovoltaic Systems, thereof, all as amended and superseded.
7. The Customer System must meet Company and Arizona Corporation Commission interconnection requirements for self-generation equipment.
8. The Customer System installation must meet the UNS Electric Service Requirements 2000 Edition, Page 1.20, as follows:

"AN AC DISCONNECT MEANS SHALL BE PROVIDED ON ALL UNGROUNDED AC CONDUCTORS and SHALL CONSIST OF A LOCKABLE GANG OPERATED


DISCONNECT CLEARLY INDICATING OPEN OR CLOSED. THE SWITCH SHALL BE VISUALLY INSPECTED TO DETERMINE THAT THE SWITCH IS OPEN. THE SWITCH SHALL BE CLEARLY LABELED STATING "DG SERVICE DISCONNECT."

9. The Customer System photovoltaic panels and modules must face within +/- 100 degrees of real south, and be completely unshaded from three hours after sunrise to three hours before sunset. System arrays which are facing at an azimuth angle of more than 20 degrees from true south or shaded for more than one hour per day will be subject to a reduced amount of buydown payment per Attachment B.
10. The Customer System photovoltaic panels and modules must be fitted at an angle of 0 degrees to 60 degrees from horizontal. System arrays which are fitted with an elevation angle of less than 20 degrees or more than 35 degrees above horizontal will be subject to a reduced amount of buydown payment per Attachment B.
11. For Residential Customer Systems, Company will provide a meter and meter socket that will be installed in a readily accessible outdoor location by the Customer between the DC to AC converter and the connection to the over-current device in the Customer's electric service panel. For Non-Residential Customer Systems, Company shall provide the meter only, to be installed in a Customer supplied meter socket to be installed in a readily accessible outdoor location by the Customer between the DC to AC converter and the connection to the over-current device in the Customer's electric service panel.
12. Storage Batteries are not allowed as part of the Customer System unless the inverter is a separate component and UNS Electric can locate the Solar Meter at the inverter's output. If configured otherwise, battery losses will adversely reflect in the annual AC metered energy output. Customer's solar energy generation and energy storage system must meet the requirements of 2 and 3 of this Attachment A.
13. Installation must have been made after January 1, 1997.
14. The Customer must be connected to the Company's electric grid, except for approved off-grid systems in conformance with the RECPP.
15. The DC to AC inverter used must provide maximum power point tracking for the full voltage and current range expected from the photovoltaic panels used and the temperature and solar insulation conditions expected in Tucson, Arizona.
16. The DC to AC inverter must be capable of adjusting to "sun splash" from all possible combinations of cloud fringe effects without interruption of electric production.
17. All Customer System installations must be completed in a professional, workmanlike and safe manner.
18. Total voltage drop on the DC and AC wiring from the furthest PV module to the AC meter will not exceed 2%.

19. PV panels and DC to AC inverter will be installed with sufficient clearance to allow for proper ventilation and cooling. At a minimum, manufacturer clearance recommendations will be observed. In no case will PV modules be mounted less than 4 inches above any surface and an additional inch of clearance for each foot of continuous array surface beyond four feet in the direction parallel to the mounting support surface.

ATTACHMENT B

SunShare PV Off-Angle & Shading Annual Energy Derating Chart



ATTACHMENT C

Supplemental Non-Residential System Qualifications

(Applicable Only for Customer Systems of Capacity Larger than 20,000 watts AC.)

1. All solar electric generating Non-Residential Customer Systems must meet the following additional system and installation requirements to qualify for UNS Electric Company's ("UNS Electric" or the "Company") GreenWatts™ SunShare Hardware Buydown Program. Capitalized terms not defined herein shall have the meanings ascribed to them in the GreenWatts™ SunShare Program Hardware Buydown Agreement.
2. The Non-Residential Customer System shall be operating, substantially complete and have produced an AC output at least 70% of the total array nameplate DC rating at PTC as described below.
3. Operation, Maintenance and Repair. The Customer shall be solely responsible for the operation, maintenance and repair of the Non-Residential Customer System and any and all costs and expenses associated therewith. Company will notify Customer of all Non-Residential Customer System repairs the Company determines are reasonably necessary to support proper continued electrical production of the Non-Residential Customer System. The Customer will notify the Company within five (5) business days of its receipt of any such Company repair notice if the repair requires the installation of a new inverter and/or PV module. The Customer shall complete any such repair that affects the Non-Residential Customer System performance and does not require the purchase of a new inverter or PV module(s) within five (5) business days of the Company's notice of the need for such repair. For any such repair that does require the purchase and installation of a new inverter and/or PV module, the Customer shall promptly commence and diligently pursue such repair to completion, provided, in no event shall such repair take more than thirty (30) days to complete. At all times while Company is receiving the environmental credits from the Non-Residential Customer System, Customer shall clean all PV modules in the Non-Residential Customer System as necessary to keep them free from foreign material that would visibly obscure the modules, including any dirt and/or oils.
4. Non-Residential Customer System Security. At all times during and after installation of the Non-Residential Customer System, the Customer shall use commercially reasonable efforts to provide adequate security to prevent damage or vandalism to the Non-Residential Customer System.
5. Company shall provide Customer with a revenue grade AC meter to be installed between the Non-Residential Customer System and the grid interconnection. This meter will not be used for billing, but shall be used for any official Non-Residential Customer System production output data. Company will retain ownership of the meter and be responsible for its repair if needed.
6. Customer shall provide Company with all documentation reasonably requested by Company to demonstrate to the Commission that any environmental credits transferred under the Agreement were derived from an eligible technology, that the kWh generated are accurately reported and that the environmental credits have not expired or been used by any other entity for any purpose.

7. If certified proof can not be provided of complete galvanic isolation of any and all DC from the AC output of the inverter(s) used in the Non-Residential Customer System through IEEE-1547 certification of the inverter, the Non-Residential Customer System shall include an isolation transformer installed between the inverter(s) and the grid interconnection. The transformer will be rated at full load continuous operation at 50 degrees C. at 125% of nameplate DC array rating and have an efficiency rating at nameplate DC array rating power of at least 98% as tested. The transformer will have at least one tap each of 2.5% and 5% both above and below the nominal voltage tap.

ATTACHMENT D

RECPP – CONFORMING PROJECT INCENTIVE MATRIX

2009 Program Year

Technology/Application	UP FRONT INCENTIVE ¹ 20-Year REC Agreement	10-Year REC Agreement ² 10-Year Payment (\$/kWH)	15-Year REC Agreement ² 15-Year Payment (\$/kWH)	20-Year REC Agreement ² 20-Year Payment (\$/kWH)
BIOMASS/BIOGAS (Electric)	NA	0.060	0.056	0.054
BIOMASS/BIOGAS – CHP (Electric) ³	NA	0.035	0.032	0.031
BIOMASS/BIOGAS – CHP (Thermal) ³		0.018	0.017	0.016
BIOMASS/BIOGAS (thermal)	NA	0.015	0.014	0.013
BIOMASS/BIOGAS (cooling)	NA	0.032	0.030	0.029
DAYLIGHTING (Non-Residential)	\$0.20/kWH ⁷ See this note for clarification	NA	NA	NA
GEOTHERMAL – (electric)	NA	0.024	0.022	0.022
GEOTHERMAL – (thermal)	1.00/Watt	0.048	0.045	0.043
GEOTHERMAL – (cooling)	NA	0.032	0.030	0.029
SMALL HYDRO	NA	0.060	0.056	0.054
SMALL WIND (grid-tied) ⁴	\$2.50/Watt AC	0.145	0.135	0.130
SMALL WIND (off-grid) ⁴	\$2.00/Watt AC	0.116	0.108	0.104
SOLAR ELECTRIC:				
RESIDENTIAL (GRID-TIED)	\$4.50/Watt DC ⁸	0.202	0.187	0.180
Non-Residential (Grid-Tied) 20 kW or less	\$2.50/Watt DC ⁸	0.202	0.187	0.180
NON-RESIDENTIAL (GRID-TIED) More than 20 kW	NA	0.202	0.187	0.180
RESIDENTIAL (OFF-GRID)	\$2.00/Watt DC ⁸	NA	NA	NA
NON-RESIDENTIAL (OFF-GRID)	NA	0.121	0.112	0.108
SOLAR SPACE COOLING ⁵	NA	0.129	0.120	0.115
SOLAR WATER HEATING/SPACE HEATING ⁵ (Non-Residential)	NA	0.057	0.052	0.051
RESIDENTIAL SOLAR WATER/SPACE HEATING ⁶	\$1,500.00 plus \$0.50/kWH to a maximum of \$3,500.00 ^{9, 10}	0.057	0.052	0.051
NON-RESIDENTIAL POOL HEATING	NA	0.012	0.011	0.011

RECPP – CONFORMING PROJECT INCENTIVE MATRIX

2010 and 2011 Program Year

	UP FRONT INCENTIVE ¹			
Technology/Application	20-Year REC Agreement	10-Year REC Agreement ² 10-Year Payment (\$/kWh)	15-Year REC Agreement ² 15-Year Payment (\$/kWh)	20-Year REC Agreement ² 20-Year Payment (\$/kWh)
BIOMASS/BIOGAS (Electric)	NA	0.054	0.050	0.048
BIOMASS/BIOGAS – CHP (Electric) ³	NA	0.032	0.029	0.028
BIOMASS/BIOGAS – CHP (Thermal) ³		0.016	0.015	0.014
BIOMASS/BIOGAS (thermal)	NA	0.014	0.013	0.012
BIOMASS/BIOGAS (cooling)	NA	0.029	0.027	0.026
DAYLIGHTING (Non-Residential)	\$0.18/kWh ⁷ See this note for clarification	NA	NA	NA
GEOTHERMAL – (electric)	NA	0.022	0.020	0.019
GEOTHERMAL – (thermal)	0.90/Watt	0.044	0.040	0.039
GEOTHERMAL – (cooling)	NA	0.029	0.027	0.026
SMALL HYDRO	NA	0.054	0.050	0.048
SMALL WIND (grid-tied) ⁴	\$2.25/Watt AC	0.131	0.121	0.117
SMALL WIND (off-grid) ⁴	\$1.80/Watt AC	0.105	0.097	0.094
SOLAR ELECTRIC:				
RESIDENTIAL (GRID-TIED)	\$4.00/Watt DC ⁸	0.182	0.168	0.162
Non-Residential (Grid-Tied) 20 kW or less	\$2.25/Watt DC ⁸	0.182	0.168	0.162
NON-RESIDENTIAL (GRID-TIED) More than 20 kW	NA	0.182	0.168	0.162
RESIDENTIAL (OFF-GRID)	\$1.80/Watt DC ⁸	NA	NA	NA
NON-RESIDENTIAL (OFF-GRID)	NA	0.109	0.101	0.097
SOLAR SPACE COOLING ⁵	NA	0.116	0.108	0.104
SOLAR WATER HEATING/SPACE HEATING ⁵ (Non-Residential)	NA	0.051	0.047	0.045
RESIDENTIAL SOLAR WATER/SPACE HEATING ⁶	\$1,350.00 plus \$0.45/kWh to a maximum of \$3150.00 ^{9, 10}	0.051	0.047	0.045
NON-RESIDENTIAL POOL HEATING	NA	0.011	0.010	0.010

RECPP – CONFORMING PROJECT INCENTIVE MATRIX

2012 and 2013 Program Year

Technology/Application	UP FRONT INCENTIVE ¹	10-Year REC Agreement ²	15-Year REC Agreement ²	20-Year REC Agreement ²
	20-Year REC Agreement	10-Year Payment (\$/kWh)	15-Year Payment (\$/kWh)	20-Year Payment (\$/kWh)
BIOMASS/BIOGAS (Electric)	NA	0.046	0.043	0.041
BIOMASS/BIOGAS – CHP (Electric) ³	NA	0.027	0.025	0.024
BIOMASS/BIOGAS – CHP (Thermal) ³		0.014	0.013	0.012
BIOMASS/BIOGAS (thermal)	NA	0.011	0.011	0.010
BIOMASS/BIOGAS (cooling)	NA	0.025	0.023	0.022
DAYLIGHTING (Non-Residential)	\$0.15/kWh ⁷ See this note for clarification	NA	NA	NA
GEOHERMAL – (electric)	NA	0.019	0.017	0.017
GEOHERMAL – (thermal)	0.77/Watt	0.037	0.034	0.033
GEOHERMAL – (cooling)	NA	0.025	0.023	0.022
SMALL HYDRO	NA	0.046	0.043	0.041
SMALL WIND (grid-tied) ⁴	\$1.91/Watt AC	0.111	0.103	0.099
SMALL WIND (off-grid) ⁴	\$1.53/Watt AC	0.089	0.082	0.080
SOLAR ELECTRIC:				
RESIDENTIAL (GRID-TIED)	\$3.30/Watt DC ⁸	0.154	0.143	0.138
Non-Residential (Grid-Tied) 20 kW or less	\$1.91/Watt DC ⁸	0.154	0.143	0.138
NON-RESIDENTIAL (GRID-TIED)	NA	0.154	0.143	0.138
More than 20 kW				
RESIDENTIAL (OFF-GRID)	\$1.53/Watt DC ⁸	NA	NA	NA
NON-RESIDENTIAL (OFF-GRID)	NA	0.093	0.086	0.083
SOLAR SPACE COOLING ⁵	NA	0.099	0.092	0.088
SOLAR WATER HEATING/SPACE HEATING ⁵ (Non-Residential)	NA	0.043	0.040	0.039
RESIDENTIAL SOLAR WATER/SPACE HEATING ⁶	\$1,200.00 plus \$0.325/kWh to a maximum of \$2,500.00 ^{9, 10}	0.043	0.040	0.039
NON-RESIDENTIAL POOL HEATING	NA	0.009	0.009	0.008

Notes:

- 1) Residential projects are eligible for an up front incentive (UFI). UFI payments can not exceed 60% of the cost of renewable energy equipment.
- 2) Non-residential under 20 kW is preferably UFI but can be a PBI. Non-residential 20 kW and greater is PBI only. The total of payments under a production based incentive can not exceed 60% of the project costs for any project.
- 3) The CHP incentives may be used in combination for the appropriate components of one system.
- 4) This PBI applies to a maximum system size of 100 kW. Larger wind systems may apply for incentives as NCP.
- 5) The solar space heating and cooling incentives may be used in combination for the appropriate components of one system.
- 6) This category includes both traditional water heating and those systems combined with residential solar water heating used for space heating. Space heating applications require a report detailing energy saving for the complete system.
- 7) Rate applies to measured first five years of energy savings only. Payments are made over a five year period.
- 8) Some UFI based installations will require an adjustment of the incentive as detailed in the PV Incentive Adjustment Chart.
- 9) Energy savings rating is based on the SRCC OG-300 published rating or the UNS Electric-RECPP Space Heating Calculator. The customer contribution must be a minimum of 15% of the project cost after accounting for and applying all available Federal and State incentives.
- 10) Rate applies to forecast/measured first year energy savings only.
NA – Not Available

ATTACHMENT E

Solar Space Heating UFI Incentive Calculation Procedure.

In Advance, please perform the Design Review and Utility Bill Review (if Applicable) for numbers to enter in Steps #1, #2 and #5.

Elevation Zone Table:

Min Elevation	Max Elevation	Heating Season Days	Daily Panel Heat Output
-1000	1000	105	0
1001	3000	140	0
3001	5000	175	0
5001	7000	210	0
7001	9000	245	0
9001	11000	280	0

Collector Thermal Performance Rating

Data From OG-100 Sheet

Category:	Delta T	Clear Day
A	-9 Deg. F.	0
B	+9 Deg. F.	0
C	+36 Deg. F.	0
D	+90 Deg. F.	0
E	+144 Deg. F.	0

Enter Solar Panel Make and Model Number Selected for Project:

Step #1:	Enter the result of the Design Review of the Design Annual Building Loss =	0	BTU/Year
Step #2:	Enter the result of the Utility Bill Review of the Actual Annual Building Loss: (If not Electric, Natural Gas or Propane Heat, enter 0) =	0	BTU/Year
Step #3:	Calculate the Lesser of the Result in Step #1 & Step #2 = This is the Annual Building Heat Requirement.	0	BTU/Year
Step #4:	Enter Elevation of the Solar Space Heated Building:	0	Feet AMSL
Step #4 cont:	Number of Heating Days per Heating Season from Elevation Zone Table:	105	Days per Year
Step #4 cont:	Calculate Average Daily Building Heat Requirement =	0	BTU/Day
Step #5:	Enter Passive Heat Storage Specific Heat Capacity from Building Design Review:	0	BTU/Deg. F.
Step #5 cont:	Enter Maximum Daily Room Temperature Variation Allowed by Building Occupants: (Max of 10 Degrees F.)	0	Degrees F.
Step #5 cont:	Calculate Maximum Passive Heat Storage Capacity =	0	BTU
Step #5 cont:	Enter Total Active Heat Storage Heat Capacity from Building Design Review:	0	BTU
Step #5 cont:	Calculate Maximum Total Heat Storage Capacity =	0	BTU
Step #6:	Calculate the Lesser of the Average Daily Building Heat Requirement in Step #4 and the Maximum Total Storage Capacity in Step #5. This is the Maximum Useful Daily Solar Heat Input.	0	BTU/Day
Step #7:	Size the Solar Panels based on a total daily solar heat input no greater than the Maximum Useful Daily Solar Heat Input. Enter the single panel SRCC OG-100 Collector Thermal Performance Rating data in the Table Above.	0	BTU/Day per Panel
Step #7 cont:	Enter the Total number of solar panels to be installed:	0	# of Panels
Step #7 cont:	Calculate the Average Expected Daily Solar Heat Input:	0	BTU/Day
Step #8:	Calculate the Expected Annual Useful Solar KWH Heat Input using the Number of Heating Days times the Average Expected Daily Solar Heat Input / 3415 BTU/KWH:	0	KWH/Year
Step #9:	Enter the UFI per first year KWH UCPP Incentive Rate:	\$0.75	\$/KWH
Step #9 cont:	Calculate the Total Maximum UFI Payment Subject to Possible Limitation by the 50% of Initial Cost Cap & 15% Minimum Customer Contribution:	\$0.00	\$
Step #10:	Enter the Total Solar Space Heating System Initial Cost: This should not include costs for Passive Heat Storage or Building Heating System.	\$0.00	\$
Step #10 cont:	Calculate the Total Expected Federal and Arizona Incentives for this Project:	\$0.00	\$
Step #10 cont:	Calculate the 15% minimum of the Total Solar Space Heating System Initial Cost to be paid by Customer	\$0.00	\$
Step #10 cont:	Calculate the Total Actual UFI Payment:	\$0.00	\$

Exhibit 4

UNS Electric, Inc. Uniform Credit Purchase Program

Renewable Energy Credit Purchase Program

(RECPP)

Definition

2009 – 2013

Best Value Plan

UNS Electric, Inc. Renewable Energy Credit Purchase Program (RECPP)

UNS Electric, Inc. ("UNS Electric" or the "Company") is committed to assisting our customers develop their own renewable generation resources, through a balanced and supportive renewable energy distributed generation incentive program. Our goal is to create a program that will provide incentives for affordable, environmentally sensitive, customer-sited renewable energy generation systems to supplement UNS Electric customer's energy needs. A properly designed system, matched to a customer's energy use, will provide a reduction in utility bills through the use of renewable resources. This program reflects our commitment to reduce the cost of developing renewable energy resources.

Defined Terms

ACC – Arizona Corporation Commission.

AZROC – Arizona Registrar of Contractors.

Applicant – Utility customer of record for the Utility Revenue Meter located at the installation site; a builder of the structure (residential or non-residential) who will reserve and install the Qualifying system; or for an off-grid Qualifying System, the property owner for the installation site located within a Utility's service territory.

Arizona Business License – A business license issued by the ACC.

Cancelled – Reservation Status indicating that a Reservation has been terminated, funding is no longer allocated, and the utility has removed the reservation from the funding queue.

Cancellation – The termination of the Reservation.

Commissioned – Qualifying System certified to be in operation.

Commissioning Package – Written verification signed by the installer and the customer confirming that the system has been installed in conformance with the approved reservation and that the system is ready for operation.

Conforming Project – Any project utilizing a renewable technology listed in Attachment D.

Conformance Inspection – Inspection performed by the utility to verify that the system has been installed and operates in conformance with the Reservation application.

Customer – Utility customer of record for the Utility Revenue Meter located at the installation site or a builder of the structure (residential or non-residential) who will reserve and install the Qualifying System.

Extension – The extension of the Reservation Timeframe.

Installer – The entity or individual responsible for the installation of a qualifying system.

Interconnection Inspection – Inspection performed by the utility to confirm that the system can be safely interconnected to the power grid.

Non-Conforming Project – Non-conforming projects include, but are not limited to, projects with staged completion dates, multi-customer or multi-system projects, projects involving more than one technology, projects requiring new or unique agreement terms, projects with technologies for which qualification standards have not been developed or projects requiring non-standard timeframes.

Performance Based Incentive (“PBI”) – Incentive based on a rate per kWh output or equivalent kWh of energy savings.

Project Costs – System Costs plus financing costs.

Proof of Project Advancement – Documentation demonstrating that a project is progressing on schedule and is staged for Commissioning on or before the end of the Reservation Timeframe.

Qualifying System – Distributed renewable energy systems meeting the qualifications for production of qualified Renewable Energy Credits in Arizona acceptable to the Arizona Corporation Commission as they may be defined for affected utilities to meet any renewable energy standards.

Renewable Energy Credit (“REC”) – One Renewable Energy Credit is created for each kWh, or kWh equivalent for non-generating resources, derived from an eligible renewable energy resource. RECs shall include all environmental attributes associated with the production of the eligible renewable energy resource.

Reservation – A dollar amount committed by the utility to fund a project if all program requirements are met.

Reservation Status – Indicator relating to approval or denial of a Reservation request. If a Reservation is approved, the Reservation Status is Reserved. If a Reservation request is denied, the Reservation Status is either Cancelled or Wait Listed.

Reserved – Status indicating the acceptance of a Reservation request.

Reservation Timeframe – The duration of the utility’s funding commitment for a Reservation.

System Costs – Costs associated with the Qualifying System components, direct energy distribution, system control/metering, and standard installation costs directly related to the installation of the Qualifying System.

Up Front Incentive (UFI) – One time incentive payment based on system capacity or estimated energy kWh production rather than on measured system output.

Wait List – Status indicating Applicant has met program requirements, but the Utility has insufficient funding to commit to funding the project.

UNS Electric, Inc. Renewable Energy Credit Purchase Program (RECPP) Review Panel

UNS Electric will participate in a RECPP Review Panel for ongoing review and modification of all Renewable Distributed Generation programs, as prescribed by the ACC. UNS Electric believes that the Review Panel making recommendations to modify all UNS Electric renewable programs is critical to its ultimate success. Program elements may need to be adjusted to reflect new information, changing market conditions, incorrect initial assumptions, or technological innovations.

Panel Structure and Function

The Review Panel will be a five member panel created and maintained to provide on-going review of all renewable distributed generation program modifications and to efficiently facilitate incorporation of features that increase program efficacy as more information is gained by program implementation. The panel will make recommendations to the UNS Electric Renewable Energy program management for review and potential program incorporation.

The panel make-up includes one representative from the ACC staff, two representatives from the Tucson area renewable distributed generation industry, and two representatives from UNS Electric. The industry representatives should not exceed one each from a technology type and should reflect the diversity of technologies and consumer types available in the Mohave County or Santa Cruz County areas.

No renewable distributed generation industry representative shall serve more than one, four-year term.

The Review Panel shall make recommendations for consideration on the following subjects:

- Adjustment of incentive structures to reflect market response
- Process related issues that affect market function
- Development of new conforming incentives, as necessary
- Arbitration of incentive or program borne conflicts


The Review Panel should meet twice per year (or more often as necessary) to assess the items related to the above-described purpose. The Review Panel will review input from stakeholders on items before it for consideration, and it is anticipated that on occasion stakeholders may be consulted by the Review Panel to provide additional input. Upon full consideration of an item, the Review Panel will vote on adoption of the specified recommendation. A super-majority majority vote of at least four affirmative votes on a subject would result in a recommendation for consideration and potential incorporation into the RECPP.

Process Map – Conforming Projects

UNS Electric mapped the RECPP process for conforming projects to illustrate the flow of information between the applicant and UNS Electric. The following sections reflect the recommended process flow.

Step 1 – Reservation Request and Assignment of Reservation Status

UCPP CONFORMING PROJECTS PROCESS MAP



Process Map Description – Step 1


The first input UNS Electric receives from the customer is the reservation request. UNS Electric will review the reservation request to ensure the application conforms to program requirements. Residential reservation requests are processed on a first-come, first-served basis. Non-residential reservation requests are assigned a rank based on the lowest expected life cycle credit purchase cost. Additional detail on non-residential reservations is provided in the incentives section of this report.

After reviewing the reservation request, UNS Electric will assign a reservation status. If the reservation request is approved, UNS Electric will send a confirmation to the applicant. If the reservation request is denied because the request is not in compliance with program requirements, UNS Electric will send

notification to the applicant of the discrepancies and that the request will be cancelled. Similarly, if the reservation request is denied because funding is not available, UNS Electric will send a notification to the applicant that the request will be placed on a waiting list.

Residential reservation requests will be reviewed within 30 days of the utility's receipt of the request. Non-residential reservation requests will be reviewed within 90 days of UNS Electric's receipt of the request. Further detail relating to reservation periods is provided under the section titled Incentive Allocation.

Step 2 – Proof of Advancement Process Map



Process Map Description – Step 2

The applicant must submit proof of advancement to UNS Electric to retain his or her reservation within the timeframes outlined below. At a minimum, the Proof of Project Advancement documentation for a non-residential application greater than 20 kWac will include:

- A project agreement (between customer and installer);
- An executed installation agreement including all project participants;
- Building and/or construction permits and/or a full set of design development or construction drawings (80% or more complete); and
- An executed interconnection agreement (if applicable).


Residential customers and non-residential customers installing a renewable energy system with rated production capacity of 20 kWac or less must provide copies of City/County inspection permits to UNS Electric.

The timeline for proof of project advancement is based on the date of reservation confirmation and must be provided by the customer in accordance with the following schedule:

Residential	Non-Residential $\leq 20,000$ watts AC capacity equivalent	Non-Residential $> 20,000$ watts AC capacity equivalent
60 Days	60 Days	120 Days

If proof of project advancement is not received within the specified timeframe, the customer will be notified that the reservation is cancelled. The applicant has the option to reapply for funding after the reservation has been cancelled. The request will be processed in the same manner as a new project reservation and will be contingent upon availability of funding.


Step 3 – Interconnection Inspection (for Grid-Tied Qualifying Systems with capacity larger than 20 kWac)



Process Map Description – Step 3

Non-residential grid-tied qualifying systems of electrical generating capacity larger than 20 kWac must submit to and pass an interconnection inspection before the system can be commissioned. UNS Electric conducts the interconnection inspection and will notify the applicant of the results of the inspection. If the system passes the inspection, the application retains the reservation. The applicant can keep the reservation even if the system fails the initial inspection, as long as the deficiency is remedied within the defined reservation timeframe described in Step 2.

Step 4 – System Commissioning For Non-Residential Systems with capacity Larger Than 20 kWac



Process Map Description for System Commissioning Non-Residential Customers – Step 4

After the Non-Residential system has been commissioned, the applicant must submit a commissioning package to UNS Electric. UNS Electric will review the commissioning package and confirm that all program requirements have been met, including passing the interconnection inspection. For systems with capacity larger than 20 kWac, UNS Electric may, at its discretion, perform a conformance inspection of the system. UNS Electric will notify the applicant of the scheduled conformance inspection and the applicant must make the system available for inspection. In some cases, an incentive payment may not be issued until after a qualifying system has passed the conformance inspection.


Residential customers and non-residential customers with systems of capacity 20 kWac and less will notify UNS Electric that their installation is complete. UNS Electric will perform an acceptance test to verify installation and system performance after receiving copies of City/County permit.

Residential customers and non-residential customers with systems of capacity 20 kWac and less, who are receiving a UFI payment, and have met all program requirements, will receive the incentive payment within thirty days of successful acceptance. After UNS Electric issues the UFI payment to the

applicant, UNS Electric is assigned exclusive rights to all the RECs associated with the generation produced from the qualifying system for a period of not less than twenty years.

Systems receiving PBI payments will report production, receive payment, and release all RECs in conformance with the detail described in this report under the sections titled *Procedures for Production Based Incentives and Distributed Generation Incentives*.

Conditionally Required SUNS Electric - Cancellations



Process Map Description – Cancellations

Unless an extension is granted, as described below, a reservation request will be cancelled if all program requirements have not been met with the reservation timeframe.

The reservation timeframe is determined in accordance with the following schedule:

Residential	Non-Residential ≤ 20,000 watts ac capacity equivalent	Non-Residential > 20,000 watts ac capacity equivalent
180 Days from Reservation Confirmation Date	180 Days from Reservation Confirmation Date	365 Days from Reservation Confirmation Date

UNS Electric will notify the applicant of the pending cancellation in accordance with the following schedule:

Residential	Non-Residential ≤ 20,000 watts ac capacity equivalent	Non-Residential > 20,000 watts ac capacity equivalent
30 Days Prior to Cancellation	30 Days Prior to Cancellation	60 Days Prior to Cancellation

Extensions

UNS Electric will grant an extension for up to 90 days following timely receipt of a customer's request for extension. UNS Electric may approve written extension requests detailing the conditions for delay for periods beyond 90 days under extenuating circumstances.

Operations Monitoring

All customers receiving renewable energy self-generation incentives are obligated to report system production to UNS Electric in accordance with the reporting schedule established in the program agreement between UNS Electric and the customer. UNS Electric, at its option, may perform periodic inspection of the system for operation, metered production, and reporting purposes.

Procedures for Production Based Incentives

Each project eligible for a PBI requires a project agreement between the applicant(s) and UNS Electric that will detail the assignment of energy and RECs and the assignment of payment. All PBI Project Agreements will include the following requirements:

1. Meters certified according to the UNS Electric standards that provide readings in kWh will be provided by UNS Electric as part of the system commissioning package.
2. Quarterly meter reads will be performed by UNS Electric and quarterly payments will be made to the assigned payee within 30 days, based on quarterly kWh production. If the payment due is less than \$25.00, it will be held for the next payment period.
3. PBI payments will begin with the first quarterly production following receipt of the completed system commissioning package and commissioning test, if required, and continue for the life of the agreement term. As part of this provision, it is understood that systems commissioned mid-quarter will receive payment only for the production of that partial quarter.

Installer Qualifications

All systems receiving incentives under the RECPP must be installed by a qualified installer. The following requirements must be submitted by the applicant as part of the reservation request. UNS Electric will verify that the installer meets the following minimum qualifications prior to confirming a reservation request:

1. The installer must possess a valid license on file with the AZROC with a license classification appropriate for the technology being installed or the installer must identify use of a contractor holding an appropriate license on file with the AZROC for the technology being installed. A copy of the AZROC license must be provided as part of the reservation request.

2. The installer must possess an Arizona business license that is active and in good standing.

Installers may request that the above information be retained on file with UNS Electric; however, under this option the installer must certify that the information on file remains current with the submission of each reservation request. Information on file must be renewed yearly.

Installations By Customer (Residential Photovoltaic and Wind Only)

Residential customers may self-install photovoltaic ("PV") and wind generators of capacity not to exceed 10 kWac providing they adhere to all applicable codes and standards. The customer installed systems are eligible for an incentive equal to 70% of the standard UFI, as otherwise listed in the incentive table, Attachment D. UNS Electric reserves the right to withdraw this self-install qualification condition at any time in the future, if UNS Electric finds self-installations are not adhering to the applicable codes and standards or are found to be of poor quality workmanship.

Energy Reporting

UNS Electric will report on the productivity of all RECPP distributed renewable energy resource systems within the format of the annual renewable energy Compliance Report to the ACC. For PBI systems, UNS Electric will report on the actual metered production of each system as reported by the customer and confirmed by UNS Electric. For systems receiving a UFI, UNS Electric will report on the total installed capacity and metered production.

System Removal

If receiving a UFI, customer shall not remove the Qualifying System or any components thereof from the premises until December 31st of the 20th full calendar year following completion of system installation of the renewable energy system, without express agreement of UNS Electric. If receiving a PBI, customer shall not remove the Qualifying System or any components thereof from the premises until the last day of the final month of the final full calendar year of the applicable incentive payment term in the Agreement following completion of system installation of the renewable energy system, without express agreement from UNS Electric. If customer removes the Qualifying System in violation of this provision, customer shall immediately reimburse UNS Electric all incentive amounts paid by UNS Electric to customer or on behalf of customer to an authorized third party.

In addition, if a Qualified System is removed, UNS Electric shall monitor that specific customer site to ensure that an additional incentive is not provided for any new distributed renewable energy resource system on that site until the REC contracted operational life of the original system has been completed.

UNS Electric shall attempt to monitor the number of missing or non-working distributed generation systems and shall summarize its observations in its annual Compliance Report.

Qualifying Distributed Renewable Energy Resource Technologies – Technology Criteria

The following technology criteria are not intended to preclude the participation of any renewable energy technology approved for implementation under the RECPP. These criteria are aimed at detailing those technologies or application segments within a technology which have been reviewed in detail by UNS Electric and were accepted as eligible conforming projects for the RECPP. In addition, the following sections provide detail on those criteria required by participating technologies.

General Criteria

UNS Electric acknowledges that many regulations and site specific requirements may apply to the installation of any one renewable energy technology. UNS Electric agrees that no requirement imposed by these technology criteria shall be imposed in conflict with any other governmental requirements. Any RECPP based requirement which is in conflict with a site specific governmental requirement shall be detailed in the reservation request. All qualifying systems must adhere to the following requirements in addition to the RECPP program requirements:

- The project must comply with applicable local, state, and federal regulations.
- Products must be installed according to manufacturers' recommendations.
- Installations must meet applicable governmental statutes, codes, ordinances, and accepted engineering and installation practices.
- Systems must be permitted and inspected by the jurisdiction having authority over construction projects in the customer's locale.
- All major system components must be new and must not have been previously placed in service in any other location or for any other application.
- All renewable electricity generation systems must include a dedicated performance meter (provided by UNS Electric) which allows for measurement of system energy production. Certain other non-electric renewable energy production systems, noted below, will require customer supplied metering for PBI payment calculation purposes.
- If the qualifying system is grid-tied, the system must meet Arizona Corporation Commission Interconnection Requirements for Self-Generation Equipment.

Referenced standards

Some technology-specific criteria reference third party standards. The requirements of those standards are fully applicable when referenced as part of technology specific criteria. UNS Electric notes that rapid growth in national and international renewable energy programs is resulting in greater need for the development of standardization in such areas as: design, implementation, performance measurement, system integrity, and installation. UNS Electric recognizes that new standards are likely to develop in the near future for technologies included in the RECPP and recommends that the new standards are examined for application in this program definition as they become available. The following standards or standard development bodies are referenced as part of the recommended technology criteria:

- The Active Solar Heating Systems Design Manual developed by the American Society of Heating, Refrigerating, and Air Conditioning Engineers, Inc. ("ASHRAE") in cooperation with the Solar

Energy Industries Association ("SEIA") and the ACES Research and Management Foundation (the Design Manual).

- Arizona State Boiler Regulations (see R4-13-406).
- The select technology specific qualification developed by the California Energy Commission ("CEC").
- Solar Rating and Certification Corporation ("SRCC"). The SRCC criteria and ratings can be viewed at www.solar-rating.org.
- The Underwriters Laboratory ("UL").
- IEEE -929 standard for utility interconnection of PV systems.

Technology Specific Criteria

The following equipment qualifications listed are mandatory requirements which must be met at the time of project commissioning to receive a RECPP incentive. The installation guidance is intended to provide consumers with information on installation and operation practices which are most likely to support achieving the system's designed output. Installation guidance is mandated in order for a project to receive a RECPP incentive, as it does reflect both industry and UNS Electric concurrence on those practices which are important for a technology to best achieve the designed output. In the future, additional installation guidance items may be considered for inclusion as part of the equipment qualifications.

Biomass/Biogas, Hydro or Geothermal Electric

Equipment Qualifications

- Biomass/Biogas, Hydro or Geothermal system installations involving a regulated boiler or pressure vessel are required to comply with all Arizona state boiler regulations; provide a qualifying boiler inspection identification number; and keep all applicable permits in good standing.
- System must include a dedicated performance meter to allow for monitoring of the amount of electricity produced.
- Pre-operational/or pre-commissioning energy savings and design output for the system will be verified by submitting either a testing certification for a substantially similar system prepared by a publicly funded laboratory or by submitting an engineering report stamped by a qualified registered professional engineer. The engineering report shall provide a description of the system and major components, design criteria and performance expectations, applicable standards and/or codes, and a brief history of components in similar applications.
- The system will have a material and labor warranty of at least five years.
- The system must meet Arizona DEQ environmental standards.

Installation Guidance

Because of the individual nature of biomass/biogas hydro or geothermal systems, care should be taken to make sure the system complies with all applicable permitting and regulatory requirements including, but not limited to, air emission standards and air permit regulations.

Biomass/Biogas or Geothermal Space Heating, Process Heating or Space Cooling

Equipment Qualifications

- Biomass/Biogas or geothermal system installations involving a regulated boiler or pressure vessel are required to comply with all Arizona state boiler regulations; provide a qualifying boiler inspection identification number; and keep all applicable permits in good standing.
- Energy savings and designed output for the system will be verified by submitting either a testing certification for a substantially similar system prepared by a publicly funded laboratory or by submitting an engineering report stamped by a registered professional engineer. The engineering report shall provide a description of the system and major components, design criteria and performance expectations, applicable standards and/or codes, and a brief history of components in similar applications.
- Energy production for space heating, space cooling and process heating will be calculated as one kWh of energy per 3,415 Btu of useful heat delivered by the system as measured by a dedicated heat delivery measuring meter and used by the building space or process.
- The system will have a material and labor warranty of at least five years.
- The system must meet Arizona DEQ environmental standards.

Installation Guidance

Because of the individual nature of biomass/biogas or geothermal systems, care should be taken to make sure the system complies with all applicable permitting and regulatory requirements including, but not limited to, air emission standards and air permit regulations.

Solar Non-residential Daylighting

Equipment Qualifications

All systems shall include the following components as part of the daylighting system:

- A roof mounted skylight assembly with a dome having a minimum 70% solar transmittance.
- A reflective light well to the interior ceiling or a minimum 12" below roof deck in open bay areas.
- An interior diffusion lens.
- A minimum of one thermal break/dead air space in the system between the skylight dome and the interior diffuser.
- If artificial lighting systems remain a part of the installation, the system shall include automated lighting control(s) which are programmed to keep electric lights off during daylight hours of sufficient solar insulation to provide minimum design illumination levels.
- The system must provide a minimum of 70% of the light output of the artificial lighting system which would otherwise be used for all of the claimed period of energy savings as measured in foot-candles in the workspace 36 inches above the floor.
- Energy savings and designed output for the system will be verified by submitting either a testing certification for a substantially similar system prepared by a publicly funded laboratory or by submitting an engineering report stamped by a registered professional engineer or accredited AEE Measurement and Verification professional. The engineering report shall provide a description of the system and major components, design criteria and performance expectations, applicable standards and/or codes, and a brief history of components in similar applications.
- The system will have a material and labor warranty of at least five years.

Installation Guidance

All systems should be installed such that the skylight dome is substantially unshaded and have substantially unobstructed exposure to direct sunlight between the hours of 9:00 a.m. and 3:00 p.m.

Small Wind Generator

A small wind generator is a system with a nameplate capacity rating of one MW or less. The technology criteria described below are intended for small wind generators with a nameplate rating of 100 kW or less. Larger systems will be required to submit a detailed package describing site selection, energy production modeling, and an engineered system design and installation report.

Equipment Qualifications

- Eligible small wind systems must be certified and nameplate rated by the CEC¹. See www.consumerenergycenter.org/erprebate/equipment.html for a list of certified generators. For grid tied or off-grid wind generators where an inverter is used, the CEC listed nameplate rating of the wind generator will be multiplied by the CEC approved weighted efficiency percentage listed for the inverter in the "List of Eligible Inverters" at www.consumerenergycenter.org/cgi-bin/eligible_inverters.cgi to calculate the wind turbine nameplate rating for use in determining the UFI payment.
- Grid connected inverters used as part of the system shall carry a UL listing certifying full compliance with Underwriter's Laboratory ("UL")-1741.
- A system must include a dedicated performance meter (provided by UNS Electric) installed to allow for measurement of the amount of electricity produced.
- The performance meter and utility disconnect for grid tied systems will be installed in a location readily accessible by UNS Electric during normal business hours.
- Off-grid systems of capacity less than 10 kWac will not be metered. Compliance reporting production will be based on an annual 20% capacity factor.
- The tower used in the installation must be designed by an Arizona registered engineer and must be suitable for use with the wind generator. Tower installation must be designed and supervised by individuals familiar with local geotechnical conditions.
- To receive a UFI, the wind generator and system must be covered by a manufacturer's warranty of at least ten years. Otherwise the system will qualify for a PBI. In all cases, the wind system will have a material and labor warranty of at least five years.

Installation Guidance

- Location: a wind turbine hub should be at least 20 feet above any surrounding object and at least 28 feet above the ground within a 250-foot radius. Wind generators should be installed in locations with an elevation at or above the general elevation of the surrounding terrain.
- Lot Size: should be one-half acre at minimum. Municipalities and public facilities such as schools and libraries are exempt from the minimum lot size requirements.
- The proposed system for which application is made should be demonstrated by support information to obtain at least a 15% annual capacity factor. The following are readily available

¹ UNS Electric recommends review of the SWCC standards for rating small wind generators once they become available for purposes of supplanting the CEC requirement in this Technology Criterion.

methods for helping to demonstrate the potential for a 15% capacity factor, but other methods may be used. The installation location should have a demonstrated average annual wind speed of at least 10 MPH as measured at a height of no more than 50 feet above the ground. Average annual wind speed can be demonstrated by wind speed records from an airport, weather station, or university within 20 miles of the proposed wind generator location, or by a 50 meter wind power density classification of Class 2 "Marginal" or higher on the State of Arizona Average Annual Wind Resource Map dated July 16, 2005, or later as published by Sustainable Energy Solutions of Northern Arizona University. Northern Arizona University provides detailed wind resource maps as well as other resource services. For more information contact Northern Arizona University at <http://wind.nau.edu/maps/>.

Photovoltaic Systems

Equipment Qualifications

All Systems

- All UFI based systems shall be installed with a horizontal tilt angle of 0 degrees to 60 degrees, and an azimuth angle of +/- 100 degrees of due south. Installation configurations for some systems receiving a UFI will not be eligible for the full RECPP incentive. The reduction will be determined by the UNS Electric developed derating chart, Attachment B of this document, and as discussed further in this report under the section titled Conforming Project Incentives.
- A system must include a dedicated performance meter (on grid tied systems, supplied by UNS Electric) to allow for monitoring of the amount of electricity produced.
- Qualifying systems using Building Integrated Photovoltaic (BIPV) modules of total array capacity of 5 kWdc or less shall receive 90% of the UFI incentive value for PV systems listed in Attachment A. Systems using BIPV modules of total array capacity of greater than 5 kWdc shall only receive a PBI.
- Photovoltaic modules must be covered by a manufacturer's warranty of at least 20 years.
- Inverters must be covered by a manufacturer's warranty of at least ten years to receive a UFI and at least five years to receive a PBI.

Grid-Connected Systems

- The minimum PV array size shall be no less than 1,200 Wdc.
- All photovoltaic modules must be certified by a nationally recognized testing laboratory as meeting the requirements of UL Standard 1703.
- All other electrical components must be UL listed.
- The inverter must be certified as meeting the requirements of IEEE-1547 - Recommended Practice for Utility Interface of Photovoltaic Systems and it must be UL-1741 certified.
- The utility meter, inverter, and utility disconnect will be installed in a location readily accessible by UNS Electric during normal business hours.
- UFI based systems shall meet the requirements of Attachment A or Attachment C as appropriate.

Off-Grid Systems

- The minimum PV array size shall be no less than 600 Wdc and the maximum PV array size shall not exceed 2,000 Wdc.
- All photovoltaic modules must be certified by a nationally recognized testing laboratory as meeting the requirements of UL-1703.

- Off-grid systems will not be metered. Compliance reporting production will be based on an annual 20% capacity factor using nameplate DC rating for capacity.
- All other electrical components must be UL listed.

Installation Guidance

The Customer will be directed to the following resources to gain information regarding industry reference documents for system installation and performance forecasting:

The California Energy Commission's Guide to Buying a Photovoltaic Solar Electric System at http://energy.ca.gov/reports/2003-03-11_500-03-014F.PDF

The Arizona Consumers Guide to Buying a Solar Electric System at www.azsolarcenter.com/design/azguide-1.pdf

Solar Space Cooling

Equipment Qualifications

- The minimum cooling capacity of the system will be 120,000 BTU (10 tons) per hour.
- Solar collector panels used will have a Solar Rating and Certification Corporation ("SRCC") OG-100 rating or laboratory documentation showing the panel energy output under controlled and replicable test conditions.
- Energy savings and designed output for the system will be verified by submitting either a testing certification for a substantially similar system prepared by a publicly funded laboratory or by submitting an engineering report stamped by a registered professional engineer. The engineering report shall provide a description of the system and major components, design criteria and performance expectations, applicable standards and/or codes, and a brief history of components in similar applications.
- System must include a dedicated performance meter to allow for monitoring of the amount of heat input to the thermal cooling device or system. Energy production will be calculated at one kW-hr per 3,415 Btu of metered heat delivered to the thermal cooling device or system.
- The system will have a material and labor warranty of at least five years.

Installation Guidance

- The horizontal tilt angle of the collector panels should be between 20 and 60 degrees and an azimuth angle should be between +/- 45 degrees of south.
- All systems should be installed such that the energy collection system is substantially unshaded and should have substantially unobstructed exposure to direct sunlight between the hours of 9:00 a.m. and 3:00 p.m.
- The system installation should comply with the design manual.

Non-residential Solar Water Heating and Space Heating

Equipment Qualifications

- Solar collector panels used will have a SRCC OG-100 certification or laboratory documentation showing the panel energy output under controlled and replicable test conditions.
- If annual energy production is expected to exceed 10,000 kWh or equivalent, the system must include a dedicated performance customer supplied meter to allow for monitoring of the amount of useful heat produced. Otherwise, compliance reporting production will be based on the design energy savings submitted at time of application.
- Energy savings and designed output for the system will be verified by submitting either a testing certification for a substantially similar system prepared by a publicly funded laboratory or by submitting an engineering report stamped by a registered professional engineer. The engineering report shall provide a description of the system and major components, design criteria and performance expectations, applicable standards and/or codes, and a brief history of components in similar applications.
- The solar collector, heat exchangers and storage elements shall have an equipment warranty of at least 10 years to qualify for a UFI and at least five years to qualify for a PBI.
- The system will in all cases have a material and full labor warranty of at least five years.

Installation Guidance

- The horizontal tilt angle of the collector panels should be between 20 and 60 degrees (30 and 60 degrees for space heating applications) and an azimuth angle +/- 45 degrees of south.
- All systems should be installed such that the energy collection system is substantially unshaded and should have substantially unobstructed exposure to direct sunlight between the hours of 9:00 a.m. and 3:00 p.m.
- The system installation should comply with the design manual.

Small Domestic Solar Water Heating and Space Heating

Equipment Qualifications

- Domestic Solar Water Heating systems will be rated by the SRCC and meet the OG-300 system standard. Systems that include OG-100 collectors, but are not certified under OG-300, will need to be verified by submitting either a testing certification for a substantially similar system prepared by a publicly funded laboratory or by submitting an engineering report stamped by a registered professional engineer detailing annual energy savings. Solar Space Heating systems will utilize OG-100 collectors.
- Domestic Water Heating systems shall be selected and sized according to the geographic location and hot water needs of the specific application. Reservation requests will include a manufacturer's verification disclosing that the system size and collector type proposed is appropriate for the specific application, including certification that collector stagnation temperature shall never exceed 300 degrees Fahrenheit under any possible conditions at the location of the installation. The manufacturer's verification may be presented as a manufacturer's product specification sheet and will be included in the reservation request. Compliance reporting production will be based on the design energy savings submitted at time of application.

- Solar Space Heating systems will be sized in conformance with the Solar Space Heating Incentive Calculation Procedure (Attachment E.) Compliance reporting production will be based on the design energy savings submitted at time of application.
- Active, open-loop systems are not eligible for RECPP incentives except for active, open-loop systems that have a proven technology or design that limits scaling and internal corrosion of system piping, and includes appropriate automatic methods for freeze protection and prevents stagnation temperatures that exceed 250 degrees F. under all conditions at the location of installation. Details disclosing conformance with this exception shall be submitted as part of the manufacturer's verification documentation.
- Integrated Collector System ("ICS") systems shall have a minimum collector piping wall thickness of 0.058 inches. Details disclosing conformance with this requirement shall be submitted as part of the manufacturer's verification documentation. ICS units shall include certification that collector stagnation temperature shall never exceed 250 degrees F. under any possible conditions at the location of the installation.
- The 'high' limit on all Domestic Water Heating controllers shall be set no higher than 160 degrees F.
- Active thermal storage for solar space heating systems shall use water as the storage element.
- Contractors must provide a minimum of a five year equipment warranty as provided by the system manufacturer, including a minimum warranty period of five years for repair/replacement service to the customer.
- Domestic Water Heating systems that are installed as an addition to an existing system or are submitted as a customer designed system or not certified to OG-300 must be specifically reviewed and approved by the utility.
- The solar collector, heat exchangers and storage elements shall have an equipment warranty of at least 10 years to qualify for a UFI and at least five years to qualify for a PBI.

Installation Guidance

- The system shall be installed with a horizontal tilt angle between 20 degrees and 60 degrees (40 and 60 degrees for space heating applications), and an azimuth angle of +/- 60 degrees of due south (+/- 20 degrees for space heating applications). It is recommended that collectors be positioned for optimum winter heating conditions at a minimum tilt angle of 45 degrees above horizontal, or as recommended by the manufacturer for the specific collector type and geographic location of installation.
- All systems should be installed such that the energy collection system is substantially unshaded and should have substantially unobstructed exposure to direct sunlight between the hours of 9:00 a.m. and 3:00 p.m.
- Heat exchange fluid in glycol systems should be tested, flushed and refilled with new fluid as necessary or at a minimum every five years or sooner per manufacturer's recommendations.
- It is recommended that the anode rod be checked and replaced per manufacturer's recommendations, but no less frequently than every five years.
- It is recommended that the system design include a timer, switch, or other control device on the backup element of the storage tank.
- The collectors and storage tank should be in close proximity to the backup system and house distribution system to avoid excessive pressure or temperature losses.
- It is recommended that in areas where water quality problems are reported to have reduced the expected life of a solar water heater, that a water quality test is performed for each residence to

screen for materials that through interaction with the materials of the proposed solar water heating system may reduce the expected operational life of the system components. The customer should consider contacting the manufacturer to determine if warranty or operational life will be affected.

- In areas subject to snow accumulation, sufficient clearance will be provided to allow a 12" snowfall to be shed from a solar collector without shadowing any part of the collector.
- Each system shall have a comprehensive operation and maintenance manual at the customer's site, which includes a spare parts list, data sheets and flow diagrams indicating operating temperatures and pressures, maintenance schedules and description of testing methods and each customer must complete an initial start up and operation training review with the contractor at the time of system start up.
- Ball valves shall be used throughout the system. Gate valves shall not be used.
- Pipes carrying heated fluids shall be insulated for thermal energy conservation as well as personnel protection.

Technologies without Technology Specific Criteria and Non-Conforming Projects

Technology specific criteria have not yet been developed for the following qualifying technologies:

- Fuel Cells
- Non-Residential Pool Heating

For applicants requesting incentives for the above technologies or for applicants requesting installation of a technology with conforming project technology criteria, but where some criteria cannot be met, the applicant will need to submit design and output documentation.

Applicants installing these systems will, at a minimum, need to provide an energy savings and designed output report for the system. The report must include either a testing certification for a substantially similar system prepared by a publicly funded laboratory or an engineering report stamped by a qualified registered professional engineer. The engineering report and/or testing certification shall provide a description of the system and major components, design criteria and performance expectations, applicable standards and/or codes, and a brief history of components in similar applications. Additional information may be required as part of the RECPP requirements.

Distributed Renewable Energy Resource Incentives

Incentive Principles

RECPP incentives can be applied to systems designed to serve only the typical load of the customer with whom the incentive agreement has been established. The assessment of that typical load does not preclude the periodic production of electricity in excess of the customer's demand. Under some circumstances it is understood that select customer installations will be designed to serve loads greater than that of the customer. Under those circumstances, the RECPP incentive will be applied only to the fraction of the generation which is used to serve the typical customer load. Other incentives were developed separate and apart from other RECPP program incentives, such as those for demand side

management projects. Systems are not eligible to receive RECPP incentives if other utility incentives are applied.

Up-front incentives ("UFIs") are those incentives where the customer receives a one-time payment based on the system's designed capacity or based on the first year energy savings provided by the system. In general, this type of incentive is appropriate for smaller, 20 kWac or less, non-residential installations and all residential installations. The second incentive type is a production based incentive ("PBI"). The PBI allows the customer to collect incentive payments in direct relation to the actual system production. PBIs are most appropriate where the total system costs are large, of 20 kWac capacity or above.

Incentive funds can be applied to a project, which is the sum of all systems installed at a customer site in a single calendar year. A customer site is the sum of facilities and/or buildings associated with a single utility revenue meter.

A customer site can obtain a UFI for multiple projects, under separate reservations, up to 20,000 Wac capacity equivalent at each customer site. Once the sum of incentives for all project(s) exceeds the 20,000 Wac capacity equivalent limit, described below, incentives for additional projects will take the form of a PBI. This condition only applies to non-residential systems. No partial or split payment types are allowed under one project regarding a UFI or PBI.

All residential systems will be offered only a UFI, unless system warranty conditions will not qualify for a UFI in which case a PBI would apply. Residential customers will receive a UFI up to a cap of 20 kWac. If a residential system is installed above 20 kWac, UNS Electric will only provide an incentive payment for the first 20 kWac. Non-residential systems may receive either a UFI or a PBI, depending on the warranty period, technology and the installation size. UFIs were developed for technologies where the average project size results in a total single site renewable capacity equivalent installed less than or equal to 20,000 watts AC. PBIs were developed for technologies where the average project size results in a total single site installed capacity equivalent of more than 20,000 Wac. Both UFIs and PBIs were developed for technologies where projects can range in size. There is no incentive cap for non-residential systems other than annual program funding considerations.

In return for UNS Electric's payment of a UFI, UNS Electric will be given complete and irrevocable ownership of the RECs until December 31st of the 20th full calendar year after completion of installation of the system. Operational life during that time frame must be supported by system warranty or planned maintenance schedules.

UNS Electric's payment of a PBI will assure UNS Electric complete and irrevocable ownership of the REC for the full duration of the PBI agreement. The agreement duration must fully coincide with the PBI payment schedule and the system must be supported by system warranty or planned maintenance schedules for the term of the agreement.

Projects receiving a UFI can receive no more than 60% of the system cost in the total incentive payout. A PBI can not exceed 60% of the real project costs, defined as the undiscounted total system cost plus acceptable financing charges. Acceptable finance charges are finance charges used for the PBI incentive cap calculation and can not exceed the current prime interest rate plus 5%. Financing charges must be disclosed as part of the commissioning package, if not disclosed before.

It is expected that the UFI and PBI incentive caps as a percentage of system cost will decline in the third year of the program to 55%, and the caps will decline to 50% in the fifth year and beyond.

RECPP incentives in combination with other state and federal incentives make it likely that some renewable energy production systems would be free to the customer, or in the extreme, that the customer would realize a net profit from installing a system.

To prevent this result, UNS Electric requires that customers requesting incentives for these systems be required to contribute a minimum of 15 percent of the System Cost in the case of a UFI and of the Project Cost in the case of a PBI. As such, the incentive for all RECPP projects will be calculated as follows: assume the full application of all available incentives, not including the RECPP incentive, and regardless of the customer's ability to fully realize any particular incentive, add the customer contribution (15%), and finally add the RECPP incentive. If the RECPP incentive can be fully applied given the other incentive cap provisions without exceeding the System Cost in the case of a UFI or Project Cost in the case of a PBI, the customer will receive the full incentive amount. If the RECPP incentive cannot be fully applied without exceeding the System Cost in the case of a UFI or Project Cost in the case of a PBI, the RECPP incentive will be capped such as not to exceed the System Cost in the case of a UFI or the Project Cost in the case of a PBI. The incentive amount will be calculated at the time the application is approved for reservation. If federal or state incentives change during the period of time after the reservation approval, the incentive amount reserved will not be changed as long as the reservation is not cancelled.

Conforming Project Incentives

Conforming project incentives were developed to help create or expand incipient markets for distributed renewable energy production facilities, taking into account each technology's specific market conditions, and placing a significant portion of the cost on project owners. The incentives reflect specific input from each technology representative(s). Program incentives were generally not developed with specific consideration for other available state or federal incentives. Incentive caps detailed above were relied upon to account for the impact of multiple incentive sources.

In general, PBI incentive levels were developed first by establishing an incentive for a 10-year agreement. The incentives proposed by UNS Electric are detailed in Attachment D. UNS Electric proposes that the incentive matrix in Attachment D be applied for the first five years of the RECPP. In all cases, incentive values listed in Attachment D are maximum values. Applicants are encouraged to submit applications requesting incentive amounts less than the maximums listed. Applications requesting a lower level of incentive payment than the maximum will have an increased chance of acceptance in the allocation ranking process.

UNS Electric proposes that incentive types should transition to all PBI based incentives after 2012 and incentive levels should continue to decline in future program years. In the long term, incentives should be market based. UNS Electric also recommends that the declining incentives and proposed reductions be carefully reviewed prior to implementation.

Technologies with Special Incentive Considerations

Beyond the requirements of the technology specific criteria and the requirements of the incentive matrix, some technologies require additional project specific adjustment of the available incentives. Those specific requirements are detailed below.

Photovoltaic Systems

The productivity of photovoltaic systems is sensitive to the specifics of the installation method and location. In particular, these systems are impacted by shading, photovoltaic panel horizontal tilt angle and azimuth, and potentially regional conditions. These factors are particularly important as they relate to systems receiving UFI type incentives both in the amount of incentive received by the customer and in the computation of the capacity reported by UNS Electric.

UNS Electric has established a single incentive adjustment table clearly detailing adjustments for each allowable photovoltaic system configuration. UNS Electric will work to assure that the adjustment table is easily interpreted by consumers and installers. The incentive adjustment chart prepared by UNS Electric is included as Attachment B.

Small Domestic Solar Hot Water and Space Heating Systems

Accurately predicting appropriate incentive levels in support of system costs associated with small domestic solar hot water and space heating systems present a challenge. RECPP incentives in combination with other state and federal incentives make it likely that some systems would be free to the customer, or in the extreme, that the customer would realize a net profit from installing a system.

To prevent this result, UNS Electric proposes that customers requesting incentives for these systems be required to contribute a minimum of 15 percent of the system cost. As such, the incentive for small domestic solar hot water and space heating systems will be calculated as follows: assume the full application of all available incentives, not including the RECPP incentive, and regardless of the customer's ability to fully realize any particular incentive, add the customer contribution (15%), and finally add the RECPP incentive. If the RECPP incentive can be fully applied without exceeding the System Cost, the customer will receive the full incentive amount. If the RECPP incentive cannot be fully applied without exceeding the System Cost, the RECPP incentive will be capped such as not to exceed the System Cost.

Example:

$$\text{RECPP Incentive} \leq (\text{System Cost}) - (\text{Total of all Incentives})$$

Where:

$$\text{Total of all Incentives} = \text{Federal Incentives} + \text{State Incentives} + (15\% \text{ Customer Contribution})$$

For purpose of UFI calculation, System Cost for a solar space heating system will not include the cost of any passive thermal storage or the cost of the building heating system itself. It will include the cost of

new materials and installation of active thermal storage, expansion tanks, controls, tempering valves, piping, vents, drains, safety valves and all freeze protection.

Small Solar Space Heating System

There are several additional challenges associated with Solar Space Heating Systems. Variability in design for these systems generally suggested a high level of expertise was required to appropriately size and design the systems; yet the overall system cost seemed to require a standardized approach. In order to address this challenge, UNS Electric has adopted a standardized calculation method to support system sizing and incentive payment. The display page of the spreadsheet calculation is presented in Attachment E.

The solar space heating incentive calculation does not suggest or imply that a full energy audit is required to qualify for the solar space heating incentive. The intent is that industry professionals can utilize the calculation tool to aid in facilitating sound system design.

The effective use of the solar space heating incentive calculation is contingent on a Building Design Review. The Building Design Review calculations, inputs and outputs will be determined and specified as part of the reservation request. It is noted that stakeholder acceptance of the proposed calculation tool is conditioned on the future development of standardized design tools, potentially including input tables and charts.

UNS Electric believes that the proposed approach reflects sound design principles and uses inputs which should be available to professionals in this industry segment. UNS Electric does, however, recognize that the approach used in the standardized calculation is not currently universally applied. UNS Electric proposes that continuing efforts be made to develop standard input charts and tables to increase the efficiency of the method's application. In addition, it is the expectation of UNS Electric that the standard calculation can, in most instances, be implemented by practitioners in the solar space heating industry. UNS Electric supports industry collaborative efforts to increase technical knowledge development in this specific area.

RECPP Incentive Allocation

UNS Electric identified two primary program level allocations in conjunction with the RECPP. The first allocation is that associated with RECPP conforming projects. The second is that associated with RECPP non-conforming Projects.

Conforming Project Incentive Allocation

Beyond the allocation made by UNS Electric for purposes of funding conforming projects, UNS Electric also recommends an allocation framework within the conforming project allocation. UNS Electric designed the allocation framework with several key considerations in mind. The factors considered in developing project incentive allocations were as follows:

- Administrative ease
- Economic efficiency
- Consumer clarity and ease of understanding
- Establishment of a high degree of market certainty
- Encouragement of cost reductions in renewable energy technologies
- Flexibility sufficient to allow timely adaptations to changing market conditions
- Capability for making funds available in a timely manner, and
- Avoidance of excessive incentives

These considerations resulted in two different allocation frameworks, one for residential projects and one for non-residential projects. The allocation frameworks are described below.

Conforming Projects – Residential Incentive Allocation – 80% of Distributed Generation funds in 2009.

Funds for conforming residential projects will be divided into four quarters (Jan-Mar, Apr-Jun, Jul-Sep, and Oct-Dec). Funds within each quarter will be made available weekly for reservations on a first-come, first-reserved basis. However, applications received during a given week that request incentive funding levels below the maximum incentive values will receive priority for the allocation of funds available that week based on the lowest expected life cycle credit purchase cost as provided in the application and verified by UNS Electric. Reservation requests can be made throughout each quarter and will be reviewed and approved by the utility weekly as long as the quarterly funding has not been exhausted, assuming all other program requirements have been met.

Funds unused in one quarter will be equally divided among the remaining quarters in that year. Funds allocated to residential projects will not roll forward from one year to the next. If funds in one quarter are fully exhausted, funds for the following quarter will be made available at the start of the following quarter.

Reservations which are rejected as a result of insufficient funds will be offered the opportunity to retain their original reservation date for one additional quarter without the need to resubmit application documentation. If the incentive level has changed from the date of the original reservation to the date when the reservation is approved, the new incentive level shall be applied.

Conforming Projects – Non-residential Incentive Allocation – 20% of Distributed Generation Funds in 2009.

The non-residential incentive allocation framework allows market forces to play a major deciding role in the selection of projects when the volume of proposed projects exceeds the budget for non-residential projects. When the volume of proposed projects is relatively small so that the non-residential program is not fully subscribed, all conforming projects would be selected. In addition, a yearly review will be made to observe and review trends in requested and approved incentive levels. UNS Electric believes this element is important for the on-going management and potential adjustment of incentive levels as needed to respond to market conditions.

Non-residential funds will be equally divided into four quarters (Jan-Mar, Apr-Jun, Jul-Sep, and Oct-Dec). Funds within each period will be made available to projects based on a ranking generated by

lowest expected life cycle credit purchase cost as provided in the application and verified by UNS Electric. In the event of a tie in the ranking, when the program would be fully subscribed if both projects were given reservation status, funds will be awarded based on the date of receipt of the completed reservation request.

In each three-month period, reservation requests will be accepted, but they will be reviewed by the utility only after the conclusion of the three month period. Once reservation requests are fully ranked in each reservation period, notification of reservation approvals and rejections will be made in conformance with the rankings and available funding.

Funds unused in one period will be equally divided among the remaining periods in that year. Funds allocated to non-residential projects will not roll forward from one year to the next. Reservations which are rejected as a result of insufficient program funds may elect to carry forward into the next period and retain the original reservation date. The election must be made at the time of the original application.

Within each period, projects submitted to the utility for reservation will be ranked based on a calculated index value for purposes of allocating non-residential funds as proposed in the application and verified by UNS Electric. Lowest lifecycle cost projects will be funded first. Indexing of the non-residential projects will be performed based on the verified incentive values and terms in the application for that project. Projects with higher incentive payments result in a higher expected life cycle credit purchase cost and projects that produce more kWh result in a lower expected life cycle credit purchase cost.

Conforming Projects Fund Contributions Between Residential and Non Residential

Available funding will be split between residential and non-residential project classes. Initially 20% is being allocated to non-residential system incentives and 80% is being allocated to residential system incentives. This split will be reapplied each quarter if all funds are not reserved.

Non-Conforming Projects – Allocation: 0% of Distributed Generation Funds in 2009.

Non-conforming projects include, but are not limited to, projects with staged completion dates, multi-customer or multi-system projects, projects involving more than one technology where an interrelated incentive was not developed, projects requiring new or unique agreement terms, or projects requiring timelines differing from those offered to conforming projects. Non-conforming projects also include technologies for which a conforming incentive or technical qualifications were not developed at the time of this plan.

As detailed in the RECPP incentive allocation section of this plan, UNS Electric will disclose the allocation of funds for non-conforming projects in its implementation plan for the next year. UNS Electric will generally, but not always, include a minimum allocation to allow for the potential development of projects with technologies not included on the conforming project incentive matrix.

UNS Electric will apply a minimum of 50% and a maximum of 75% of the non-reserved, non-conforming project allocation to conforming project funding at the end of each calendar quarter. Unreserved non-conforming project allocations will not carry forward from one year to the next.

Incentives used for non-conforming projects must achieve similar economic efficiency as those incentives used in the conforming project category. Incentives applied for non-conforming projects must meet the lower of: 1) the maximum allowable incentive for the proposed technology as described in Attachment D, or 2) the average incentive value of projects accepted by UNS Electric for incentive disbursement for the proposed technology in the previous year.

Some qualifying technologies will not meet either of the previously described economic efficiency measures. Those applicants can negotiate the requested system or project incentive with UNS Electric. In no instance can the incentive exceed the highest calculated appropriate incentive payment value for projects approved by UNS Electric in the previous year.

Under some circumstances a non-conforming project may not identify the customer at project initiation. Regardless of the project design, implementation, or timeline, a customer must be identified at the time of system commissioning. Non-conforming funds will be disbursed upon filing by the customer and acceptance of project commissioning documentation by UNS Electric. For purposes of financing non-conforming projects, funds can be assigned to third parties.

Non-conforming systems must report system capacity (for up-front incentives) or production (for performance-based incentives) in general conformance with those same technologies as described in the conforming project requirements and be covered by similar warranties. For those technologies not described in the conforming project criteria, the reservation documentation must include details related to warranty, system capacity and anticipated annual production. Metering equipment must be made available to UNS Electric during normal business hours for inspection and reporting purposes.

Initially, no funding would be allocated to the Non-Conforming Project class; however, if Non-Conforming Project applications are received, unused funds from the Conforming Project Classes may be allocated to the Non-Conforming Project class. Alternatively, if sufficient interest in developing Non-Conforming Projects is demonstrated, they could be accepted into the Conforming Project class after development and acceptance of technical standards and appropriate incentive values; or UNS Electric could request a special project fund allocation for a specific Non-Conforming Project in its annual REST Tariff Adjustor Mechanism and Implementation Plan filing.

ATTACHMENT A

Application Process

System Qualifications

All solar electric generating Customer Systems must meet the following system and installation requirements to qualify for UNS Electric Company's ("UNS Electric" or the "Company") GreenWatts™ SunShare Hardware Buydown Program. Capitalized terms not defined herein shall have the meanings ascribed to them in the GreenWatts™ SunShare Program Hardware Buydown Agreement.

1. A Residential Customer System must have a total solar array nameplate rating of at least 1,200 watts DC and no more than 30,000 watts DC. Any Non-Residential Customer System must have a total solar array nameplate rating of more than 1,200 watts DC.
2. The Customer System components must be certified as meeting the requirements of IEEE-929 - Recommended Practice for Utility Interface of Photovoltaic Systems.
3. The Customer System components must be certified as meeting the requirements of UL-1741 - Power Conditioning Units for use in Residential Photovoltaic Power and be covered by a non-prorated manufacturer's warranty of at least two years.
4. Photovoltaic components must be certified as meeting the requirements of UL-1703 - Standard for Flat Plate Photovoltaic Modules and Panels Systems and be covered by a non-prorated manufacturer's warranty of at least 20 years.
5. The Customer System design and installation must meet all requirements of the latest edition of the National Electrical Code, including Article 690 and all grounding, conductor, raceway, over-current protection, disconnect and labeling requirements.
6. The Customer System and installation must meet the requirements of all federal, state and local building codes and have been successfully inspected by the building official having jurisdiction. Accordingly, the installation must be completed in accordance with the requirements of the latest edition of National Electrical Code in effect in the jurisdiction where the installation is being completed (NEC), including, without limitation, Sections 200-6, 210-6, 230-70, 240-3, 250-26, 250-50, 250-122, all of Article 690 pertaining to Solar Photovoltaic Systems, thereof, all as amended and superseded.
7. The Customer System must meet Company and Arizona Corporation Commission interconnection requirements for self-generation equipment.
8. The Customer System installation must meet the UNS Electric Service Requirements 2000 Edition, Page 1.20, as follows:

"AN AC DISCONNECT MEANS SHALL BE PROVIDED ON ALL UNGROUNDED AC CONDUCTORS and SHALL CONSIST OF A LOCKABLE GANG OPERATED


DISCONNECT CLEARLY INDICATING OPEN OR CLOSED. THE SWITCH SHALL BE VISUALLY INSPECTED TO DETERMINE THAT THE SWITCH IS OPEN. THE SWITCH SHALL BE CLEARLY LABELED STATING "DG SERVICE DISCONNECT."

9. The Customer System photovoltaic panels and modules must face within +/- 100 degrees of real south, and be completely unshaded from three hours after sunrise to three hours before sunset. System arrays which are facing at an azimuth angle of more than 20 degrees from true south or shaded for more than one hour per day will be subject to a reduced amount of buydown payment per Attachment B.
10. The Customer System photovoltaic panels and modules must be fitted at an angle of 0 degrees to 60 degrees from horizontal. System arrays which are fitted with an elevation angle of less than 20 degrees or more than 35 degrees above horizontal will be subject to a reduced amount of buydown payment per Attachment B.
11. For Residential Customer Systems, Company will provide a meter and meter socket that will be installed in a readily accessible outdoor location by the Customer between the DC to AC converter and the connection to the over-current device in the Customer's electric service panel. For Non-Residential Customer Systems, Company shall provide the meter only, to be installed in a Customer supplied meter socket to be installed in a readily accessible outdoor location by the Customer between the DC to AC converter and the connection to the over-current device in the Customer's electric service panel.
12. Storage Batteries are not allowed as part of the Customer System unless the inverter is a separate component and UNS Electric can locate the Solar Meter at the inverter's output. If configured otherwise, battery losses will adversely reflect in the annual AC metered energy output. Customer's solar energy generation and energy storage system must meet the requirements of 2 and 3 of this Attachment A.
13. Installation must have been made after January 1, 1997.
14. The Customer must be connected to the Company's electric grid, except for approved off-grid systems in conformance with the RECPP.
15. The DC to AC inverter used must provide maximum power point tracking for the full voltage and current range expected from the photovoltaic panels used and the temperature and solar insulation conditions expected in Tucson, Arizona.
16. The DC to AC inverter must be capable of adjusting to "sun splash" from all possible combinations of cloud fringe effects without interruption of electric production.
17. All Customer System installations must be completed in a professional, workmanlike and safe manner.
18. Total voltage drop on the DC and AC wiring from the furthest PV module to the AC meter will not exceed 2%.

19. PV panels and DC to AC inverter will be installed with sufficient clearance to allow for proper ventilation and cooling. At a minimum, manufacturer clearance recommendations will be observed. In no case will PV modules be mounted less than 4 inches above any surface and an additional inch of clearance for each foot of continuous array surface beyond four feet in the direction parallel to the mounting support surface.

ATTACHMENT B

SunShare PV Off-Angle & Shading Annual Energy Derating Chart



ATTACHMENT C

Supplemental Non-Residential System Qualifications

(Applicable Only for Customer Systems of Capacity Larger than 20,000 watts AC.)

1. All solar electric generating Non-Residential Customer Systems must meet the following additional system and installation requirements to qualify for UNS Electric Company's ("UNS Electric" or the "Company") GreenWatts™ SunShare Hardware Buydown Program. Capitalized terms not defined herein shall have the meanings ascribed to them in the GreenWatts™ SunShare Program Hardware Buydown Agreement.
2. The Non-Residential Customer System shall be operating, substantially complete and have produced an AC output at least 70% of the total array nameplate DC rating at PTC as described below.
3. Operation, Maintenance and Repair. The Customer shall be solely responsible for the operation, maintenance and repair of the Non-Residential Customer System and any and all costs and expenses associated therewith. Company will notify Customer of all Non-Residential Customer System repairs the Company determines are reasonably necessary to support proper continued electrical production of the Non-Residential Customer System. The Customer will notify the Company within five (5) business days of its receipt of any such Company repair notice if the repair requires the installation of a new inverter and/or PV module. The Customer shall complete any such repair that affects the Non-Residential Customer System performance and does not require the purchase of a new inverter or PV module(s) within five (5) business days of the Company's notice of the need for such repair. For any such repair that does require the purchase and installation of a new inverter and/or PV module, the Customer shall promptly commence and diligently pursue such repair to completion, provided, in no event shall such repair take more than thirty (30) days to complete. At all times while Company is receiving the environmental credits from the Non-Residential Customer System, Customer shall clean all PV modules in the Non-Residential Customer System as necessary to keep them free from foreign material that would visibly obscure the modules, including any dirt and/or oils.
4. Non-Residential Customer System Security. At all times during and after installation of the Non-Residential Customer System, the Customer shall use commercially reasonable efforts to provide adequate security to prevent damage or vandalism to the Non-Residential Customer System.
5. Company shall provide Customer with a revenue grade AC meter to be installed between the Non-Residential Customer System and the grid interconnection. This meter will not be used for billing, but shall be used for any official Non-Residential Customer System production output data. Company will retain ownership of the meter and be responsible for its repair if needed.
6. Customer shall provide Company with all documentation reasonably requested by Company to demonstrate to the Commission that any environmental credits transferred under the Agreement were derived from an eligible technology, that the kWh generated are accurately reported and that the environmental credits have not expired or been used by any other entity for any purpose.

7. If certified proof can not be provided of complete galvanic isolation of any and all DC from the AC output of the inverter(s) used in the Non-Residential Customer System through IEEE-1547 certification of the inverter, the Non-Residential Customer System shall include an isolation transformer installed between the inverter(s) and the grid interconnection. The transformer will be rated at full load continuous operation at 50 degrees C. at 125% of nameplate DC array rating and have an efficiency rating at nameplate DC array rating power of at least 98% as tested. The transformer will have at least one tap each of 2.5% and 5% both above and below the nominal voltage tap.

ATTACHMENT D

RECPP – CONFORMING PROJECT INCENTIVE MATRIX

2009 Program Year

Technology/Application	UP FRONT INCENTIVE ¹ 20-Year REC Agreement	10-Year REC Agreement ² 10-Year Payment (\$/kWH)	15-Year REC Agreement ² 15-Year Payment (\$/kWH)	20-Year REC Agreement ² 20-Year Payment (\$/kWH)
BIOMASS/BIOGAS (Electric)	NA	0.060	0.056	0.054
BIOMASS/BIOGAS – CHP (Electric) ³	NA	0.035	0.032	0.031
BIOMASS/BIOGAS – CHP (Thermal) ³		0.018	0.017	0.016
BIOMASS/BIOGAS (thermal)	NA	0.015	0.014	0.013
BIOMASS/BIOGAS (cooling)	NA	0.032	0.030	0.029
DAYLIGHTING (Non-Residential)	\$0.20/kWH ⁷ See this note for clarification	NA	NA	NA
GEOHERMAL – (electric)	NA	0.024	0.022	0.022
GEOHERMAL – (thermal)	1.00/Watt	0.048	0.045	0.043
GEOHERMAL – (cooling)	NA	0.032	0.030	0.029
SMALL HYDRO	NA	0.060	0.056	0.054
SMALL WIND (grid-tied) ⁴	\$2.50/Watt AC	0.145	0.135	0.130
SMALL WIND (off-grid) ⁴	\$2.00/Watt AC	0.116	0.108	0.104
SOLAR ELECTRIC:				
RESIDENTIAL (GRID-TIED)	\$3.00/Watt DC ⁸	0.202	0.187	0.180
Non-Residential (Grid-Tied) 20 kW or less	\$2.50/Watt DC ⁸	0.202	0.187	0.180
NON-RESIDENTIAL (GRID-TIED) More than 20 kW	NA	0.202	0.187	0.180
RESIDENTIAL (OFF-GRID)	\$2.00/Watt DC ⁸	NA	NA	NA
NON-RESIDENTIAL (OFF-GRID)	NA	0.121	0.112	0.108
SOLAR SPACE COOLING ⁵	NA	0.129	0.120	0.115
SOLAR WATER HEATING/SPACE HEATING ⁵ (Non-Residential)	NA	0.057	0.052	0.051
RESIDENTIAL SOLAR WATER/SPACE HEATING ⁶	\$750.00 plus \$0.25/kWH to a maximum of \$1,750.00 ^{9, 10}	0.057	0.052	0.051
NON-RESIDENTIAL POOL HEATING	NA	0.012	0.011	0.011

RECPP – CONFORMING PROJECT INCENTIVE MATRIX

2010 and 2011 Program Year

	UP FRONT INCENTIVE ¹			
Technology/Application	20-Year REC Agreement	10-Year REC Agreement ² 10-Year Payment (\$/kWH)	15-Year REC Agreement ² 15-Year Payment (\$/kWH)	20-Year REC Agreement ² 20-Year Payment (\$/kWH)
BIOMASS/BIOGAS (Electric)	NA	0.054	0.050	0.048
BIOMASS/BIOGAS – CHP (Electric) ³	NA	0.032	0.029	0.028
BIOMASS/BIOGAS – CHP (Thermal) ³		0.016	0.015	0.014
BIOMASS/BIOGAS (thermal)	NA	0.014	0.013	0.012
BIOMASS/BIOGAS (cooling)	NA	0.029	0.027	0.026
DAYLIGHTING (Non-Residential)	\$0.18/kWH ⁷ See this note for clarification	NA	NA	NA
GEOTHERMAL – (electric)	NA	0.022	0.020	0.019
GEOTHERMAL – (thermal)	0.90/Watt	0.044	0.040	0.039
GEOTHERMAL – (cooling)	NA	0.029	0.027	0.026
SMALL HYDRO	NA	0.054	0.050	0.048
SMALL WIND (grid-tied) ⁴	\$2.25/Watt AC	0.131	0.121	0.117
SMALL WIND (off-grid) ⁴	\$1.80/Watt AC	0.105	0.097	0.094
SOLAR ELECTRIC:				
RESIDENTIAL (GRID-TIED)	\$3.00/Watt DC ⁸	0.182	0.168	0.162
Non-Residential (Grid-Tied) 20 kW or less	\$2.25/Watt DC ⁸	0.182	0.168	0.162
NON-RESIDENTIAL (GRID-TIED) More than 20 kW	NA	0.182	0.168	0.162
RESIDENTIAL (OFF-GRID)	\$1.80/Watt DC ⁸	NA	NA	NA
NON-RESIDENTIAL (OFF-GRID)	NA	0.109	0.101	0.097
SOLAR SPACE COOLING ⁵	NA	0.116	0.108	0.104
SOLAR WATER HEATING/SPACE HEATING ⁵ (Non-Residential)	NA	0.051	0.047	0.045
RESIDENTIAL SOLAR WATER/SPACE HEATING ⁶	\$750.00 plus \$0.25/kWH to a maximum of \$1,750.00 ^{9, 10}	0.051	0.047	0.045
NON-RESIDENTIAL POOL HEATING	NA	0.011	0.010	0.010

RECPP – CONFORMING PROJECT INCENTIVE MATRIX

2012 and 2013 Program Year

Technology/Application	UP FRONT INCENTIVE ¹	10-Year REC Agreement ² 10-Year Payment (\$/kWH)	15-Year REC Agreement ² 15-Year Payment (\$/kWH)	20-Year REC Agreement ² 20-Year Payment (\$/kWH)
BIOMASS/BIOGAS (Electric)	NA	0.046	0.043	0.041
BIOMASS/BIOGAS – CHP (Electric) ³	NA	0.027	0.025	0.024
BIOMASS/BIOGAS – CHP (Thermal) ³		0.014	0.013	0.012
BIOMASS/BIOGAS (thermal)	NA	0.011	0.011	0.010
BIOMASS/BIOGAS (cooling)	NA	0.025	0.023	0.022
DAYLIGHTING (Non-Residential)	\$0.15/kWH ⁷ See this note for clarification	NA	NA	NA
GEOTHERMAL – (electric)	NA	0.019	0.017	0.017
GEOTHERMAL – (thermal)	0.77/Watt	0.037	0.034	0.033
GEOTHERMAL – (cooling)	NA	0.025	0.023	0.022
SMALL HYDRO	NA	0.046	0.043	0.041
SMALL WIND (grid-tied) ⁴	\$1.91/Watt AC	0.111	0.103	0.099
SMALL WIND (off-grid) ⁴	\$1.53/Watt AC	0.089	0.082	0.080
SOLAR ELECTRIC:				
RESIDENTIAL (GRID-TIED)	\$3.00/Watt DC ⁸	0.154	0.143	0.138
Non-Residential (Grid-Tied) 20 kW or less	\$1.91/Watt DC ⁸	0.154	0.143	0.138
NON-RESIDENTIAL (GRID-TIED) More than 20 kW	NA	0.154	0.143	0.138
RESIDENTIAL (OFF-GRID)	\$1.53/Watt DC ⁸	NA	NA	NA
NON-RESIDENTIAL (OFF-GRID)	NA	0.093	0.086	0.083
SOLAR SPACE COOLING ⁵	NA	0.099	0.092	0.088
SOLAR WATER HEATING/SPACE HEATING ⁵ (Non-Residential)	NA	0.043	0.040	0.039
RESIDENTIAL SOLAR WATER/SPACE HEATING ⁶	\$750.00 plus \$0.25/kWH to a maximum of \$1,750.00 ^{9, 10}	0.043	0.040	0.039
NON-RESIDENTIAL POOL HEATING	NA	0.009	0.009	0.008

Notes:

- 1) Residential projects are eligible for an up front incentive (UFI). UFI payments can not exceed 60% of the cost of renewable energy equipment.
- 2) Non-residential under 20 kW is preferably UFI but can be a PBI. Non-residential 20 kW and greater is PBI only. The total of payments under a production based incentive can not exceed 60% of the project costs for any project.
- 3) The CHP incentives may be used in combination for the appropriate components of one system.
- 4) This PBI applies to a maximum system size of 100 kW. Larger wind systems may apply for incentives as NCP.
- 5) The solar space heating and cooling incentives may be used in combination for the appropriate components of one system.
- 6) This category includes both traditional water heating and those systems combined with residential solar water heating used for space heating. Space heating applications require a report detailing energy saving for the complete system.
- 7) Rate applies to measured first five years of energy savings only. Payments are made over a five year period.
- 8) Some UFI based installations will require an adjustment of the incentive as detailed in the PV Incentive Adjustment Chart.
- 9) Energy savings rating is based on the SRCC OG-300 published rating or the UNS ELECTRIC-RECPP Space Heating Calculator. The customer contribution must be a minimum of 15% of the project cost after accounting for and applying all available Federal and State incentives.
- 10) Rate applies to forecast/measured first year energy savings only.
NA – Not Available

ATTACHMENT E

Solar Space Heating UFI Incentive Calculation Procedure.

In Advance, please perform the Design Review and Utility Bill Review (if Applicable) for numbers to enter in Steps #1, #2 and #5.

Elevation Zone Table:			
Min Elevation	Max Elevation	Heating Season Days	Daily Panel Heat Output
-1000	1000	105	0
1001	3000	140	0
3001	5000	175	0
5001	7000	210	0
7001	9000	245	0
9001	11000	280	0

Collector Thermal Performance Rating		
Data From OG-100 Sheet		
Category:	Delta T	Clear Day
A	-9 Deg. F.	0
B	+9 Deg. F.	0
C	+36 Deg. F.	0
D	+90 Deg. F.	0
E	+144 Deg. F.	0

Enter Solar Panel Make and Model Number Selected for Project:

Step #1:	Enter the result of the Design Review of the Design Annual Building Loss =	0	BTU/Year
Step #2:	Enter the result of the Utility Bill Review of the Actual Annual Building Loss: (If not Electric, Natural Gas or Propane Heat, enter 0) =	0	BTU/Year
Step #3:	Calculate the Lesser of the Result in Step #1 & Step #2 = This is the Annual Building Heat Requirement.	0	BTU/Year
Step #4:	Enter Elevation of the Solar Space Heated Building:	0	Feet AMSL
Step #4 cont:	Number of Heating Days per Heating Season from Elevation Zone Table:	105	Days per Year
Step #4 cont:	Calculate Average Daily Building Heat Requirement =	0	BTU/Day
Step #5:	Enter Passive Heat Storage Specific Heat Capacity from Building Design Review:	0	BTU/Deg. F.
Step #5 cont:	Enter Maximum Daily Room Temperature Variation Allowed by Building Occupants: (Max of 10 Degrees F.)	0	Degrees F.
Step #5 cont:	Calculate Maximum Passive Heat Storage Capacity =	0	BTU
Step #5 cont:	Enter Total Active Heat Storage Heat Capacity from Building Design Review:	0	BTU
Step #5 cont:	Calculate Maximum Total Heat Storage Capacity =	0	BTU
Step #6:	Calculate the Lesser of the Average Daily Building Heat Requirement in Step #4 and the Maximum Total Storage Capacity in Step #5. This is the Maximum Useful Daily Solar Heat Input.	0	BTU/Day
Step #7:	Size the Solar Panels based on a total daily solar heat input no greater than the Maximum Useful Daily Solar Heat Input. Enter the single panel SRCC OG-100 Collector Thermal Performance Rating data in the Table Above.	0	BTU/Day per Panel
Step #7cont:	Enter the Total number of solar panels to be installed:	0	# of Panels
Step #7cont:	Calculate the Average Expected Daily Solar Heat Input:	0	BTU/Day
Step #8:	Calculate the Expected Annual Useful Solar KWH Heat Input using the Number of Heating Days times the Average Expected Daily Solar Heat Input / 3415 BTU/KWH:	0	KWH/Year
Step #9:	Enter the UFI per first year KWH UCPP Incentive Rate:	\$0.75	\$/KWH
Step #9 cont:	Calculate the Total Maximum UFI Payment Subject to Possible Limitation by the 50% of Initial Cost Cap & 15% Minimum Customer Contribution:	\$0.00	\$
Step #10:	Enter the Total Solar Space Heating System Initial Cost: This should not include costs for Passive Heat Storage or Building Heating System.	\$0.00	\$
Step #10 cont:	Calculate the Total Expected Federal and Arizona Incentives for this Project:	\$0.00	\$
Step #10 cont:	Calculate the 15% minimum of the Total Solar Space Heating System Initial Cost to be paid by Customer	\$0.00	\$
Step #10 cont:	Calculate the Total Actual UFI Payment:	\$0.00	\$